NEVADA DEPARTMENT OF TRANSPORTATION

INVITATION TO BID

Contract No. 3983

US 395, North of Reno, from McCarran to Golden Valley Structure, in Washoe County

Construct Northbound and Southbound auxiliary lanes, Southbound travel lane, braided ramp at Panther Valley Interchange, and pavement rehabilitation

Engineer's Estimate: R44 (\$145,000,000.01 to \$175,000,000.00)

This project has a Disadvantaged Business Enterprise (DBE) Goal of 8.00%.



For questions regarding bid preparation, obtaining plans, specifications and project documents, please contact:

NDOT Contract Services 1263 South Stewart Street, Room 101 Carson City, NV 89712 Phone: (775) 888-7070 Hours: 8:00am – 5:00pm Monday to Friday

Contents

BID PREPARATION	3
DOCUMENTS INCORPORATED INTO THE CONTRACT	4
DOCUMENTS TO ASSIST IN BID PREPARATION	5
*DISCLAIMER	5
Civil Rights and Labor Compliance	6
OSHA/MSDS REQUIREMENTS	
CLEAN WATER ACT	11
CLEAN AIR REQUIREMENTS	
BID PROTESTS	11
DEPARTMENT DISCLAIMERS	14
BID CHECKLIST	15

BID PREPARATION

The bid opening date and time for this project (unless modified by an addenda) is June 8, 2023, 1:30:00 PM, PDT. It is the responsibility of the Contractor to ensure their bid, subcontractor reports and any supporting documentation is received by the Nevada Department of Transportation (NDOT) via the Electronic Bidding System (iCX) no later than the submittal deadlines. NDOT will not be responsible for bids and reports not completed and/or successfully transmitted by the deadline for submittal.

The right is reserved to reject any or all proposals, or to accept the proposal deemed best for the interests of the State of Nevada.

All bids are subject to NDOT verification.

- **PLEASE NOTE:** Payment for Item #1100050 TRAINING is required by Section 110.03 of the Standard Specifications and by Section 140 of Title 23, USC, as established by Section 22 of the Federal-Aid Highway Act of 1968 will be made at a rate of \$0.80 per hour. Any bid submitted with an amount other than the specified rate will be adjusted to \$0.80 per hour for this bid item.
- There will be a MANDATORY pre-bid conference on this contract. You must attend this pre-bid conference if you wish to bid on this contract. The conference will be held at District II – Construction Conference Room, 305 Galletti Way, Reno, NV 89512, on May 24, 2023 at 9:00 am PDT. The pre-bid conference is open to all interested parties and is being held for the purpose of discussing plans and specifications.
- 2. Contractors and subcontractors are required to hold a valid Contractor's license of a class corresponding to the work to be done, in accordance with the provisions of NRS 624, prior to being awarded a contract.
- 3. All bidders must be prequalified in accordance with the provisions of NRS 408, and the prequalification statement must be current through the date the contract is awarded.
- 4. Bidders are responsible to comply with all Federal, State, County and Local laws, statutes, policies and procedures required to perform the scope of work. All bidders must comply with the requirements of doing business in Nevada, as directed by the Office of the Secretary of State (including a State Business License), and any other County or Local agencies as may be applicable.
- 5. All Contractors doing business in Nevada must have a Federal Tax Identification Number.
- 6. Carefully review the accompanying plans and specifications for this contract. Any questions regarding the project must be submitted in writing via the Department's website at <u>http://www.nevadadot.com/doing-business/contractors-construction</u>. Questions should be submitted before 4:00pm Pacific Time 10 days prior to the scheduled bid opening to ensure an answer. Questions submitted after the deadline will be answered at the discretion of the Project Manager.
- 7. The 1982 Surface Transportation Assistance Act provides that on this project the "Buy America" portion of the Act shall apply to certain products incorporated in the finished work. Prospective bidders' attention is directed to Subsection 106.12 of the Standard Specifications.
- 8. The following signed certification is required of the person, firm, association or corporation in order for the bid to be considered responsive:
 - Anti-Collusion Affidavit
 - Restrictions on Lobbying Using Appropriated Federal Funds

- 9. All proposals must be accompanied by a proposal guaranty (bid bond or other guaranty) made unconditionally payable to the Nevada Department of Transportation in the amount equal to 5% of total bid amount. The guaranty may be cash, cashier's check, certified check, money order, bank draft, an undertaking executed by a corporate surety company authorized to do business in the State of Nevada, an electronic bid bond validated with Surety 2000 or SurePath, or any other guaranty that may be especially approved by the Department. Such proposal guaranty is to be forfeited to the Department should the bidder to whom the contract is awarded fail to enter into the contract within 20 days of the award of the contract.
- 10. No bids can be accepted after the time set for opening bids. Electronic bids cannot be submitted to the vault after the bid opening time. NDOT cannot make any exceptions due to bidder's internet services or any other emergency situations.
- 11. The successful bidder will enter into a contract with NDOT using the standard contract form, a draft of which is included in this document.

DOCUMENTS INCORPORATED INTO THE CONTRACT

- 1. The Qualified Products List (QPL) dated March 15, 2023, shall be used on this contract.
- 2. A Geotechnical Memorandum titled "Final Geotechnical Design Report, US 395 North Valleys, Washoe County, Nevada" dated January 2023, has been prepared and made available on the NDOT website at https://www.dot.nv.gov/home/showpublisheddocument/21096/638100723151670000
- 3. A Geotechnical Memorandum titled "Geotechnical Design Report, Phase 1B: US395 North Valleys, Washoe County, Nevada" dated August 2020, has been prepared and made available on the NDOT website at https://www.dot.nv.gov/home/showpublisheddocument/18026/637346615318730000
- 4. A Geotechnical Memorandum titled "Geotechnical Design Report, US-395 G-1092 and I-1093 MSE Abutment Walls, Washoe County, Nevada" dated January 2023, has been prepared and made available on the NDOT website at https://www.dot.nv.gov/home/showpublisheddocument/21082/638095365187400000
- 5. A Geotechnical Memorandum titled "I-3262 MSE Wall Design, US395 North Valleys Project, Washoe County, Nevada" dated September 2022, has been prepared and made available on the NDOT website at https://www.dot.nv.gov/home/showpublisheddocument/21084/638095365196330000
- 6. A Geotechnical Memorandum titled "Sound Wall Design Memo, Rev. 1., US395 North Valleys Project, Washoe County, Nevada" dated November 2022, has been prepared and made available on the NDOT website at https://www.dot.nv.gov/home/showpublisheddocument/21086/638095365206930000
- A Hazardous Materials Survey titled "Bridge G-1092 NS survey" dated May 2020, has been prepared and made available on the NDOT website at https://www.dot.nv.gov/home/showpublisheddocument/21180/638122438984130000
- A Hazardous Materials Survey titled "Bridge I-1093 NS survey" dated February 2023, has been prepared and made available on the NDOT website at <u>https://www.dot.nv.gov/home/showpublisheddocument/21184/638122439088670000</u>
- A Hazardous Materials Survey titled "Bridge G-1748 NS survey" dated February 2023, has been prepared and made available on the NDOT website at <u>https://www.dot.nv.gov/home/showpublisheddocument/21182/638122439033030000</u>

DOCUMENTS TO ASSIST IN BID PREPARATION

- 1. Transportation Management Plans (TMP) * (see disclaimer below)
- 2. CADD files * (see disclaimer below)
- 3. Project Workforce (Apprenticeship Utilization Act of 2019):
 - a. AUA Project Workforce Checklist (form attached)
 - b. AUA Request for Waiver (form attached) also available at: https://www.nevadadot.com/doing-business/external-civil-rights/contract-compliance
- 4. Other files * (see disclaimer below)
 - a. Informational Purposes Only Documents
 - b. Flood Control
- 5. The FHWA Publications "Manual on Uniform Traffic Control Devices, 2009 (MUTCD)" and the "Standard Highway Signs" may be purchased using links provided at: http://mutcd.fhwa.dot.gov/ser-pubs.htm.
- The "Rental Rate Blue Book" may be purchased from Equipment Watch at: <u>https://equipmentwatch.com</u>, or by calling 1-800-669-3282.
- 7. The Nevada Sign Supplement, 2006, is available at: <u>http://www.nevadadot.com/home/showdocument?id=4462</u>
- 8. The following is a list of documents available for purchase from NDOT Contract Services:
 - Standard Specifications for Road and Bridge Construction, 2014, Edition** \$20.00
 - Digital Elevation Models (Disclaimer and Agreement required at time of purchase) \$10.00
 - Standard Plans for Road and Bridge Construction, 2017**
 \$15.00
 - Construction Stakeout Manual
 - Construction Site Best Management Practices Manual (BMPs)

**also available at no charge in pdf format at:

http://www.nevadadot.com/doing-business/about-ndot/ndot-divisions/engineering/design/standard-specifications-and-plans

9. Employment lists may be obtained from the Nevada Department of Employment, Training and Rehabilitation.

*DISCLAIMER

Additional electronic engineering data–plans, profiles, maps, digital elevation models, images, and their associated cartographic or survey information–compiled for specific Nevada Department of Transportation (NDOT) applications only, are available for download for the above referenced contract. Documents or links can be found on the Contract Documents tab on the website here: <u>https://www.nevadadot.com/doing-business/contractors-construction/contract-services/bid-letting</u>. They are for informational purposes only.

This digital information is furnished by NDOT and/or its representatives as a courtesy and is accepted or used by the recipient with the understanding that the State of Nevada and/or its representatives make no warranties, expressed or implied, concerning the accuracy, completeness, reliability or suitability of this data, of its constituent parts, or of any supporting data. Recompilation of the raw data provided, exceeding the Horizontal/Vertical metadata accuracies and portraying it as a separate dataset or improved dataset, is prohibited.

Further, the reselling of this data is prohibited. Should one make use of this information in any submittal report, or other document, such submittal, report or other document shall bear the stamp of a professional

\$ 7.00

\$30.00

engineer licensed to practice in the State of Nevada, certifying said information is accurate and signifying the assumption of any and all risk and liability with respect to the provision and use of the information.

Furthermore, the recipient agrees that it will make no claim against NDOT and/or its representatives arising from the related use of the information whether sounding in contract, tort or any other legal theory, and expressly waives any and all such claims.

The recipient shall indemnify NDOT and/or its representatives and it shall be liable for all costs and attorney's fees incurred in the defense of and in securing dismissal of such claim whether brought by the undersigned company or any entity to whom the undersigned company sold or otherwise provided this data.

CIVIL RIGHTS AND LABOR COMPLIANCE

No person in the United States shall, on the basis of race, color, religion, sex, sexual orientation, gender identity or expression, age, disability or national origin, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any program or activity, for which the Department receives Federal financial assistance from the USDOT.

Title VI and USDOT Order 1050.2

The Nevada Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 US.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, religion, sex, sexual orientation, gender identity or expression, age, disability or national origin in consideration for an award.

USDOT ORDER 1050.2 APPENDIX A

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

- 1. **Compliance with Regulations**: The contractor (hereinafter includes consultants) will comply with the Acts and the Regulations relative to Non-discrimination in Federally-assisted programs of the U.S. Department of Transportation, the Federal Highway Administration, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.
- 2. **Non-discrimination**: The contractor, with regard to the work performed by it during the contract, will not discriminate on the basis of race, color, religion, sex, sexual orientation, gender identity or expression, age, disability or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor will not participate directly or indirectly in the discrimination Prohibited by the Acts and the Regulations, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.
- 3. Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the contractor of the contractor's obligations under this contract and the Acts and the Regulations relative to Non- discrimination on the basis of race, color, religion, sex, sexual orientation, gender identity or expression, age, disability or national origin.
- 4. **Information and Reports**: The contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Recipient or the Federal Highway Administration to be pertinent to ascertain compliance with such Acts, Regulations, and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor will so certify to the Recipient or the Federal Highway Administration, as appropriate, and will set forth what efforts it has made to obtain the information.
- 5. **Sanctions for Noncompliance**: In the event of a contractor's noncompliance with the Nondiscrimination provisions of this contract, the Recipient will impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - a. withholding payments to the contractor under the contract until the contractor complies; and/or
 - b. cancelling, terminating, or suspending a contract, in whole or in part.
- 6. **Incorporation of Provisions**: The contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor will take action with respect to any subcontract or procurement as the Recipient or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the Recipient to enter into any litigation to protect the interests of the Recipient. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.

USDOT ORDER 1050.2 APPENDIX E

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

Pertinent Non-Discrimination Authorities:

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 et seq.), (prohibits discrimination on the basis of sex);
- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability); and 49 CFR Part 27;
- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), (prohibits discrimination on the basis of age);
- Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);
- Titles II and III of the Americans with Disabilities Act, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 C.F.R. parts 37 and 38;
- The Federal Aviation Administration's Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures Non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of Limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).

AFFIRMATIVE ACTION AND EQUAL EMPLOYMENT OPPORTUNITY

The Department will on its own initiative, take affirmative action, including the imposition of contract sanctions and the initiation of appropriate legal proceedings under any applicable State or Federal law to achieve Equal Employment opportunity on all Projects and will actively cooperate with the Federal Highway Administration in all investigations and enforcement actions undertaken by the Federal Highway Administration. In conjunction with the above statements, the Department will not issue plans to an irresponsible bidder. Subsection (B) of Section 112 of Title 23 United States Code has been amended by adding at the end thereof, the following: "Contracts for the construction of each project shall be awarded only on the basis of the lowest responsive bid submitted by a bidder meeting established criteria of responsibility."

NDOT will, in addition to the other Equal Employment Opportunity provisions which are enumerated elsewhere in the Special Provisions, require an affirmative action program from each Contractor who holds an individual contract or subcontract in excess of \$10,000.00. This program, which included certain specific items relative to this project, can be submitted on the Department-furnished form.

The following requirements apply to the person, firm, association or corporation in order for the bid to be considered.

NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY (EXECUTIVE ORDER 11246)

The Offeror's or Bidder's attention is called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Specifications" set forth herein.

FEMALE PARTICIPATION STATEWIDE	
Time Period	Goal
Until further notice	6.9%
MINORITY PARTICIPATION STATEWIDE	
SMSA Counties, NV Clark	13.9%
163 Las Vegas, NV	
4120 Las Vegas, NV	
Non-SMSA Counties, NV Esmeralda, NV Lincoln, NV Nye	. 12.6%
SMSA Counties, NV Washoe	8.2%
164 Reno, NV	
6720 Reno, NV	
Non-SMSA Counties, NV Churchill, NV Douglas,	9.2%
NV Elko, NV Eureka, NV Humboldt, NV Lander,	
NV Lyon, NV Mineral, NV Pershing, NV Storey,	
NV White Pine, NV Carson City	

These goals are applicable to all the Contractor's construction work (whether or not it is Federal or federally assisted) performed in the covered area. If the contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and non-federally involved construction.

The Contractor's compliance with the Executive Order and the regulations in 41 CFR part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4.3(a), and its efforts to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project for the sole purpose of meeting the Contractor's goals shall be a violation of the contract, the Executive Order and the regulations in 41 CFR part 60-4. Compliance with the goals will be measured against the total work hours performed.

The Contractor shall provide written notification to the Director of the Nevada Department of Transportation and the Director of the Office of Federal Contract Compliance Programs within 10 working days of award of any construction subcontract in excess of \$10,000 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address and telephone number of the subcontractor; employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed.

During the performance of this contract, the contractor agrees as follows:

(1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity or expression, age, disability or national origin. The

contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, religion, sex, sexual orientation, gender identity or expression, age, disability or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.

- (2) The contractor will, in all solicitations or advancements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity or expression, age, disability or national origin.
- (3) The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under Section 202 of Executive Order No. 11246 of September 24, 1965, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- (4) The contractor will comply with all provisions of Executive Order No. 11246 of Sept. 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- (5) The contractor will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- (6) In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be cancelled, terminated, or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts in accordance with procedures authorized in Executive Order No. 11246 of Sept. 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order No. 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- (7) The contractor will include the provisions of paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order No. 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as may be directed by the Secretary of Labor as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, that in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction, the contractor may request the United States to enter into such litigation to protect the interests of the United States." [Sec. 202 amended by EO 11375 of Oct. 13, 1967, 32 FR 14303, 3 CFR, 1966-1970 Comp., p. 684, EO 12086 of Oct. 5, 1978, 43 FR 46501, 3 CFR, 1978 Comp., p. 230, EO 13672 of July 21, 2014, 79 FR 42971].

The Contractor shall take such action with respect to any subcontract or procurement as NDOT or the FHWA may direct as a means of enforcing such provisions including sanctions for non-compliance: provided, however, that, in the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the Contractor may request NDOT to enter into such litigation to protect the interests of NDOT, and, in addition, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

DISADVANTAGED BUSINESS ENTERPRISES

The bidder's attention is directed to the Code of Federal Regulations, 49 CFR, Part 26. This project is subject to 49 CFR, Part 26 entitled "Participation by Disadvantaged Business Enterprises in Department of Transportation Programs; Final Rule." The Contractor agrees to ensure that disadvantaged business enterprises as defined in 49 CFR, Part 26 have an equal opportunity to participate in the performance of the contracts and subcontracts financed in whole or in part with Federal funds. The requirements for compliance

are contained in Subsections 102.03, 102.16, and 103.08 of the Standard Specifications and in the Additional Contract Provisions appended to the Special Provisions.

Bidders are required to submit DBE information via the NDOT Electronic Bidding System (iCX) at the time of bid submittal. Good Faith Effort (GFE) supplemental documentation, if applicable, and DBE confirmation Documentation must be submitted to NDOT no later than 5:00 pm on the next business day following the bid opening.

OSHA/MSDS REQUIREMENTS

In compliance with the multi-employer worksite provisions of the Occupational Safety and Health Administration's (OSHA) Hazard Communication Standard 29 CFR Part 1910.1200 (e) (2) the Contractor is required to provide current Material Safety Data Sheets (MSDS) for all hazardous chemicals [as defined in 29 CFR Part 1910.1200 (c)] to be used by the Contractor in this contract. It will be the Contractor's responsibility to submit a list of all hazardous chemicals to be used on this contract 7 days in advance of the pre-construction conference. MSDS must be submitted prior to the beginning of any phase of work which requires the use of the hazardous chemical. An MSDS shall be submitted prior to use of the hazardous chemical on the contract, for any additional hazardous material not covered by the original list.

CLEAN WATER ACT

The bidder's attention is directed to Sections 401 and 404 of the Clean Water Act (CWA). This contract must be constructed under a United States Army Corps of Engineers nationwide permit obtained by the Department subject to conditions outlined in Subsection 108.04 of the Standard Specifications. This contract must be constructed pursuant to the Nevada Division of Environmental Protection's 401 Water Quality Certification obtained by the Department subject to conditions outlined in Section 637. Compliance with all rules, regulations, special stipulations and laws pertaining to the CWA shall be the responsibility of the Contractor and the cost of said compliance shall not be measured or paid for directly, but the cost thereof shall be considered in the contract unit price bid for other items of work.

If, in the duration of this contract, any change to the project is considered, the party proposing the change shall be responsible for (1) insuring that the project continues in compliance with Sections 401 and 404 of the CWA and (2) any resultant delays and/or increased costs.

CLEAN AIR REQUIREMENTS

This project is located in Washoe County, Nevada. The bidder shall contact the Washoe County District Health Department (Air Quality Division) regarding special considerations concerning air quality requirements in the county.

Compliance with all rules, regulations, special stipulations, and laws pertaining to air quality shall be the responsibility of the Contractor and the cost of said compliance will be measured and paid for as specified in Section 637. Contractor penalties associated with non-compliance of these rules, regulations, special stipulations and laws shall not be sufficient cause for increases in costs or time to the contract.

BID PROTESTS

1. Applicability

This section sets forth the exclusive protest remedies available with respect to this Invitation to Bid. These provisions prescribe the exclusive procedures for protests regarding:

- a) a bidder protesting the determination that the apparent-low bid is responsive to the requirements of this Invitation to Bid and related specifications, or as to whether the apparent-low bidder is responsible, as applicable.
- b) if the Department provides notice of its intention to award a bid to the apparent second-low bidder, the determination that the apparent second-low bid is responsive to the requirements of this

Invitation to Bid and related specifications, or as to whether the apparent second-low bidder is responsible, as applicable.

c) a bidder's own bid being deemed non-responsive by the Department

2. Deadlines for Protests

Protests concerning the issues described in subsection 1(a) must be received by the Department as soon as the basis for the protest is known, but no later than 5:00pm seven (7) calendar days after the announcement of the apparent-low bidder is made. Announcement of the apparent-low bidder will be made by either:

- a) the Unofficial Bid Results being made publicly available, or
- b) direct notification to all bidders, or
- c) in the case of a change to the apparent-low bidder, the updated/revised Unofficial Bid Results being made publicly available.

Protests concerning the issues described in subsection 1(b) must be received by the Department as soon as the basis for the protest is known, but no later than 5:00pm five (5) calendar days after the publishing of a notice of intent to award to the apparent second-low bidder. Announcement of the Department's intention to award to the apparent second-low bidder will be made by either:

- a) the notice of such intention being made publicly available, or
- b) direct notification to all bidders.

Protests concerning the issues described in subsection 1(c) must be received by the Department as soon as the basis for the protest is known, but no later than 5:00pm five (5) calendar days after bidder's receipt of notice that their bid is non-responsive.

Notices under this section will be deemed to be received by the bidder either:

- a) on the day, they are emailed to the person who submitted the bid; or
- b) two (2) calendar days after they are sent via regular mail to the address on file with the Department; or
- c) on the day, they are made publicly available; whichever is earlier.

3. Content of Protests

Protests filed in accordance with this section must completely and succinctly state the grounds for protest, its legal authority, and its factual basis, and include all factual and legal documentation in sufficient detail to establish the merits of the protest.

All protests must contain the following affirmation:

The undersigned does hereby affirm that the preceding Protest is submitted in accordance with the relevant protest requirements and that foregoing facts cited in this Protest are true and correct to the best of my knowledge.

Date Signed

Signature

Printed Name

4. Filing of Protest

The notice of protest must be clearly marked as a "Notice of Protest" and submitted to: Notice of Protest

Project/Bid Number____

Nevada Department of Transportation

Attn: Administrative Services Division Chief 1263 S Stewart St. #101 Carson City, NV 89712

A courtesy copy may be sent via email to <u>NDOTContractServices@dot.nv.gov</u>.

5. Burden of Proof

The protestant has the burden of proving their protest by clear and convincing evidence. The Department may, in its sole discretion, discuss the protest with the protestant and other bidders. No hearing will be held on the protest. The protest will be decided on the basis of written submissions.

6. Decision on Protests

The Department Director, or his/her designee, will issue a written decision regarding each protest within thirty (30) calendar days after the receipt of the detailed statement of protest submitted under this section. The decision by the Department Director, or his/her designee, will be final. The written decision of the Department Director, or his/her designee, will be final, binding, and not subject to appeal.

7. Protestant's Payment of Costs

If a protest is denied, the bidder filing the protest may be liable for the Department's costs reasonably incurred to defend against or resolve the protest, including legal and consultant fees and costs and any unavoidable damages sustained by the Department as a consequence of the protest.

At the sole discretion of the Department, a bidder filing a notice of protest may be required to submit to the Department, at the time the notice of protest is filed, evidence of a bond posted with a good and solvent surety authorized to do business in Nevada or submit other security, in a form approved by the Department. If a bond or other security is required, the Department will hold such bond or other security until a determination is made on the protest. A bond posted or other security submitted with a notice of protest must be in an amount equal to:

- (a) Twenty-five (25) percent of the total value of the bid submitted by the bidder filing the notice of protest; or
- (b) Two hundred fifty thousand dollars (\$250,000); whichever is less.

If the protest is upheld, the bond posted or other security submitted with the notice of protest will be returned to the person who posted the bond or submitted the security. If the protest is rejected, the Department may make a claim against the bond or other security in an amount equal to the expenses incurred by the Department because of the unsuccessful protest. Any money remaining after the claim has been satisfied will be returned to the person who posted the bond or submitted the security.

8. Rights and Obligations of Bidders

Each bidder, by submitting their bid, expressly recognizes and agrees to the limitation on its rights to protest provided in this section, and expressly waives all other rights and remedies that may be available to the bidder under Federal and State laws. These provisions are included in the Invitation to Bid expressly in consideration for such waiver and agreement by the bidders. If bidder disregards, disputes, or does not follow the exclusive protest remedies provided in this section, it shall indemnify and hold the Department and its officers, employees, agents, and consultants harmless from and against all liabilities, fees, and costs, including legal and consultant fees and costs and damages incurred or suffered as a result of such bidder's actions. Each bidder, by submitting a bid, shall be deemed to have irrevocably and unconditionally agreed to this indemnity obligation.

A notice of protest filed in accordance with the provisions of this section operates as a stay of action in relation to the awarding or execution of any contract until a determination on the protest is made by the Department. A person who makes an unsuccessful bid may not seek any type of judicial intervention until the Department has made a determination on the protest and awarded the contract.

Neither the Department nor any authorized representative of the Department is liable for any costs, expenses, attorney's fees, loss of income or other damages sustained by a person who makes a bid, whether or not the person files a notice of protest.

DEPARTMENT DISCLAIMERS

This Invitation to Bid does not commit the Department to enter into any contract. The Department assumes no obligations, responsibilities, or liabilities, fiscal or otherwise, to reimburse all or part of the costs incurred or alleged to have been incurred by parties considering a response to and/or responding to this Invitation to Bid. All of such costs shall be borne solely by each bidder.

In no event shall the Department be bound by, or liable for, any obligations with respect to the Project until such time (if at all) as the contract, if any, in form and substance satisfactory to the Department, has been authorized and executed by the Department and, then, only to the extent set forth therein. In submitting a bid in response to this Invitation to Bid the bidder is specifically acknowledging these disclaimers.

BID CHECKLIST

To submit a bid, the bidder must have access to iCX software on the web. For information on obtaining and using iCX, contact NDOT Contract Services at: ndotcontractservices@dot.nv.gov or via phone (775) 888-7070, option 3.

□ Attend the MANDATORY pre-bid conference

Location: District II – Construction Conference Room, 305 Galletti Way, Reno, NV 89512 Time: 9:00 AM PDT

- □ Enter Bid Bond Information:
 - a. Enter and validate an electronic bid bond number in Electronic Bidding System (iCX). Must be Surety2000 or SurePath if submitting electronically.
 - b. Alternatively, submit a paper proposal guaranty to NDOT Contract Services, 1263 S. Stewart St., Carson City, NV 89712, prior to bid opening time.
 - i. In the Electronic Bidding System (iCX), enter proposal guaranty surety type and then bond or check #, then select "Validate Bond".
 - ii. The status will change to "Validated", HOWEVER, NDOT MUST STILL RECEIVE YOUR PAPER GUARANTY PRIOR TO BID OPENING.
- □ Complete the Suspension and Debarment and the Lobbying Activities certifications via the NDOT Electronic Bidding System (iCX).
- □ Submit the bid to the secure vault. All subcontractor and supplier information listed, certifications acknowledged and any additional documentation uploaded before bid submission will automatically be submitted with the bid.
- □ Submit any updated subcontractor and supplier information that is listed after bid submission. Subcontractors exceeding 1% of the contract (or \$50,000.00, whichever is greater) or subcontractors which will exceed \$250,000.00, must be submitted within **2 hours after bid opening**. A list of all subcontractors and suppliers used and not used must be submitted by **5:00 pm the next business day following the bid opening**. All subcontractor and supplier information listed before bid submission will automatically be submitted with the bid.
- □ All bidders must upload DBE confirmation letters, via the Electronic Bidding System (iCX) and any Good Faith Effort (GFE) if applicable, by **5:00 pm the next business day following the bid opening.** All confirmation letters and GFE uploaded before bid submission will automatically be submitted with the bid.

□ **Project Workforce Information:**

a. **Prior to bid opening**, the prime Contractor shall upload a completed Project Workforce Checklist, provided by the Department, into the Department's Electronic Bidding System (iCX), in the Good Faith Effort section, until further notice (form attached).

- b. **By 5:00 pm the next business day following bid-opening,** the apparent 3 lowest bidders shall upload a completed Project Workforce Checklist for all named subcontractors into the Department's Electronic Bidding System (iCX), in the Good Faith Effort section, until further notice (form attached).
- c. Within 10 days of bid-opening, the apparent low bidder shall submit a Request for Waiver form, provided by the Department, for the prime Contractor and all named subcontractors. All supporting documentation for waivers, shall be submitted with the Request for Waiver form. The Request for Waiver form and supporting documentation shall be sent via email, fax or delivered to the Department's Contract Compliance Office, <u>ContractComplianceProjects@dot.nv.gov</u>. If waivers are not needed, please indicate such on the Request for Waiver form, and submit as directed above (form attached).

A request for waiver may be submitted for one of the following:

- i. No Registered Apprentice Programs exist for the craft/type of work required by the project.
- ii. A request of Apprentices was denied, or not acted upon with 5 business days of submission.
- iii. The project required the performance of uniquely complex or hazardous work.

Failure to submit the workforce/apprentice utilization forms and supporting documentation described above, within the required time, may deem the bid non-responsive.

NEVADA DEPARTMENT OF TRANSPORTATION **Project Workforce Checklist**

For Compliance with the Nevada Apprenticeship Utilization Act, 2019

Contract No.:_____ Contractor/Subcontractor: _____

Craft/Trade	More than 3 Employees Anticipated?	Anticipate Needing Waiver?
Air Balance Technician	Yes No N/A	Yes 🗌 No 🗌
Alarm Installer (see also Electrician)	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Boilermaker	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Bricklayer , can also include tile setter, terrazzo workers and marble masons.	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Carpenter , can also include cement masons, floor coverer, millwright and piledriver (non-equipment), plasterers and terrazzo workers.	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Electrician, includes communication technician, line, neon sign and wireman. Can also include alarm installer.	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Elevator Constructor	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Glazier (see also Painters and Allied Trades)	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Hod Carrier (see also Laborers) includes brick-mason tender and plaster tender.	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Iron Worker can also include fence erectors (steel/iron)	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Laborer includes asbestos abatement, fence erector (non-steel/iron), flag person, highway striper and traffic barrier erector. Can also include cement masons, hod carrier brick mason tender and plaster tender	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Lubrication and Service Engineer	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Mason , can also include cement mason, plasterer, tile setter, terrazzo workers and marble masons	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Mechanical Insulator	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Millwright (see also carpenter)	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Operating Engineer , can also include equipment greaser, piledriver, soils and material tester, steel fabricator/erector (with equipment), surveyor (non-licensed) and well driller.	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Painters and Allied Trades , can also include glaziers, floor coverers, and tapers.	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Plumber/Pipefitter	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Refrigeration	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Roofer (not sheet metal)	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Sheet Metal Worker, can also include air balance technician.	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Sprinkler Fitter	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Truck Driver	Yes 🗌 No 🗌 N/A 🗌	Yes 🗌 No 🗌
Well Driller (see also Operating Engineer)	Yes No N/A	Yes 🗌 No 🗌

I affirm I am fully authorized to sign on behalf of the contractor/subcontractor listed above, and that the information provided is true and correct to the best of my knowledge. Additionally, I acknowledge any changes to the anticipated workforce, which may have an impact on compliance with the Nevada Apprenticeship Utilization Act, 2019, will require the submittal of a revised form within five (5) calendar days of the change.

Signed: _____ Date: _____

Name and Title:

Nevada Department of Transportation Contract Compliance Office 1263 South Stewart Street Carson City, NV 89712

Phone: (775) 888-7497 Fax: (775) 888-7235 contractcomplianceprojects@dot.nv.gov Rev. 02/2020

NEVADA DEPARTMENT OF TRANSPORTATION Request for Waiver For Compliance with the Nevada Apprenticeship Utilization Act, 2019

Contract No.: Contractor/Subcontractor:	
Contact:	License Number:
Phone: Fax: e-mail: _	
☐ No waivers needed for this contractor/subcontra	ctor in any crafts/trades.
☐ Waiver needed for the following craft(s)/trade(s)	
	renticeship Program registered by the Nevada State the public work is to be completed. Please describe ovided:
☐ Waiver needed for the following craft(s)/trade(s))
as the contractor/subcontractor listed above required Program and the request has been denied or not a why an Apprentice is not available or cannot be pro	· · · · · · · · · · · · · · · · · · ·
☐ Waiver needed for the following craft(s)/trade(s))
as the contractor/subcontractor is required to per project, as described below, that require the skill ar	rform uniquely complex or hazardous tasks on the nd expertise of a journeyman:
Please attach all additional documentation/evidence	e needed to support the request for waiver.
I affirm I am fully authorized to sign on behalf of the information provided is true and correct to the best of m	
Signed:	Date:
Name and Title:	
Nevada Department of Transportation Contract Compliance Office 1263 South Stewart Street Carson City, NV 89712	Phone: (775) 888-7497 Fax: (775) 888-7235 contractcomplianceprojects@dot.nv.gov

STEVE SISOLAK Governor

TERRY REYNOLDS Director

BRETT K. HARRIS LABOR COMMISSIONER

STATE OF NEVADA



Office of the Labor Commissioner 3300 West Sahara Avenue, Suite 225 Las Vegas, Nevada 89102 Phone: (702) 486-2650 Fax (702) 486-2660

OFFICE OF THE LABOR COMMISSIONER 1818 COLLEGE PARKWAY, SUITE 102 CARSON CITY, NV 89706 PHONE: (775) 684-1890 FAX (775) 687-6409

2023 PREVAILING WAGE RATES WASHOE COUNTY

DATE OF DETERMINATION: October 1, 2022

APPLICABLE FOR PUBLIC WORKS PROJECTS OVER \$100,000 BID/AWARDED OCTOBER 1, 2022 THROUGH SEPTEMBER 30, 2023

Pursuant to Nevada Revised Statutes (NRS) section 338.030(9)(a), "If the contract for a public work: (a) Is to be awarded pursuant to a competitive bidding process, the prevailing wages in effect at the time of the opening of the bids for a contract for a public work must be paid until the completion or termination of the contract or for the 36 months immediately following the date on which the bids were opened, whichever is earlier." For contracts not awarded pursuant to competitive bidding, please see NRS section 338.030(9)(b). However, if a project exceeds 36 months new wage rates may apply pursuant to NRS section 338.030(9)(10). Prevailing Wage Rates may be adjusted based on Collective Bargaining Agreements (CBA's) and adjustments to those agreements. (See NRS 338.030)

PREVAILING WAGE DETERMINATIONS - NRS 338.030 subsection 7, the wages so determined must be:

(a) Issued by the Labor Commissioner on October 1 of the odd-numbered year in which the survey was conducted and, except as otherwise provided in subsection 8, remain effective for 2 years after that date; and
(b) Made available by the Labor Commissioner to any public body which awards a contract for any public work.

Senate Bill 243 passed during the 80th Nevada Legislative Session (2019) and set forth in NRS section 338.025, now requires the Labor Commissioner to calculate the Prevailing Wage Rates by region. NRS section 338.025 Prevailing wage regions. For the purpose of determining the prevailing rate of wages pursuant to NRS section 338.030, four prevailing wage regions are hereby established in this State as follows:

- 1. The Washoe Prevailing Wage Region consisting of Washoe County;
- 2. The Northern Rural Prevailing Wage Region consisting of Carson City and the counties of Churchill, Douglas, Elko Eureka, Humboldt, Lander, Lyon, Mineral, Storey, Pershing and White Pine;
- 3. The Clark Prevailing Wage Region consisting of Clark County; and
- 4. The Southern Rural Prevailing Wage Region consisting of the counties of Esmeralda, Lincoln and Nye.

OBJECTIONS TO PREVAILING WAGE DETERMINATIONS – NRS section 338.030 subsection 2. Objections to the Prevailing Wage Determinations must be submitted within 30 days after the Prevailing Wage Determinations are issued.

Pursuant to NRS section 338.030 subsection 8, the Labor Commissioner will review the prevailing wage rates in each even-numbered year to determine if adjustments should be made.

As <u>Amendments/Revisions</u> are made to the wage rates, they will be posted on the website for each respective Region. Please review regularly for any Amendments/Revisions that are posted or contact our offices directly for further assistance.

Air Balance Technician	4
Alarm Installer	
Boilermaker	6
Bricklayer	7
Carpenter	
Cement Mason	9
Electrician – Communication Technician	10
Electrician - Lineman	12
Electrician – Neon Sign	
Electrician - Wireman	
Elevator Constructor	16
Fence Erector	18
Flagperson	<u>19</u>
Floorcoverer	20
Glazier	
Highway Striper	
Hod Carrier-Brick Mason	
Hod Carrier – Plasterer Tender	24
Hod Carrier – Plasterer Tender Ironworker	
Laborer	
Lubrication And Service Engineer (Mobile And Grease Rack)	46
Mechanical Insulator	31
Millwright	
Operating Engineer	
Operating Engineer – Steel Fabricator & Erector	34
Operating Engineer – Piledriver	35
Painter	
Piledriver (Non-Equipment) Plasterer	
Plumber/Pipefitter	
Refrigeration	42
Roofer	
Sheet Metal Worker	45
Soils and Material Tester	
Sprinkler Fitter	
Surveyor	<u>46</u>
Taper	
Tile/Terrazzo Worker/Marble Mason Finisher	
Tile/Terrazzo Worker/Marble Mason	
Traffic Barrier Erector	51
Truck Driver	52
Well Driller	54
Group Classifications	
Labor Group Classifications	55
Operating Engineers	

NRS section 338.010 subsection (25) "Wages" means:

- a) The basic hourly rate of pay; and
- b) The amount of pension, health and welfare, vacation and holiday pay, the cost of apprenticeship training or other similar programs or other bona fide fringe benefits which are a benefit to the worker.

NRS section 338.035 Bona Fide Fringe Benefits - Discharge of part of obligation of contractor or subcontractor engaged on public work to pay wages by making certain contributions in name of workman. "Bona fide fringe benefit" means a benefit in the form of a contribution that is made not less frequently than monthly to an independent third party pursuant to a fund, plan or program: (a) Which is established for the sole and exclusive benefit of a worker and his or her family and dependents; and (b) For which none of the assets will revert to, or otherwise be credited to, any contributing employer or sponsor of the fund, plan or program. The term includes, without limitation, benefits for a worker that are determined pursuant to a collective bargaining agreement and included in the determination of the prevailing wage by the Labor Commissioner pursuant to NRS section 338.030.

Please see NRS sections 338.010, 338.020, and 338.035 and Nevada Administrative Code (NAC) sections 338.0097 and 338.092 through 338.100 for further details on "Bona fide fringe benefits" and reporting requirements and exceptions.

Job Descriptions for Recognized Classes of Workers

Regarding job descriptions for public works projects, please take notice of the following:

- 1. The job description links have been redacted to include ONLY the scope of work for the craft.
- 2. Pursuant to NAC section 338.0095(1)(a) A worker employed on a public work must be paid the applicable prevailing rate of wage for the type of work that the worker actually performs on the public work and in accordance with the recognized class of the worker.
- 3. The work description for a particular class is not intended to be jurisdictional in scope.
- 4. Any person who believes that a type of work is not classified, or who otherwise needs clarification pertaining to the recognized classes or job descriptions, shall contact the Labor Commissioner in writing for a determination of the applicable classification and pay rate for a particular type of work.
- 5. The job descriptions set forth or referenced herein supersede any, and all descriptions previously agreed upon by the Labor Commissioner in any settlement agreements or stipulations arising out of contested matters.
- 6. The following specific provisions, where applicable, shall prevail over any general provisions of the job descriptions:
 - Amendments to the prevailing wage determinations.
 - Group Classifications and/or descriptions recognized by the Labor Commissioner and included with wage determinations for a particular type of work in a particular county.

Zone Rates

The zone rate has been added to each applicable craft.

Premium Pay Premium pay for hours worked in excess of a shift of 8 hours or 12 hours, or such other time increment set forth in the Collective Bargaining Agreement or on a weekend or holiday.

Craft: AIR BALANCE TECHNICIAN (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Air Balance Technician Journeyman	71.50
Air Balance Technician-Foreman	
Air Balance Technician-General Foreman	79.93

ADD ZONE RATE

In addition to AIR BALANCE rates add the applicable amounts per hour, calculated based on a road from the courthouse in Reno, Nevada:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 100 miles	\$5.00
Zone 3	Over 100 miles	\$10.00 the employee shall be provided reasonable lodging and meal expenses.

ADD PREMIUM PAY

All hourly rates are subject to Over Time (One and one half 1 ½) of the Regular rate:

- 1. For all hours worked over Eight (8) Hours in one day or shift.
- 2. For the first Eight (8) Hours work on Saturday.

All hourly rates are subject to Double Time of the Regular Rate:

- 1. For all hours worked over Ten (10) Hours in one day or shift.
- 2. For all hours worked over Eight (8) Hours on Saturday.

3. For all hours worked on Sunday, New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Nevada Day, Thanksgiving Day, Day after Thanksgiving, Day before Christmas, and Christmas Day.

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Nevada Day, Thanksgiving Day, Day after Thanksgiving, Day before Christmas, and Christmas Day

JOB DESCRIPTION: Excerpt from Sheet Metal Local 26 Collective Bargaining Agreement

(a) manufacture, fabrication, assembling, handling, erection, installation, dismantling, conditioning, adjustment, alteration, repairing and servicing of all ferrous or nonferrous metal work and all other materials used in lieu thereof and of all HVAC systems, air veyor systems, exhaust systems, and air-handling systems regardless of material used including the setting of all equipment and all reinforcements in connection therewith; (b) all lagging over insulation and all duct lining; (c) testing and balancing of all air-handling equipment and duct work; (d) the preparation of all shop and field sketches whether manually drawn or computer assisted used in fabrication and erection, including those taken from original architectural and engineering drawings or sketches; (e) metal roofing; and (f) all other work included in the jurisdictional claims of International Association of Sheet Metal, Air, Rail and Transportation Workers.

Craft: ALARM INSTALLER (Non-Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

JOB DESCRIPTION:

Includes but is not limited to:

- 1. Installing or testing electrical protective signaling systems used to provide notification of fire, burglary or other irregularities on the premises of the subscriber of the system;
- 2. Installing of wiring and signaling units;
- 3. Repairing electrical protective signaling systems
- 4. Starting up, programming and documenting systems;

Craft: BOILERMAKER (Union Rate) Prevailing wage rates include the base rate as well as all applicable fringes

Boilermaker	65.94
Boilermaker Foreman	65.94
Boilermaker General	65.94

ADD PREMIUM PAY

Premium pay for hours worked in excess of a shift of 8 hours or 12 hours or such other time increment set forth in the Collective Bargaining Agreement or on a weekend or holiday.

JOB DESCRIPTION:

Includes but is not limited to:

- 1. Constructing, assembling, maintaining and repairing stationary steam boilers and boiler house auxiliaries;
- 2. Aligning structures or plate sections to assemble boiler frame tanks or vats;
- 3. Assisting in the testing of assembled vessels, directing cleaning of boilers and boiler furnaces;
- 4. Inspecting and repairing boiler fittings, including, without limitation, safety valves, regulators, automatic-control mechanisms, water columns and auxiliary machines.

Craft: BRICKLAYER (Union Rate) Prevailing wage rates include the base rate as well as all applicable fringes

Bricklayer Journeyman	.71
Bricklayer Foreman	96

Add Zone pay

Zone 75 miles and Over \$8.13

ADD PREMIUM PAY

One and one half $(1\frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, President's Day, Memorial Day, Fourth of July, Labor Day, Admission Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between No, NV Masonry Contractors and LIUNA Local 169

This shall apply to and cover the work of Brick/Block Masonry, Stone Masonry, Artificial Masonry Marble Masonry.

Craft: CARPENTER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Carpenter Journeyman	54.91
Carpenter Foreman	
Carpenter General Foreman	62.03

ADD ZONE RATE

(Building and Heavy Highway and Dam Construction)

In addition to CARPENTER rates add the applicable amounts per hour, calculated from the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00 (Road miles from the Washoe County Courthouse)
Zone 2	75 to 150 miles	\$4.00
Zone 3	150 to 300 miles	\$5.00
Zone 4	Over 300 miles	\$6.00

ADD PREMIUM PAY

Any work performed over eight (8) hours per day and on Saturdays shall be compensated at time and one-half (1-1/2x) the appropriate hourly rate. All work performed on Sundays, holidays and over twelve (12) hours in one (1) day shall be compensated at two times (2x) the appropriate hourly rate. In the event a day's work is lost because of severe weather conditions or major mechanical breakdown, work may be performed on a voluntary basis on a Saturday at the straight time hourly rate for eight (8) hours provided the straight time hours worked in one (1) week do not exceed forty (40) hours.

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, 4th of July, Labor Day, Admission's Day, Thanksgiving Day, the Friday after Thanksgiving, Christmas Day.

JOB DESCRIPTION Excerpt from Southwest Regional Council of Carpenters and Affiliated Local Unions Master Labor Agreement

(1) All building construction, including but not limited to the construction, erection, alteration, repair, modification, demolition, addition, or improvement in whole or in part of any building structure. All rigging of Carpenters', and Piledrivers' materials.

(2) All heavy, highway and engineering construction, including but not limited to the construction, improvement, modification and demolition of all or any part of the streets, highways, bridges, viaducts, railroads, tunnels, airports, water supply, irrigation, flood control and draining systems, sewers and sanitation projects, dams, power houses, refineries, aqueducts, canals, river and harbor projects, wharves, docks, breakwaters, jetties, quarrying of breakwaters or rip rap stone or operations incidental to such heavy construction work and whether such work is above or below the water line level.

(3) The character of such work covered by this Agreement shall include but not be limited to all carpenter, concrete form work, shoring, drywall, metal stud, drywall finishing, plaster, scaffold, modular furniture, trade show work, insulation, acoustical, and lathing work on such construction

(4) All interior and/or exterior wall finish work, including EIFS and other wet wall finish work.

Craft: CEMENT MASON (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Cement Mason - Journeyman	
Cement Mason - Foreman	52.55

ADD ZONE RATE

In addition to CEMENT MASON rates add the applicable amounts per hour, calculated from the Reno Post Office, 50 So. Virginia St., Reno, Nevada:

Zone 1	0 to 90 miles	\$0.00
Zone 2	over 90 miles	\$6.00

ADD PREMIUM PAY

OVERTIME – Any worked performed over eight (8) hours per day shall be compensated at time and one half the hourly rate. All work performed after twelve (12) consecutive hours shall be paid at double the hourly rate. All worked performed on Saturdays shall be compensated at time and one half the hourly rate. All Sunday and Holiday work shall be paid for at double time.

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, Independence Day, Labor Day, Admissions Day, Thanksgiving Day and the following Friday following Thanksgiving Day, and Christmas

JOB DESCRIPTIONS

1. All building construction, including but not limited to the construction, erection, alteration, repair, modification, demolition, addition, or improvement in whole or in part of any building structure.

2. All heavy, highway and engineering construction, including but not limited to construction, improvement, modification, demolition, of all or any part of streets and highways (including sidewalks, curbs and gutters), bridges, viaducts, rail roads, tunnels, airports, water supply, irrigation, flood control and drainage systems, sewers and sanitation projects, dams, power houses, refineries, aqueducts, canals, river and harbor projects, wharves, docks, breakwaters, jetties, quarrying of breakwater or rip-rap stone, or operation incidental to such heavy construction work.

3. The work to be performed by Cement Masons shall include but not be limited to the following, when tools of the Cement Masons trade are used or required:

Setting screeds, screed pins, curb forms and curb and gutter forms, rodding, spreading and tamping concrete, hand application of curing compounds, applying topping (wet or dry) colors or grits; using Darby and push floats, hand troweling or hand floating; marking edging, brooming or brushing, using base cove or step tools; chipping, and stoning, patching or sacking; dry packing; spreading and finishing gypsum, operating mechanical finishers (concrete) such as Clary, Jackson, Bidwell Bridge Deck Paver or similar types; grinding machines; troweling machines, floating machines powered concrete saws; finishing of epoxy and resin materials, bush hammering and exposed finishes for architectural work.

Operation of skill saw, chain saw, Laser Screed, Laser Level, Curb and Slipform machines, Epoxy Type Injection pumps, stamps or other means of texturing, any new devices, which are beneficial to the construction of or with concrete or related products.

Craft: ELECTRICIAN COMMUNICATION TECHNICIAN (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Communication Installer	44.79
Communication Technician	
Senior Technician	52.91

ADD ZONE RATE

In addition to Electrician Communication Tech rates add the applicable amounts per hour, calculated from the Washoe County Courthouse:

Zone 1	0 to 70 miles	\$0.00
Zone 2	70 to 90 miles	\$8.00
Zone 3	90 miles and over	\$10.00

ADD PREMIUM PAY

One and one half (1 ¹/₂) the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For the first eight (8) hours worked on Saturday

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over eight (10) hours in one day or shift.
- 2. For any hours worked on Sunday
- 3. For any hours worked on Holidays

Shift Rates

- 1. Swing shift to be paid at seventeen-point three (17.3) percent the regular straight time rate for hours between 4:30 p.m. and 1:00 a.m.
- 2. Graveyard shift to be paid at thirty-one-point four (33.4) percent the regular straight time rate for hours between 12:30 a.m. and 9:00 a.m.
- 3. Shifts are established for at least five (5) consecutive days or double the regular straight time rate shall be paid.

**Note – Double the straight time rate is the max rate paid. (No pyramiding of overtime rates)

JOB DESCRIPTION:

The work covered by this Agreement shall include the installation testing, service and maintenance, of the following systems which utilize the transmission and/or transference of voice, sound, vision and digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background-foreground music, intercom and telephone interconnect, inventory control systems, microwave transmission, multi-media, multiplex, nurse call system, radio page, school intercom and sound, burglar alarms and low voltage master clock systems.

A. SOUND AND VOICE TRANSMISSION/TRANSFERENCE SYSTEMS 1. Background-foreground music 2. Intercom and telephone interconnect systems 3. Telephone systems 4. Nurse call systems 5. Radio page systems 6. School intercom and sound systems 7. Burglar alarm systems 8. Low-voltage

master clock systems 9. Multi-media/multiplex systems 10. Sound and musical entertainment systems 11. RF Systems 12. Antennas and Wave Guide

B. FIRE ALARM SYSTEMS * 1. Installation, wire pulling and testing

C. Television and Video Systems 1. Television monitoring and surveillance systems 2. Video security systems 3. Video entertainment systems 4. Video educational systems 5. Microwave transmission systems 6. CATV and CCTV

D. Security Systems 1. Perimeter security systems 2. Vibration sensor systems 3. Card access systems 4. Access control systems 5. Sonar/Infrared monitoring equipment

E. COMMUNICATION SYSTEMS THAT TRANSMIT OR RECEIVE INFORMATION AND/OR CONTROL SYSTEMS THAT ARE INTRINSIC TO THE ABOVE LISTED SYSTEMS (IN THE SCOPE) 1. SCADA (Supervisory Control and Data Acquisition) 2. PCM (Pulse Code Modulation) 3. Inventory Control Systems 4. Digital Data Systems 5. Broadband and Baseband and Carriers 6. Point of Sale Systems 4 7. VSAT Data Systems 8. Data Communication Systems 9. RF and Remote-Control Systems 10. Fiber Optic Data Systems

Craft: ELECTRICIAN LINEMAN/GROUNDMAN/HEAVY EQUIPMENT OPERATOR (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Electrician-Groundman	56.09
Lineman-Journeyman	81.13
Lineman-Foreman	
Lineman-General Foreman	
Lineman-Equipment Man	67.81

ADD PREMIUM PAY

Premium pay for hours worked in excess of a shift of 8 hours or 12 hours or such other time increment set forth in the Collective Bargaining Agreement or on a weekend or holiday.

RECOGNIZED HOLIDAYS

New Year's Day, Martin Luther King Holiday, President's Day, Memorial Day, Independence Day, Labor Day, Nevada Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION:

Outside, overhead and underground construction and maintenance work on electrical transmission lines, switch yards, substations and distribution systems which shall include:

1. Pole line work (whether built of wood, metal or other material): the digging and back-filling of holes for poles or anchors (by hand or mechanical equipment): the loading or unloading, handling, sorting and moving of materials; the assembly or erection of all materials including the guying, stringing of conductors and fiber optics or other work necessary on through to the ultimate completion of such pole work.

2. Steel or metal structures used for the purpose of carrying electrical wire, conductors, or equipment (this includes transmission towers, outdoor substations, switch racks, or similar electrical structures); the moving of men, tools or equipment; the loading or unloading, handling, sorting and moving of materials; the assembly and erection of all materials used on the job site, including the assembly of the grillage and foundations, on through to the ultimate completion of such structures. Work covered shall include the grounding of all such structures except the bonding of stub-angle to rebar cage; the stringing and installation of wires, cables and insulators or other electrical equipment suspended from structure; also the handling and placing of transformers or O.C.B.'s and other related electrical equipment.

The moving of men, tools or equipment; the loading or unloading, handling, sorting and moving of materials; the assembly of all electrical materials on race-ways such as ducts, shall be performed by workmen under the Agreement. This shall also include CIC (cable in conduit), CC (coiliable conduit), the placing of fish wire, the pulling of cables or wires through such race-ways, installing and making up of termination and the splicing of such conductors.

Street lighting systems where such work properly comes under the outside jurisdiction shall be handled in the same manner as pole line construction.

Installing and maintaining the catenary and trolley work and bonding of rails shall be handled in the same manner as pole line, and steel construction.

In connection with all of the above items, it is understood the scope of this Agreement shall include not only new installation work but shall also govern the repair, maintenance or dismantling of such structures, lines or equipment; the handling and operating of all equipment used to transport men, tools and/or materials on the job site as well as the equipment used to move, raise or place materials used in the Outside Branch of the Electrical Industry shall be performed by workmen under this Agreement unless otherwise excluded herein.

Craft: ELECTRICIAN – NEON SIGN (Non-Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

ELECTRICIAN-NEON SIGN, includes but is not limited to:

- 1. Installing, servicing and repairing plastic, neon and illuminated signs;
- 2. Ascending ladders or operating hydraulic or electric hoist to install, service, or examine sign to determine cause of malfunction;
- 3. Wiring, rewiring or removing defective parts and installing new parts using electrician's tools;
- 4. Removing sign or part of sign for repairs, such as structural fabrication, scroll repair, or transformer repair;

Craft: ELECTRICIAN WIREMAN (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Wireman	69.61
Wireman-Cable Splicer	75.41
Wireman Forman.	75.41
Wireman General Foreman	81.21

ADD ZONE RATE

In addition to ELECTRICIAN-Wireman, rates, add the applicable amounts per hour, calculated from Washoe County Courthouse, Reno Nevada:

Zone 1	0 to 70 miles	\$0.00
Zone 2	70 to 90 miles	\$8.00
Zone 3	90 miles and over	\$10.00

ADD PREMIUM PAY

Premium pay for hours worked in excess of a shift of 8 hours or 12 hours or such other time increment One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For the first eight (8) hours worked on Saturday

Double the regular straight time hourly rate shall be paid for all time:

- 3. For all hours worked over ten (10) hours in one day or shift.
- 4. For any hours worked on Sunday
- 5. For any hours worked on Holidays

Shift Rates

1. Swing shift to be paid at seventeen-point three (17.3) percent the regular straight time rate for hours between 4:30 p.m. and 1:00 a.m.

2. Graveyard shift to be paid at thirty-one-point four (33.4) percent the regular straight time rate for hours between 12:30 a.m. and 9:00 a.m.

3. Shifts are established for at least five (5) consecutive days or double the regular straight time rate shall be paid.

**Note – Double the straight time rate is the max rate paid. (No pyramiding of overtime rates)

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, Independence Day, Labor Day, Admission Day, Veteran's Day, Thanksgiving Day, Friday following Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between NECA and Local Union 401, IBEW

All electrical construction, installation, or erection work including fabrication or prefabrication of boxes, brackets, bends and nipples and all electrical maintenance thereon including the final running tests. This shall include the installation and maintenance of temporary wiring and the installation of all electrical lighting, heat and power equipment, installation of all raceway systems, including underground conduits and all supports, underground utility conduits, photovoltaic power generation systems and geothermal power generating systems. Further all salvage of electrical work shall be included.

Craft: ELEVATOR CONSTRUCTOR (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

ADD PREMIUM PAY

Work performed on Construction Work on Saturdays, Sundays and before and after 30 the regular working day on Monday to Friday, inclusive, shall be classed as overtime, and paid for at double the rate of single time.

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, Independence Day, Labor Day, Nevada Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement of International Union of Elevator Constructors

The handling and unloading of all equipment coming under the jurisdiction of the Elevator Constructor, from the time such equipment arrives at or near the building site, shall be handled and unloaded by the Elevator Constructors. Mechanical equipment such as a forklift or truck mounted swing boom may be used by the Elevator Constructors. A derrick, crane or material hoist can be used under the supervision of Elevator Constructors to handle and unload the heavy material described in Par. 5(a). Where unusual conditions are expected to exist prior to delivery of equipment at or near the building site in regard to handling and unloading of equipment in the primary or secondary jurisdiction of the local union, the Company shall contact the Local's Business Representative to make appropriate arrangements for the handling and unloading of such equipment. In areas outside the jurisdiction of the local union, the Company shall contact the Regional Director.

(b) The erecting and assembling of all elevator equipment to wit: electric, hydraulic, steam, belt, dumbwaiters, residence elevators, parking garage elevators (such as Bowser, Pigeon Hole, or similar types of elevators), shuttles, compressed air and handpower, automatic people movers, monorails, airport shuttles and like-named devices used in the transportation of people for short distances of travel (less than 5 miles), as well as vertical reciprocating conveyor systems.

(c) It is understood and agreed that the preassembly of all escalators, moving stairways and link belt carriers that may be done in the factory shall include the following:

1. Truss or truss sections with tracks, drive units, machines, handrail drive sheaves, drive chains, skirts on the incline sections but not curved sections, step chains and steps installed and permanently aligned.

2. Balustrade brackets may be shipped attached but not aligned.

3. Setting of all controllers and all wiring and conduit from the controller.

All other work on escalators, moving stairways and link belt carriers shall be performed in the field before or after the truss or truss sections are joined and/or hoisted and placed in permanent position. This includes any and all work not done in the factory. The erecting and assembly of all theater stage and curtain elevator equipment and guides and rigging thereto, organ consoles and orchestra elevators

(d) All wiring, conduit, and raceways from main line feeder terminals on the controller to other elevator apparatus and operating circuits. Controllers are not to be shipped from the factory with extended wiring attached thereto.

(e) The erecting of all guide rails.

(f) The installation of all grating under the control of the Company. The installation of all counterweight screens, overhead work, either wood or iron, and all material used for mounting of elevator apparatus in machine room, overhead or below.

(g) The drilling of overhead beams for attaching machines, sheaves, kick angles, and all other elevator equipment.

(h) The setting of all templates.

(i) All foundations, either of wood or metal, that should take the place of masonry.

(j) The assembly of all cabs complete.

(k) The installation of all indicators.

(1) The erecting of all electrical or mechanical automatic or semi-automatic gates complete.

(m) The hanging of all automatic or semi-automatic elevator hoistway doors, together with the installation of hangers and tracks.

(n) The installation of all devices for opening and closing and locking of elevator car and hoistway doors and gates.

(o) The drilling of doors for mounting of closing devices.

(p) The drilling of angle supports for mounting of closing devices except one template hole.

(q) The drilling of sills for sill trips.

(r) The operating of temporary cars.

(s) The setting of all elevator pressure open or pit tanks.

(t) The setting of hydraulic power units (power units include: motor, pump, drive valve system, internal piping, muffler, internal wiring, controller and tank). Where power units arrive in parts, they shall be assembled at the job site. The wiring and piping to and between multiple hydraulic power units shall be performed at the job site.

(u) All air cushions with the exception of those built of brick or those put together with hot rivets.

(v) Landing door entrances.

Craft: FENCE ERECTOR (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

ADD ZONE RATE

In addition to FENCE ERECTOR rates add the applicable amounts per hour, calculated based on a <u>road</u> miles from either the Carson City Courthouse or the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$4.00
Zone 3	150 to 300 miles	\$5.00
Zone 4	300 miles or over	\$6.00

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, President's Day, Memorial Day, Fourth of July, Labor Day, Admission Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION:

Includes but is not limited to:

- 1. Erecting or repairing chain link, wooden, tortoise, wire/wire mesh, or temporary fencing;
- 2. Mixing and pouring concrete around bases of posts and tamping soil into post hole to embed post;
- 3. Digging post holes with a spade, post hole digger or power-driven auger;
- 4. Aligning posts through the use of lines or by sighting;
- 5. Verifying vertical alignment of posts with a plumb bob or spirit level;

Craft: FLAG PERSON (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

ADD ZONE RATE

In addition to FLAG PERSON add the applicable amounts per hour, calculated based on a road miles from either the Carson City Courthouse or the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$4.00
Zone 3	150 to 300 miles	\$5.00
Zone 4	300 miles or over	\$6.00

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, President's Day, Memorial Day, Fourth of July, Labor Day, Admission Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION

FLAG PERSON, includes but is not limited to:

- 1. Directing movement of vehicular traffic through construction projects;
- 2. Distributing traffic control signs and markers along site in designated pattern;
- 3. Informing drivers of detour routes through construction sites;

Craft: FLOOR COVERER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

ADD PREMIUM PAY

Shift work

1. \$2.00 per hour will be added to the taxable net wage to shift schedule of hours worked between 6:00 p.m. and 6:00 a.m.

One and one half $(1 \frac{1}{2})$ time -shall be calculated using one (1) hour of the taxable net wage and one half (1/2) the base wage, to be paid for all time:

- 1. For all hours worked over ten (10) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight

Double time -shall be calculated using one (1) hour of the taxable net wage and one (1) of the base wage, to be paid for all time:

- 1. For any hours worked on Sunday from midnight to midnight
- 2. For any hours worked on holidays from midnight to midnight

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, Independence Day, Labor Day, Admissions Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between Painters and Allied Trades DC 16 and Independent Flooring Contractors of No Nevada

Measuring, cutting, fabricating, fitting, installing to be cemented, tacked or otherwise

applied to its base wherever it may be, all materials whether used either as a decorative covering or as an acoustical appliance such as carpets of all types and designs, wall carpets, sheet rubber, sheet vinyl, cork carpet, rubber tile, asphalt tile, tile, cork tile, linoleum tile, mastic in sheets or the tile from vinyl tile, interlocking tile, laminate flooring, engineered wood, hardwood, composition in sheet or tile form and all derivatives of above; the fittings of all devices for the attachment of the above materials and the fitting of all decorative or protective trim to and adjoining the above materials which shall include the drilling and plugging of holes and attaching of strips, slats, nosing, etc. on any base where the above materials are to be installed, or applied, such as drilling, plugging, slating, and slating for installing or fastening of carpet, the installing of all nosing, cap strips, corner beads and edging of any material and the preparatory work of the craft for all of the aforesaid. Also, the cleaning of rugs, carpets, and drapery hanging, make-up and the installation of drapes, the spraying and/or rolling of adhesives as required for double stick installation and carpet tiles.

Craft: GLAZIER (Non-Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

JOB DESCRIPTION:

Includes but is not limited to:

- 1. Installing, setting, cutting, preparing, or removal of glass, or materials used in lieu thereof, including, without limitation, in windows, doorways, showers, bathtubs, skylights and display cases;
- 2. Installing glass on surfaces, including, without limitation, fronts of buildings, interior walls and ceilings;
- 3. Installing pre-assembled framework for windows and doors designed to be fitted with glass panels, including stained glass windows by using hand tools;
- 4. Loading and arranging of glass on trucks at the site of the public work;

Craft: Highway Striper (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Highway Striper	48.28
Highway Striper Foreman	.48.78

ADD ZONE RATE

In addition to HIGHWAY STRIPER rates add the applicable amounts per hour, calculated based on a road miles from either the Carson City Courthouse or the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$4.00
Zone 3	150 to 300 miles	\$5.00
Zone 4	300 miles or over	\$6.00

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, Memorial Day, 4th of July, Labor Day, Admission Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION:

Includes but is not limited to:

- 1. Painting highways, streets and parking surfaces by using manually propelled or mechanically propelled machines, brushes, rollers or spray guns;
- 2. Installing any device or application of any material used in lieu of paint for traffic direction, including, without limitation, buttons, tapes, plastics, rumble bars and other similar materials;

Craft: Hod Carrier-Brick Mason Tender (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Brick Mason Journeyman	.46.03
Brick Mason Foreman	46.43

ADD ZONE RATE

In addition to Hod Carrier Brick Mason Tender rates add the applicable amounts per hour, calculated based on road miles from the Washoe County Courthouse:

Zone	75 miles and Over	\$8.13

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

1. For all hours worked over eight (8) hours in one day or shift.

2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, President's Day, Memorial Day, Fourth of July, Labor Day, Admission Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between No, NV Masonry Contractors and LIUNA Local 169

Conveying of all materials used by the Brick and Stone Masons from the first point of delivery to the Mechanic whether done manually or by a piece of machinery or equipment devised to replace the wheelbarrow or buggy, including but not limited to the forklift. The handling of Bricks, Blocks, mortar, or any other material to serve the bricklayer in any capacity building and dismantling scaffolds of any kind or type used by Bricklayers for masonry work including but not limited to tower scaffolds, access scaffolds, or other specialty scaffolds, mixing and tempering mortar by hand and/or machine, mixing grout and cleaning up after the bricklayer, the repairing and maintenance of all equipment, either on the job or in the yard.

Craft: Hod Carrier-Plasterer Tender (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Plasterer Tender-Journeyman	46.37
Plasterer Tender- Gun Tender	
Plasterer Tender-Foreman	47.73

ADD ZONE RATE

In addition to: HOD CARRIER-PLASTERER TENDER rates add the applicable amounts per hour, calculated based on road miles from So. Virginia St., Reno, Nevada:

Zone 1	0 to 70 miles	\$0.00
Zone 2	70 miles and Over	\$8.00

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, President's Day, Memorial Day, Fourth of July, Labor Day, Admission Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between Plasterers Contractors and LIUNA Local Union 169

Any Employee within the scope of this division tending or serving any other worker performing plasterers work, any plasterer, plasterers, or apprentices in any capacity performing plasterers work including but not limited to, handling and conveying of all materials after delivery used by plasters, including but not limited to, inside finish coat, outside finish coat, brown coat, scratch coat, sprayed or trawled on fireproofing, EIFS systems, and other materials or systems for the same or similar purpose whether done manually or by a piece of machinery or equipment devised to replace the wheelbarrow or buggy, including but not limited to the forklift, tusky hoist, and rigging and signaling for cranes to the point or points of application or installation, making mixing and preparing after delivery all materials used by plasters, whether by hand or machine including but not limited to mixers, pumps for plaster or fire proofing, plaster, finish coats, fireproofing, including Monocoat, Cafco or other materials for the same or similar use, moving any rolling scaffolding, building and handling all necessary trestle, scaffolding and planking of scaffolding for plasterers and lathers, building mortar boxes, mortar boards and stands, and the repairing and maintenance of all equipment either on the job or in the yard, the spreading of all temporary protective drop cloths, building paper or plastic covers and taping of same (in a composite crew with the plasterers when necessary), the cleaning of all floors, and debris, behind the plasterers or any other worker performing plasterers work in connection with the work performed all work necessary for cold weather protection and cure including but not limited to handling installing or tending to blankets, visqueen, and space heaters, and running putty.

Tending to plasterers or any other worker performing plasterers work on EFIS system work shall include all work after the wallboard is installed including but not limited to any preparatory sealing or leveling, placing foam, mesh, and plaster including any rough, finish, and color coats.

For sprayed on fire proofing work only, including Monocoat, Cafco or other materials for the same or similar use an Employer signatory to this Agreement and the Local 169, Laborers Master Agreement may employ Laborers at the Group 1 wage rate to perform overspray protection, the spreading of all temporary protective drop cloths, building paper or plastic covers and taping of same, the cleaning of all floors, and debris, cold weather protection and cure including but not limited to handling installing or tending to blankets, visqueen, and space heaters and moving rolling scaffolding.

Craft: Ironworker (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Ironworker-Journeyman	78.74
Ironworker - Foreman	
Ironworker -General Foreman	

ADD ZONE RATE

In addition to Iron Worker rates add the applicable amounts per day, calculated based on a road mile from the Reno City Hall.

Zone 1	60 to 75 miles	\$20.00
Zone 2	75 to 100 miles	\$25.00
Zone 3	100 miles and over	\$75.00

ADD PREMIUM PAY

One and one half (1X) the regular straight time hourly rate shall be paid:

- 1. For the first two (2) hours worked in excess of eight (8) on a regular workday Monday-Friday
- 2. For the first eight (8) hours on Saturday

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over ten (10) hours in one day or shift.
- 2. For any hours worked on Sunday.
- 3. For all hours worked over eight (8) on Saturday
- 4. For all hours worked on Holidays

Shift Pay

- 1. 2nd shift add 6% of hourly wage
- 2. 3rd shift add 13% of hourly wage
- 3. Dedicated shift add 6% of hourly wage

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB CLASSIFICATION: Excerpt from Agreement between NV AGC and DC of Ironworkers

Field fabrication and/or erection or deconstruction of structural, ornamental and reinforcing steel, including but not limited to the fabrication, rigging and signaling, erection and construction of all iron and steel, ornamental lead, bronze, brass, copper and aluminum, plastics and all other substitute materials, including, but not limited to, composites, carbon fiber and fiberglass, all barrier railings, handrail, aluminum, steel, glass and plastic, reinforced concrete structures or parts thereof; bridges, viaducts, inclines, dams, docks, dredges, vessels, locks, gates, guides, aqueducts, reservoirs, spillways, flumes, caissons, cofferdams, subways, tunnels, cableways, tramways, monorails, blast furnaces, stoves, kilns, coolers, crushers, agitators, pulverizers, mixers, concentrators, ovens, cupolas, roof decking such as but not limited to "Cofar", "Trusdeck", Mahon "M"; smoke conveyors, penstocks, flag poles, drums, shafting, shoring, fur and storage rooms, fans and hot rooms, stacks, bunkers, conveyors, dumpers, elevators, vats, tanks, enamel tanks, enamel vats, towers, pans, hoppers, plates, anchors, caps, corbels, lintels, Howe and combination trusses, grillage and foundation work, grating, bucks, partitions, hanging ceilings, hangers, clips, brackets, flooring, floor construction and domes, rolling shutters, curtains, frames; aluminum, rolling fire, won and iron doors, including supports; cast

tiling, air ducts, duct and trench frames and plates; wire work, railings, wire cable including pipe, guards. fencing, grill work, sidewalk and vault lights, skylights, roofs, canopies, light steel framing, marquees, awnings and other related equipment elevator and dumb waiter enclosures, elevator cars, tracks, fascias, aprons, operating devices, steel and aluminum sash, hardware and screens, frames, fronts, lockers, racks, book stacks, tables, shelving, metal furniture, seats, chutes, escalators, stairways including pre-engineered stairs, ventilators, boxes, fire escapes, signs, jail and cell work, safes, vaults, vault doors, safe deposit boxes, corrugated sheets when attached to steel frames, including insulation; frames in support of boilers; materials altered in field such as framing, cutting, bending, drilling, burning and welding including by acetylene gas and electric machines; metal forms and false work pertaining to concrete construction; seismic isolation systems and dampening systems including base isolators, sectional water tube and tubular boilers and stokers; traveling sheaves, vertical hydraulic elevators, bulkheads, skip hoists, making and installation of articles made of wire and fibrous rope, rigging in connection with pumps, compressors, forced and induced draft fans, air meters, Bailey meters, agitators, oxygen converters, cindering machines, pelletizing machines, reactor vessels, reactor spheres, completed tanks and assembled sections of completed tanks, scroll cases, refineries, hydroelectric power houses and steam plants, cogeneration plants, vessels and government departments; false work, travelers, scaffolding, pile drivers, sheet piling, derricks and powered derrick swinger including the erection, installation, handling and operating. Cranes erection, installation, handling and operating of same on all forms and types of construction work. The operation of Valla and Spider type battery and/or propane powered portable floor cranes having no operator seat utilized to install ironworker scope of work and the same on all forms and types of construction work. Crane work at the ports, including hammer-head cranes, container cranes and rubber tire cranes. Offloading, relocations, and commissioning of all burning and removal of sea bracing track layout; erection of apex boom extensions, back reach extensions, and rail replacement. Includes all welding, containment and structural modifications of the aforementioned items; railroad bridge work including maintenance thereof; moving, hoisting and lowering of machinery, modules, skid modules and placing of same on foundation, including bridges, cranes, intermittent use forklifts, derricks, buildings, piers and vessels; loading, unloading, necessary maintenance, erection, installation, removal, wrecking and dismantling of all of the above and all reinforcing work and submarine diving in connection with or about same; erection of steel towers, chutes and spouts for concrete where attached to towers and handling and fastening of cables and guys for same; unloading, racking, sorting, cutting, bending, hoisting, placing and tying including the use of any and all mechanical tying devices, burning and welding including stud welding of all iron, steel and metal in reinforced concrete construction including mesh for floor arches and the making of hoops and stirrups, metal forms and metal supports thereof; jacking of slip forms, installation of all wire, cable, parabolic cans, steel and all other materials, including, but not limited to, composites, carbon fiber and fiberglass, used for the purposes of prestressing including grouting of ducts, post stressing concrete girders, beams, columns, etc.; loading, unloading, hoisting, handling, signaling, placing and erection of all prestressed, post stressed, precast materials, G.F.R.C., Dryvit System, including the securing by bolting and/or welding and the installation of steeltex and wire mesh of any type when used for reinforced concrete construction; erection of all curtain wall; glass handrail; stay in place deck; automated and/or mechanical parking structures; offloading, staging, hoisting and setting of modular structures and micro-units; curtain wall systems and associated sealants. Window wall and entrances, panels, insulated and non-insulated, factory and field assembled, porcelain enameled panels, ceramic, laminated spandrelite, louvers and sunscreens; application of thiokol, neoprene and other sealants used to seal materials installed by Iron Workers; installation and handling of phenolic panels, including but not limited to, Trespa products and all similarly related materials and/or systems; installation of metal window stools and sills; installation of aluminum, bronze and steel thresholds; erection and dismantling of all types of cranes and changing of booms; erection of rock, sand and gravel plants, dismantling and loading out conveyors, aggregate plants, batch plants, ableways, refrigeration plants, etc.; erection and dismantling of Monigan walking dragline, launchhammer bucket wheel excavator and other trenching equipment; signaling on highlines, whirley cranes and derricks, buck hoists, man hoists, fork lifts, material towers and scanning antennae; metal and steel supports of all types; fabrication, assembling and erection of offshore drilling platforms or similar installations; dust collectors, precipitators, multi-plate, specialty welding processes, unloading, loading, hoisting, handling and rigging of all building materials delivered to the job site; hanging ceilings, tees, channels, beams, acoustical elements, sound barriers, computer floors, etc.; installation of stage rigging (including counterweights), curtains, draperies, traverse rods, tracks, cables, window cleaning equipment, powered work platforms, including and loading and unloading, erection installation and removal of powered chassis mounted elevating mast climbing work platforms, rigging in connection with display shows; ski lifts, etc.; wrecking of bridges, viaducts, elevated roads and structural steel and iron in buildings; all steel frames for openings, all porches, verandas, canopies and balconies; all overhead travelers, duo rails, tram rails; erection, setting, repairing of guard or collision rails on bridges and approaches, road ways or any other structures; handling and setting of all types of steel and metal joists, including metal box joists for truss lab and preformed keystone shaped metal joists; erection of steel and metal houses and packaged buildings; all translucent and plastic material on steel frame construction; the erection of solar energy systems, including but not limited to, photo voltaic, heliostat and parabolic systems, energy producing windmill type towers, wind turbine erection to included, but not limited to, prep work, boltup, tensioning or torgue of bolts on base and all tower section turbine and blade assemblies; nuclear reactors, electromagnetic shielding plates and atomic vessels including all component parts; the plumbing, aligning and leveling of all materials and equipment through the use of optical instruments, LASER beams, etc., and the use of instruments to establish layout, installation and disposition of ironworker installed scope of work; the unloading, distributing, stockpiling and handling of all materials coming under the jurisdictional claims of the UNION such as to rail heads, storage yards, loading and unloading, hoisting, handling, signaling of all fabricated material and equipment at the jobsite (except FOB deliveries) related to the Iron Workers jurisdiction that is within the individual employers' contractual scope of work including from and to barge and ships to a lay down yard or construction project, etc., shall be done by the Iron Workers.

All reinforcing work in connection with field fabrication, including but not limited to the pre-assembly of reinforcing cages, loading and unloading, handling, racking, sorting, cutting, bending, hoisting, intermittent use of forklifts, placing, burning, welding and tying of all material including the use of any and all mechanical tying devices, or substitute materials, including but not limited to, composites, carbon fiber and fiberglass, stainless steel, used to reinforce concrete construction shall be done by Iron Workers within the individual employers' scope of work at the jobsite, excluding FOB deliveries. A working Iron Worker shall be employed for maintenance on jobs of substantial size while concrete is being poured on reinforcing steel, wire mesh and paper back steeltex but will not be required as a stand-by man. All work in connection with the installation, alignment, repair & modification of panelized roofing systems, pre-engineered fabric structures, aluminum clarifier coverings, carports, ministorages, and dock planks. All work in connection with the installation, alignment, repair and modification of bleachers, planking and stadium seating. All work in connection of installation of amusement rides including, but not limited to, the erection and alignment of all track, machinery and related components.

Craft: Laborer (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Landscaper Furniture Mover	
Group 1	45 53
Group 1A Group 2 Group 3	
Group 2	45.63
Group 3	45.78
Group 3A Group 4 Group 4A Group 5	
Group 4	
Group 4A	
Group 5	46.33
Group 6	
Nozzlemen, Rodmen	45.33
Gunmen, Materialmen	
Reboundmen	45.68
Gunite Foreman	

ADD ZONE RATE

In addition to LABORER rates add the applicable amounts per hour, calculated based on a <u>road</u> miles from either the Carson City Courthouse or the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00	
Zone 2	75 to 150 miles	\$4.00	
Zone 3	150 to 300 miles	\$5.00	
Zone 4	300 miles or over	\$6.00	

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, President's Day, Memorial Day, Fourth of July, Labor Day, Admission Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between AGC and LIUNA Local 169

The construction, erection, alteration, repair, modification, demolition, addition, improvement of all building, heavy and highway, utility, industrial and all other type(s) of construction.

SEE GROUP CLASSIFICATIONS

Craft: LUBRICATION AND SERVICE ENGINEER (MOBILE AND GREASE RACK) (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

ADD ZONE RATE

In addition to: LUBRICATION AND SERVICE ENGINEER (MOBILE AND GREASE RACK) rates add the applicable amounts per hour calculated based on a road miles from the Carson City Courthouse or Washoe County Courthouse.

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$4.00
Zone 3	150 to 300 miles	\$5.00
Zone 4	300 miles and over	\$6.00

ADD PREMIUM PAY

1. One and one-half (1-1/2) times the applicable straight-time rate for the day, shift, work, equipment and classification shall be paid for all work (including repair work and field survey work) performed on Saturday and before a shift begins and after it ends, except when operating equipment servicing a craft that is receiving double time on commercial building construction, in which case double time shall be paid.

2. Overtime. The following rates shall apply on Sundays and holidays and all work before a shift begins and after it ends:

RECOGNIZED HOLIDAYS

Holidays. Double the applicable straight-time rate shall be paid for all work (including repair, maintenance and field survey work) performed on Sundays and the following holidays: New Year's Day (January 1); Memorial Day (last Monday in May); Independence Day (July 4); Labor Day (1st Monday in September); Nevada Admission Day (last Friday in October); Thanksgiving Day (4th Thursday in November); the day after Thanksgiving Day; and Christmas Day (December 25). Holidays falling on Sunday shall be observed on the following Monday. Holiday hours shall be reckoned on the same basis as Sunday hours.

Saturday Shift Period. On any shift, Saturday shall be the twenty-four-hour period commencing at 12:00 midnight Friday.

Sunday Shift Period. On any shift, Sunday shall be the twenty-four-hour period commencing at 12:00 midnight Saturday.

3. For hours worked in excess of 12) on any such workday, an Employee shall be paid two (2) times the regular straight-time rate of pay for each hour so worked.

Craft: Mechanical Insulator (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Mechanical Insulator-Mechanic	72.11
Mechanical Insulator-Foreman	76.11
Mechanical Insulator-General Foreman	78.11

ADD ZONE RATE

In addition to MECHANICAL INSULATOR rates add the applicable amounts per DAY, calculated based on a radius figured from Reno City Hall:

Zone 1	0 to 20 miles	\$11.00
Zone 2	21 to 40 miles	\$21.00
Zone 3	41 to 60 miles	\$31.00
Zone 4	Over 60 miles	\$85.00

ADD PREMIUM PAY

One and one half times the minimum hourly wage rate shall be paid for the first two (2) hours of overtime work, directly following eight (8) hours Monday through Friday, and for the first ten (10) hours worked on Saturdays. Double the minimum hourly wage rate shall be paid for all other overtime worked Monday through Friday and in excess of ten (10) hours on Saturdays.

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Good Friday, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from the Int'l Assoc. of Heat and Frost Insulators and Allied Workers Local 16 and the No. CA Chapter. Western Insulation Contractors Assoc.

65. Lining of all mechanical room surfaces and air handling shafts.

66. The filling and damming of fire stops and penetrations including, but not limited to, electrical and mechanical systems.

67. All foam applications for the purpose of thermal, acoustical, or fire protective purposes, including RTV foams or equivalents, applied to mechanical or electrical systems.

68. All duct lining, and duct wrapping, done on the job site, direct application and installation of fire protection of grease ducts, exhaust systems, or any other ductwork for acoustical or thermal purposes.

69. The insulation of all field joints on pre-insulated underground piping, and the pouring of Gilsilite or its equivalent.

70. Any finish material which is contiguous to the thermal or acoustical application.

71. The preparation, distribution of materials on job sites, assembling, molding, spraying, pouring, mixing, hanging, adjusting, repairing, dismantling, reconditioning, maintaining, finishing, and weather proofing of hot or cold thermal or acoustical insulation with such materials as may be specified. 72. The application of any material, including metal and PVC jacketing, Alumaguard or equivalent, on piping, fittings, valves, flanges, boilers, ducts, plenums, flues, tanks, vats, equipment and any other hot or cold surface for the purpose of thermal control.

73. The Agreement shall cover all other work of a specialty nature.

Craft: Millwright (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Millwright Journeyman	71.01
Millwright Welder	
Millwright Foreman	
Millwright General Foreman	

ADD ZONE RATE

In addition to MILLWRIGHT rates, add the applicable amounts per hour, calculated on road miles from the Washoe County Courthouse:

Zone 1	0 to 15 Miles	\$0.00
Zone 2	15 to 35 Miles	\$2.50
Zone 3	Over 35 Miles	\$4.25

ADD PREMIUM PAY

First two (2) hours outside the regular constituted shift shall be at the rate of time and one-half (1¹/₂X).

Saturdays up to the first ten (10) hours shall be at the rate of time and one-half (1½X). All additional hours and Sundays and holidays shall be the rate of double time (2X). When working on Sundays and holidays, there will be one dollar and fifty cents (\$1.50) per hour additional paid to Pension Annuity. Admission Day is a recognized holiday in lieu of Veterans' Day.

RECOGNIZED HOLIDAYS

New Year's Day, Washington's Birthday (President's Day), Memorial Day, 4th of July, Labor Day, Veteran's Day, Thanksgiving Day, the Friday after Thanksgiving, Christmas Day.

JOB DESCRIPTION Excerpt from Southwest Regional Council of Carpenters and Affiliated Local Unions Master Labor Agreement

5006.18

The work of the millwrights, as spelled out in the Jurisdictional Claims Handbook referenced in Paragraph 5006.17 above, is as follows: The term "MILLWRIGHTS AND MACHINE ERECTORS" shall mean the, unloading, hoisting, rigging, skidding, moving, dismantling, aligning, erecting, assembling, repairing, maintaining and adjusting of all machinery and equipment installed either in buildings, factories, structures, or processing areas, either undercover, underground or elsewhere required to process material, handle, manufacture or service, be it powered or receiving power manually, by steam, gas, electric, gasoline, diesel, nuclear, solar, water, air or chemically; and in industries such as and including but not limited to the following (which are identified for the purpose of description: woodworking plants, canning industries, steel, coffee roasting plants, paper and pulp, cellophane, stone crushing, gravel and sand washing and handling, refineries, grain storage and handling, asphalt plants, sewage disposal and water plants, laundry, bakery, mixing plants, can, bottle and bag packing plants, textile mills, paint mills, breweries and milk processing plants, power plants, aluminum processing or manufacturing plants, and the amusement or entertainment field.

5006.19

Also included are installation of mechanical equipment in atomic energy plants, installation of reactors in power plants, installation of control rods and equipment in reactors, installation of mechanical

equipment in rocket missile bases, launchers, launching gantry, floating bases, hydraulic escape doors and any and all component parts thereto either assembled, semi-assembled or disassembled.

5006.20

Further included is the installation of, but not limited to the following: setting of all engines, motors, generators, air compressors and fans, pumps, scales, hoppers, conveyors of all types and sizes and their supports, escalators, man lifts, moving machinery, mechanical operator and/or automatic doors, roll-up doors, mechanical stage equipment, amusement devices, mechanical pin setters and spotters in bowling alleys, refrigeration equipment and installation of all types of equipment necessary and required to process material either in manufacturing or servicing, the handling and installation of pulleys, gears, sheaves, fly wheels, air and vacuum drives, worm drives and gear drives directly or indirectly coupled to motors, belts, chains, screws, legs, boots, guards, boot tanks, all bin valves, turn heads and indicators, shafting, bearing, cable sprockets, cutting all key seats in new and old work, troughs, chippers, filters, calendars, rolls, winders, reminders, slitters, cutters and wrapping machines; blowers, forging machines, rams, hydraulic or otherwise, planing, extruder, ball, dust collectors, equipment in meat packing plants and splicing of ropes and cables.

5006.21

Additionally included are the laying out, fabrication and installation of protection equipment, including machinery guards, the making and setting of templates for machinery, fabrication of bolts, nuts, pins and drilling of holes for any equipment which the millwrights install regardless of materials; all welding and burning regardless of type; fabrication of all lines, hose or tubing used in lubricating machinery installed by millwrights; grinding, cleaning, servicing and machine work necessary for any part of any equipment installed by the millwrights; and the breaking in and trial run, of any equipment or machinery installed by the millwrights

5006.22

When requested in writing by the Millwright Union, individual Employers who are parties to this Agreement shall furnish signed letters promptly on a date mutually agreed upon by both parties, but in no case more than thirty (30) days, on the letterhead of the individual Employer stating he is employing or had employed millwrights on a specific type of work and a specific job and paid the negotiated scale of wages and fringe benefits for such work.

5006.23

The individual Employer and the Local Union will cooperate promptly in attempting to resolve jurisdictional disputes that may arise on any job or project.

Craft: OPERATING ENGINEER (Union Rate) Prevailing wage rates include the base rate as well as all applicable fringes

Operating Engineers	(SEE GROUP CLASSIFICATIONS)
Group 1	
Group 1A	
Group 2	
•	
Group 3	
Group 4	
Group 5	67.66
Group 6	
Group 7	
Group 8	
Group 9	
Group 10	
Group 10A	
Group 11	
Group 11A	
Group 11B	
Foreman	
Add \$12.5% to base rate for "Special" Shift	
Aud \$12.5% to base rate for Special Shift	

Add Operating Engineers Zone Pay Add Premium Pay

Craft: OPERATING ENGINEER (Union Rate) STEEL FABRICATOR & ERECTOR

Prevailing wage rates include the base rate as well as all applicable fringes

Operating Engineers Group 1	(SEE GROUP CLASSIFICATIONS)
Group 1 Truck Crane Oiler	
Group 1 Oiler Group 2	
Group 2	
Group 2 Truck Crane Oiler	
Group 2 Oiler	
Group 3	75.61
Group 3 Truck Crane Oiler	
Group 3 Truck Crane Oiler Group 3 Oiler	
Group 3 Hydraulic	
Group 4	
Group 5	
Add \$12.5% to base rate for "Special" Shift	

Add Operating Engineers Zone Pay Add Premium Pay

Craft: OPERATING ENGINEER (Union Rate) PILEDRIVER

Prevailing wage rates include the base rate as well as all applicable fringes

Operating Engineers Group 1	(SEE GROUP CLASSIFICATIONS)
Group 1 Truck Crane Oiler	
Group 1 Oiler	
Group 2	
Group 2 Truck Crane Oiler	
Group 2 Oiler	
Group 3	
Group 3 Truck Crane Oiler Group 3 Oiler	
Group 3 Oiler	71.94
Group 4	
Group 5	
Group 6 Group 7	
Group 7	
Group 8	
Add \$12.5% to base rate for "Special" Shift	

ADD ZONE RATE

In addition to: **OPERATING ENGINEER**, **STEEL FABRICATOR & ERECTOR**, **and OPERATING ENGINEER PILEDRIVER**, rates add the applicable amounts per hour calculated based on a road miles from the Carson City Courthouse or Washoe County Courthouse

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$5.00
Zone 3	150 to 300 miles	\$6.00
Zone 4	300 miles over	\$7.00

ADD PREMIUM PAY

1. One and one-half (1-1/2) times the applicable straight-time rate for the day, shift, work, equipment and classification shall be paid for all work (including repair work and field survey work) performed on Saturday and before a shift begins and after it ends, except when operating equipment servicing a craft that is receiving double time on commercial building construction, in which case double time shall be paid.

2. Overtime. The following rates shall apply on Sundays and holidays and all work before a shift begins and after it ends:

RECOGNIZED HOLIDAYS

Holidays. Double the applicable straight-time rate shall be paid for all work (including repair, maintenance and field survey work) performed on Sundays and the following holidays: New Year's Day (January 1); Memorial Day (last Monday in May); Independence Day (July 4); Labor Day (1st Monday in September); Nevada Admission Day (last Friday in October); Thanksgiving Day (4th Thursday in November); the day after Thanksgiving Day; and Christmas Day (December 25). Holidays falling on Sunday shall be observed on the following Monday. Holiday hours shall be reckoned on the same basis as Sunday hours.

Saturday Shift Period. On any shift, Saturday shall be the twenty-four-hour period commencing at 12:00 midnight Friday.

Sunday Shift Period. On any shift, Sunday shall be the twenty-four-hour period commencing at 12:00 midnight Saturday.

3. For hours worked in excess of 12) on any such workday, an Employee shall be paid two (2) times the regular straight-time rate of pay for each hour so worked.

JOB DESCRIPTION, includes but is not limited to:

Operate one or several types of power construction equipment, such as motor graders, bulldozers, scrapers, compressors, pumps, derricks, shovels, tractors, or front-end loaders to excavate, move, and grade earth, erect structures, or pour concrete or other hard surface pavement.

Craft: PAINTER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Brush/Roller Painter	
Spray Painter/Paperhanger	
Sandblaster	
Structural Steel & Steeplejack	
Swing Stage	
Special Coating Application-Brush	
Special Coating Application-Spray	
Special Coating Application-Spray Steel	
Foreman	

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

1. For all hours worked over eight (8) hours in one day or shift unless the Union is notified when four (4) tens (10's) are instituted.

- 2. For any hours worked on Saturday from midnight to midnight
- 3. For any work performed in excess of the regular work week of forty (40) hours.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For any hours worked on Sunday from midnight to midnight
- 2. For any hours worked on holidays from midnight to midnight

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between Painters and Allied Trades DC 16 and Independent Flooring Contractors of No Nevada

a. All painting of residences, buildings, structures, industrial plants, tanks, vats, pipes, vessels, bridges, light poles, high tension poles, traffic and parking lines on highways, parking lots, playgrounds, factories, and air line strips; all sign, pictorial, coach, car automobile, carriage, aircraft machinery, ship and railroad equipment, mural and scenic painting; spackling of all surfaces where adhesive materials are used; and all drywall pointing, taping and finishing.

b. All decorators, paperhangers, hard wood finishers, grainers, glaziers, varnishers, enamellers

1. Paperhangers work shall be all material of whatever kind or quality applied to walls or ceilings with paste or adhesive; all tacking on the muslin or other materials which is used as wall or ceiling coverings or covered with material pasted on.

2. The scraping off of old paper, preparing of walls, etc., for paper hangers work.

3. The application of relief, stucco, plaster or decorative work shall not be considered paperhanger's work exclusively.

(c) All men engaged in applying or removing paints, pigments, extenders, metal primers and metal pigments, clear pigments, binders, thinners and dryers, primers and sealers, oil paints and enamels,

water colors and emulsions, clear coatings, waxes, stains, mastics, cement enamels and other special coatings, plastics, adhesives, coatings and sheet rubber and other linings, oils, varnishes, water colors, wall paper, wall coverings or other materials used in the various branches of the trade, and the cleaning and bleaching of all interior and exterior walls and surfaces with liquid, steam, sandblast or any other process and all work incidental thereto.

Craft: PILEDRIVER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Piledriver-Journeyman	55.41
Piledriver-Welder.	
Piledriver-Foreman	
Piledriver-General Foreman	62.68
Tender	58.87
Stand-By Diver	59.87
Diver-Diving (Wet Pay)	

ADD ZONE RATE

In addition to PILEDRIVER rates add the applicable amounts per hour, calculated from the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$4.00
Zone 3	150 to 300 miles	\$5.00
Zone 4	Over 300 miles	\$6.00

ADD PREMIUM PAY

First two (2) hours outside the regular constituted shift shall be at the rate of time and one-half (1¹/₂X).

Saturdays up to the first ten (10) hours shall be at the rate of time and one-half ($1\frac{1}{2}X$). All additional hours and Sundays and holidays shall be the rate of double time (2X). When working on Sundays and holidays, there will be one dollar and fifty cents (\$1.50) per hour additional paid to Pension Annuity.

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, 4th of July, Labor Day, Veteran's Day, Thanksgiving Day, the Friday after Thanksgiving, Christmas Day.

JOB DESCRIPTION

In addition, the operation of the power pack and vibratory hammer controls when driving or pulling, sheet pile, pile, soldier beams, cassinos or casing.

(1) In the construction of waterfront and marine facilities, such as docks, piers, wharves, bulkheads, jetties, and similar structures, the pile driver classification should continue to apply, up to and including the decking thereof.

(2) On all pile driving and caisson work on both land and water, the Pile Driver classification should apply.

(3) In the construction of wooden bridges whether over land or over water, when composed of heavy timber, the Pile Driver classification should apply.

(4) In the construction of concrete or steel bridges over land, the Pile Driver classification shall apply to the driving of piles and/or caisson work including the forms required for the capping of the piles or caissons immediately top of the piles or caissons. The capping of the piles is herein interpreted as being that concrete, wood, or other material resting on the top of the piles where driven or placed and does not include any further form work above the capping. In many instances it has been found that the capping is called the girder. The above shall apply on such concrete or steel bridges constructed over land, highways, railroads, overpasses and include cloverleafs, interchanges, etc.

(5) In the construction of concrete or steel bridges over water, the Pile Driver classification shall apply up to and including all of the form work to the top of the column, piers, or abutments supporting the steel and/or any other superstructures.

(6) In the erection of false work, when necessary for the support of work under the Pile Driver classification, then such false work shall fall within their classification. False work necessary for the support of work under the Carpenter classification shall be done within such Carpenter classification, with the exception that where pile driving or power equipment is used for heavy timber false work, then such work shall come under the Pile Driver classification. This would include all rigging, signaling and tagging incidental to the placing of the heavy timber.

(7) In the construction of open-cut sewers, the Pile Driver classification shall apply on all piling including wood, steel or concrete sheet piling, all bracing timber and form work incidental to the construction thereof.

Craft: PLASTERER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Plasterer-Journeyman	48.82
Plasterer-Foreman	52.13

ADD ZONE RATE

In addition to PLASTERER rates add the applicable amounts per hour, calculated from the South Virginia and Mill Street, Reno, Nevada:

Zone 1	0 to 70 miles	\$0.00
Zone 2	70 miles and over	\$8.00

ADD PREMIUM PAY

<u>OVERTIME</u> Eight (8) consecutive hours (exclusive of a meal period) shall constitute a day's work at straight time. Five (5) consecutive days of eight (8) consecutive hours (exclusive of a meal period), Monday through Friday, shall constitute a week's work. One and one half (1 ½) the regular straight time hourly rate shall be paid for all work over eight (8) hours. Sunday will be paid at double the regular straight time rate.

RECOGNIZED HOLIDAYS

All work performed on the following holidays shall be paid for at double the regular straight time rate: New Year's Day, Memorial Day, Fourth of July, Labor Day, Admissions Day, Thanksgiving Day and the Friday after Thanksgiving and also Christmas Day.

If any of the above holidays fall on Sunday, the Monday following shall be considered a holiday.

No work shall be permitted on the Fourth of July or Labor Day, regardless of compensation or donation, except in case of emergency or to protect life and property. Permission to work shall be granted by the representative of the Union or its officer.

JOB DESCRIPTION: Excerpt from Agreement No NV. Plasterers Master Labor Agreement

This includes but is not limited to:

1. All building construction, including but not limited to the construction, erection, alteration, repair, modification, demolition, addition, or improvement in whole or in part of any building structures,

2. All interior or exterior plastering construction, restoration, repair and inspection of cement, stucco, stone imitation or any patent material when ornamental molded plaster, and the setting of same. All specialty finishes such as veneer, venetian, marmoreno and grasello. All custom and specialty finishes, including but not limited to custom rock, carved plaster, brick and block veneer, stone and wood. Smooth and finish surfaces of full system E.I.F.S. including sticking and shaping of foam pieces or surfaces by adhesive or mechanical installation. All spray or toweled on fireproofing, including cementitious and intumescent products. All plaster acoustical finish systems including, but not limited to, BASWA Phon and Fellert.

3. All work processes which represent technological change, replacement, modification or substitution for the work described above. In addition, all work and use of new materials or *2020-2024 Reno Plasterers Master Labor Agreement* 4 techniques involved in plaster construction including but not limited to what is known as green or sustainable construction technology.

Craft: PLUMBER/PIPEFITTER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Plumber/Pipefitter-Journeyman	66.95
Plumber/Pipefitter-Foreman	
Plumber/Pipefitter-General Foreman	

ADD ZONE RATE

In addition to PLUMBER/PIPEFITTER rates add the applicable amounts per statute air mile radius from the Nevada freeway interchange of Interstate 80 and 580.

Zone 1	0 to 75	\$0.00
Zone 2	Over 75 miles	\$8.00

A separate free zone will be established for employees permanently residing and working within a seventy-five (75) statute air mile radius of the Elko, Nevada Post Office.

Zone 1	0 to 75	\$0.00
Zone 2	Over 75 miles	\$8.00

ADD PREMIUM PAY

Premium pay for hours worked in excess of a shift of 8 hours or 12 hours or such other time increment set forth in the Collective Bargaining Agreement or on a weekend or holiday.

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, Fourth of July, Labor Day, Nevada Admission Day, Thanksgiving Day, the Friday after Thanksgiving Day, Day Before Christmas and Christmas Day and any Friday preceding a Holiday falling on a Saturday, if worked, holidays shall be compensated at the double time rate.

JOB DESCRIPTION Excerpt from Agreement between LU 350 of United Assoc. of Journeymen and Apprentices of the Plumbing and Pipefitting Industry of United States and Canada

Installation of all hearing and refrigeration systems and competent parts thereof, including fabrication, assembling, erection installation, dismantling, repairing, reconditioning, adjusting, altering servicing, handling, distributing, and tying on all piping materials appurtenances and equipment by method, including all hangars and supports of every description, all other work including the the trade relevant to oil burner and all other types of heating and refrigeration equipment including low voltage controls.

Craft: REFRIGERATION MECHANIC (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Refrigeration-Journeyman	
Refrigeration -Foreman	

ADD PREMIUM PAY

Premium pay for hours worked in excess of a shift of 8 hours or 12 hours or such other time increment set forth in the Collective Bargaining Agreement or on a weekend or holiday.

RECOGNIZED HOLIDAYS

New Year's Day, Memorial Day, Fourth of July, Labor Day, Nevada Admission Day, Thanksgiving Day, the Friday after Thanksgiving Day, Day Before Christmas and Christmas Day and any Friday preceding a Holiday falling on a Saturday, if worked, holidays shall be compensated at the double time rate.

JOB DESCRIPTION Excerpt from Agreement between LU 350 of United Assoc. of Journeymen and Apprentices of the Plumbing and Pipefitting Industry of United States and Canada

Installation of all hearing and refrigeration systems and competent parts thereof, including fabrication, assembling, erection installation, dismantling, repairing, reconditioning, adjusting, altering servicing, handling, distributing, and tying on all piping materials appurtenances and equipment by method, including all hangars and supports of every description, all other work including the trade relevant to oil burner and all other types of heating and refrigeration equipment including low voltage controls.

Craft: ROOFER (Non-Union Rate) (Does not include sheet metal roofs)

Prevailing wage rates include the base rate as well as all applicable fringes

ROOFER

Includes but is not limited to:

- 1. Installing and covering roofs and structures with slate, asphalt, wood and other related materials, other than sheet metal, by using brushes, knives, punches, hammers and other tools;
- 2. Spraying roofs, sidings and walls with material to bind, seal, insulate or soundproof sections of a structure;
- 3. Installation of all plastic, slate, slag, gravel, asphalt and composition roofing, and rock asphalt mastic when used for damp and waterproofing;
- 4. Installation of all damp resisting preparations when applied on roofs with mop, three-knot brush, roller, swab or spray system;
- 5. All types of preformed panels used in waterproofing;
- 6. Handling, hoisting and storing of all roofing, damp and waterproofing materials;
- 7. The tear-off and/or removal of roofing and roofing materials;

Craft: SHEET METAL WORKERS (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Sheet Metal Worker Journeyman	71.50
Sheet Metal Worker -Foreman	
Sheet Metal Worker -General Foreman	79.93

ADD ZONE RATE

In addition to SHEET METAL rates add the applicable amounts per hour, calculated based on a road from the courthouse in Reno, Nevada:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 100 miles	\$5.00
Zone 3	Over 100 miles	\$10.00 the employee shall be provided reasonable lodging and meal expenses.

ADD PREMIUM PAY

All hourly rates are subject to Over Time (One and one half 1 ½) of the Regular rate:

- 1. For all hours worked over Eight (8) Hours in one day or shift.
- 2. For the first Eight (8) Hours work on Saturday.

All hourly rates are subject to Double Time of the Regular Rate:

1. For all hours worked over Ten (10) Hours in one day or shift.

2. For all hours worked over Eight (8) Hours on Saturday.

3. For all hours worked on Sunday, New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Nevada Day, Thanksgiving Day, Day after Thanksgiving, Day before Christmas, and Christmas Day.

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Nevada Day, Thanksgiving Day, Day after Thanksgiving, Day before Christmas, and Christmas Day

JOB DESCRIPTION: Excerpt from Sheet Metal Local 26 Collective Bargaining Agreement

(a) manufacture, fabrication, assembling, handling, erection, installation, dismantling, conditioning, adjustment, alteration, repairing and servicing of all ferrous or nonferrous metal work and all other materials used in lieu thereof and of all HVAC systems, air veyor systems, exhaust systems, and air-handling systems regardless of material used including the setting of all equipment and all reinforcements in connection therewith; (b) all lagging over insulation and all duct lining; (c) testing and balancing of all air-handling equipment and duct work; (d) the preparation of all shop and field sketches whether manually drawn or computer assisted used in fabrication and erection, including those taken from original architectural and engineering drawings or sketches; (e) metal roofing; and (f) all other work included in the jurisdictional claims of International Association of Sheet Metal, Air, Rail and Transportation Workers.

Craft: SPRINKLER FITTER (Non-Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

JOB DESCRIPTION

Installing, dismantling, maintenance, repairs, adjustments and corrections of all fire protection and fire control systems Including the unloading, handling by hand, power equipment and installation of all piping or tubing, appurtenances and equipment pertaining thereto, including both overhead and underground water mains, fire hydrants and hydrant mains, standpipes, and hose connections to sprinkler systems, sprinkler tank heaters, air lines and thermal systems used in connection with sprinkler and alarms systems, also all tanks and pumps connected thereto. Also including shall be CO2 and Cardox Systems, Dry Chemical Systems, Foam Systems and all other fire protection systems, but excluding steam fire protection systems.

Craft: SOILS and MATERIAL TESTER (Non-Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Soil Tester (Certified)	44.17
Soils and Materials Tester	44.17

Craft: SURVEYOR (Non-Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

SURVEYOR, includes but is not limited to:

- 1. Planning ground surveys designed to establish base lines, elevation and other geodetic measurements;
- 2. Compiling data relevant to the shape, contour, gravitation, location, elevation and dimension of land and land features on or near the surface of the Earth for engineering, map making, mining, land evaluation, construction and other purposes;
- 3. Surveying bodies of water to determine navigable channels and to secure data for construction of breakwaters, piers and other marine structures;
- 4. Computing data necessary for driving and connecting underground passages, underground storage and volume of underground deposits.

Craft: TAPER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Taper-Journeyman	53.86
Taper-Foreman	57.75

ADD ZONE RATE

In addition to: TAPER rates add the applicable amounts per hour Zone Pay shall commence from Maryland Parkway and Charleston Boulevard and shall be paid as follows:

Zone 1	0 to 40 miles	\$0.00
Zone 2	40 to 60 miles	\$2.50
Zone 3	over 60 miles	\$4.25

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

ADD PREMIUM PAY

All overtime, except Sundays and holidays, will be time and one-half (1 1/2).

Sundays and holidays will be paid double time (2X). Any and all work performed in excess of the regular workday of eight (8) hours, or ten (10) hours if mutually agreed to, and the regular workweek of forty (40) hours shall be considered overtime and shall be paid for at one and one-half (1 1/2) times the regular hourly rate.

JOB DESCRIPTION: Excerpt from Agreement between DC 16 and the independent Drywall Contractors of Northern Nevada

SECTION 1 -- The scope of work covered by this Agreement shall include (but not be limited to) all work operations, including distribution to the point of application, as follows:

(a) Work or services pertaining to the preparation, spotting, pointing, detailing, flushing, sanding and finishing of interior and/or exterior gypsum, drywall, thin wall, concrete, steel, wood and plaster surfaces, spackling of all surfaces where adhesive materials are used; and all drywall pointing, taping and finishing.

(b) Work or services pertaining to the application of all finish or flushing materials regardless of method of application or type of surface on which materials are applied, including but not limited to texture and simulated acoustic materials of all types and the application of radiant heat fill and steel fireproofing materials.

(c) Work or services pertaining to the installation of protective coverings and masking prior to the application of finish materials.

(d) The operation and care of all taping tools and texturing equipment used in the finishing and texturing of drywall and other surfaces including brushes, rollers, spray texturing equipment, miscellaneous hand, mechanical, and power tools, and the operation and maintenance of compressors required in the finishing and texturing of such surfaces.

(e) No limitation shall be placed on the work covered by this Agreement by reason of the surface, type of material or purpose for which the materials used are designed or intended.

(f) The cleanup of all materials and debris occasioned by any job operation at the site of construction, alteration, or repair undertaken whether such operation occurs on the interior or exterior of a building structure.

Craft: TILE SETTER/TERRAZZO WORKER/MARBLE MASON FINISHER (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Tile Setter/Terrazzo Worker/Marble Mason- Finisher37.82Tile Setter/Terrazzo Worker/Marble Mason- Finisher Foreman39.07Tile Setter/Terrazzo Worker/Marble Mason Finisher- General Foremen40.82

ADD PREMIUM PAY

All work in excess of forty (40) hours during the established work week shall be paid at the rate of one and one-half (1-1/2) times the hourly base wage rate in effect.

Employees shall be paid one and one-half (1-1/2) times the hourly wage rate for al hours worked over eight (8) in a single day and double time after ten (10) hours in a single day, Monday through Friday, except recognized holidays.

Daily Overtime Saturdays the first ten (10) hours performed on Saturday shall be paid at one and one-half (1-1/2) times the straight time wage rate.

Daily Overtime Sunday- Employees shall be paid double time on Sundays if forty (40) straight time hours have been worked during the proceeding work week.

Holidays shall be paid double time for hours owed on recognized holidays.

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day. Any holiday falling on a Sunday will be observed on Monday.

JOB DESCRIPTION: Excerpt from Agreement between BAC 13 Nevada of the Mountain West Administrative District Council Master Labor Agreement

FINISHER'S WORK:

Finisher's work shall consist of assisting, helping or supporting the tile, marble and terrazzo mechanic by performing their historic and traditional work assignments. required to complete the proper installation of the work covered by Sections 5, 7 and 8 of this Code.

Craft: TILE SETTER/TERRAZZO WORKER/MARBLE MASON (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Tile Setter Journeyman Tile Setter Foreman Tile Setter General Foreman	49.12
Terrazzo/Marble Mason-Journeyman Terrazzo/Marble Mason-Foreman Terrazzo/Marble Mason-General Foreman	50.62

ADD ZONE RATE

In addition to TILE SETTER/TERRAZZO WORKER/MARBLE MASON rates add the applicable amounts per hour, calculated based on a road miles of over fifty (50) miles from the Washoe County Courthouse in Reno, Nevada:

Zone 1	0 to 50 miles	\$0.00
Zone 2	50 to 75 miles	\$3.75
Zone 3	Over 70 miles	\$8.13

ADD PREMIUM PAY

All work in excess of forty (40) hours during the established work week shall be paid at the rate of one and one-half (1-1/2) times the hourly base wage rate in effect.

Employees shall be paid one and one-half (1-1/2) times the hourly wage rate for all hours worked over eight (8) in a single day and double time after ten (10) hours in a single day, Monday through Friday, except recognized holidays.

Daily Overtime Saturdays the first ten (10) hours performed on Saturday shall be paid at one and one-half (1-1/2) times the straight time wage rate.

Daily Overtime Sunday- Employees shall be paid double time on Sundays if forty (40) straight time hours have been worked during the proceeding work week.

Holidays shall be paid double time for hours owed on recognized holidays.

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day. Any holiday falling on a Sunday will be observed on Monday.

JOB DESCRIPTION: Excerpt from Agreement between BAC 13 Nevada of the Mountain West Administrative District Council Master Labor Agreement

TILE LAYERS' WORK:

Tile laying shall consist of, but not be limited to, the following work procedures and installation of the following materials:

A. The laying, cutting or setting of all tile where used for floors, walls, ceilings, walks, promenade roofs, stair treads, stair risers, facings, hearths, fireplaces, and decorative inserts, together with any marble plinths, thresholds or window stools used in connection with any tile work; also, preparing and setting all concrete, cement, brickwork, or other foundation or materials that may be required to properly set and complete such work; setting or bedding all tiling, stone, marble, composition, glass, mosaic, or other materials forming the facing, hearth or fireplace of a mantel, or the mantel complete, together with setting of all cement, brickwork, or other materials required in connection with the above work; also the slabbing and fabrication of tile mantels, counters and tile panels of every description, and the erection and installation of same; the building, shaping, forming, construction or repairing of all fireplace work, whether in connection with a mantel hearth facing or not, and the setting and preparing of all material, such as cement, plaster, mortar, brickwork, iron work or other materials necessary for the proper and safe construction and completion of such work, except that a mantel made exclusively of brick, marble or stone, shall be conceded to be bricklayers', marble setters' or stonemasons' work, respectively.

B. It will be understood that the word "tile" refers to all burned clay products, as used in the tile industry, either glazed or unglazed, and to all composition materials made in single units up to 15"x20"x2", except quarry tiles larger than 9"x9"x1 1/4", also to mixtures in tile form of cement, plastics and metals that are made for and intended for use as a finished floor surface, whether upon interior or exterior floors, stair treads, promenade roofs, garden walks, interior walls, ceilings, swimming pools, and all places where tile may be used to form a finished surface for practical use, sanitary finish or decorative purposes, for setting all accessories in connection therewith, or for decorative inserts in other materials.

C. All terra cotta called unit tile in sizes of 6"x12" or under, regardless of method of installation, quarry tile 9"x9"x1 1/4" or less; split brick or quarry tile or similar material where the bed is floated or screeded and the joints grouted. Where the work is installed by tile layers, the grouting and cleaning shall be supervised by the mechanic. The bedding, jointing, and pointing of the above materials shall be the work of the craft installing the same. All clay products known as terra cotta tile, unit tile, ceramic veneer and machine-made terra cotta, and like materials in sizes 6"x12" and less regardless of the method of installation. Where the preponderance of materials to be installed comes within the provisions of this Section and when there is also some material in excess of the sizes provided for in this Section, the tile setter shall install all such materials.

D. The preparation, setup, calibration, operation, cleaning, and routine maintenance of any mechanical devices or robotics used to install tile and related materials, or that otherwise assist the tile layer in performing any of the work described in Article II and Code 1 of the IU Constitution, as well as the preparation and ongoing maintenance of the work area to allow proper installation of tile and related materials.

Craft: TRAFFIC BARRIER ERECTOR (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Traffic Barrier Erector......45.53

ADD ZONE RATE

In addition to LABORER rates add the applicable amounts per hour, calculated based on a road miles from either the Carson City Courthouse or the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$4.00
Zone 3	150 to 300 miles	\$5.00
Zone 4	300 miles and over	\$6.00

ADD PREMIUM PAY

One and one half $(1 \frac{1}{2})$ the regular straight time hourly rate shall be paid:

- 1. For all hours worked over eight (8) hours in one day or shift.
- 2. For any hours worked on Saturday from midnight to midnight.

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over twelve (12) hours in one day or shift.
- 2. For any hours worked on Sunday from midnight to midnight.
- 3. For any hours worked on holidays from midnight to midnight.

RECOGNIZED HOLIDAYS

If any of these holidays fall on Sunday, the Monday following shall be considered a Holiday. New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

JOB DESCRIPTION: Excerpt from Agreement between AGC and LIUNA Local 169

- 1. Distributing traffic control signs and markers along site in designated pattern;
- 2. Informing drivers of detour routes through construction sites;

Craft: Truck Driver (Non-Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Dump Trucks (Single or Multiple Units Including Semi's & Double Transfer Units), Dumpcretes		
and Bulk Cement Spreader)		
Under 4 yds. (water level)		
4 yds. & under 8 yds. (water level)		
8 yds. & under 18 yds. (water level)		
18 yds. & under 25 yds. (water level))		
25 yds. & under 60 yds. (water level)		
60 yds. & under 75 yds. (water level))		
75 yds. & under 100 yds. (water level))		
100 yds. & under 150 yds. (water level))		
150 yds. & under 250 yds. (water level))		
250 yds. & under 350 yds. (water level))		
350 yds. & over (water level)		
Transit Mix	00.70	
Under 8 yrds.		
Under 8 yrds & including 12 yrds		
Over 12 yrds.		
Transit Mix (Using Boom)		
Transit mix with boom shall receive 16 cents per hour above the appropriate yardage	~~ ~~	
classification rate of pay when such boom is used		
Water & Jetting Trucks		
Up to 2,500 gallons		
Up to 2,500 gallons & over		
DW 20's & 21's & other similar Cat type, Terry Cobra LeTourneau pulls, Tournerocker, E		
similar type equipment when pulling Aqua/Pak, Water Tank Trailers, & Fuel, and/or Great	aaa Taali	
	ase rank	
Trailer, or other miscellaneous Trailers, (except as defined under "Dump Trucks")		
Heavy Duty Transport (High Bed)		
Heavy Duty Transport (High Bed)	28.72 28.72	
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed)	28.72 28.72 28.72	
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit)		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit)		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter		
Heavy Duty Transport (High Bed). Heavy Duty Transport(Gooseneck low bed). Tiltbed or Flatbed Pull Trailers. Bootman, Comb. Bootman & Road Oiler. Flat Rack (2 or 3 axle unit). Bus & Manhaul Drivers Up to 18,000 lbs. (single unit). 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers		
Heavy Duty Transport (High Bed). Heavy Duty Transport(Gooseneck low bed). Tiltbed or Flatbed Pull Trailers. Bootman, Comb. Bootman & Road Oiler. Flat Rack (2 or 3 axle unit). Bus & Manhaul Drivers Up to 18,000 lbs. (single unit). 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs.		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs. 18,000 lbs. and over		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs 18,000 lbs. and over Warehousemen Spotter		
Heavy Duty Transport (High Bed). Heavy Duty Transport(Gooseneck low bed). Tiltbed or Flatbed Pull Trailers. Bootman, Comb. Bootman & Road Oiler. Flat Rack (2 or 3 axle unit). Bus & Manhaul Drivers Up to 18,000 lbs. (single unit). 18,000 lbs. and over Warehousemen Spotter Up to 18,000 lbs. 18,000 lbs. and over. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter.		
Heavy Duty Transport (High Bed). Heavy Duty Transport(Gooseneck low bed). Tiltbed or Flatbed Pull Trailers. Bootman, Comb. Bootman & Road Oiler. Flat Rack (2 or 3 axle unit). Bus & Manhaul Drivers Up to 18,000 lbs. (single unit). 18,000 lbs. and over . Warehousemen Spotter Up to 18,000 lbs. 18,000 lbs. and over. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter. Warehousemen Spotter. Warehouse Clerk. Tire Repairmen.		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit)		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed). Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs. 18,000 lbs. and over Warehousemen Spotter Warehousemen Spotter Warehousemen Spotter Warehouse Clerk. Tire Repairmen. Truck Repairmen. Pick Up Truck & Pilot Cars (Jobsite)		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs. 18,000 lbs. and over Warehousemen Spotter Warehousemen Spotter Warehouse Clerk Tire Repairmen Truck Repairmen Pick Up Truck & Pilot Cars (Jobsite) Pick Up Truck & Pilot Cars (Over the road)		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers. Bootman, Comb. Bootman & Road Oiler. Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs. 18,000 lbs. and over. Warehousemen Spotter. Warehouse Clerk. Tire Repairmen. Truck Repairmen. Pick Up Truck & Pilot Cars (Jobsite) Pick Up Truck & Pilot Cars (Over the road) Truck Oil Greaser.		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers Bootman, Comb. Bootman & Road Oiler Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs. 18,000 lbs. and over Warehousemen Spotter Warehouse Clerk. Tire Repairmen. Truck Repairmen. Pick Up Truck & Pilot Cars (Jobsite) Pick Up Truck & Pilot Cars (Over the road) Truck Oil Greaser. Fuel Truck Driver.		
Heavy Duty Transport (High Bed) Heavy Duty Transport(Gooseneck low bed) Tiltbed or Flatbed Pull Trailers. Bootman, Comb. Bootman & Road Oiler. Flat Rack (2 or 3 axle unit) Bus & Manhaul Drivers Up to 18,000 lbs. (single unit) 18,000 lbs. and over Warehousemen Spotter Winch Truck & "A" Frame Drivers Up to 18,000 lbs. 18,000 lbs. and over. Warehousemen Spotter. Warehouse Clerk. Tire Repairmen. Truck Repairmen. Pick Up Truck & Pilot Cars (Jobsite) Pick Up Truck & Pilot Cars (Over the road) Truck Oil Greaser.		

Oil Tanker with Pup	28.72
Foreman	28.72

TRUCK DRIVER

Includes but is not limited to:

Driving a tractor trailer combination or a truck to transport goods or materials at the site of a public work or between sites of a public work. (Also, see descriptions listed with Truck Driver rates, if any.)

Prevailing wage rates include the base rate as well as all applicable fringes

JOB DESCRIPTIONS

- 1. Setting, operating or tending to portable drilling rig machinery and related equipment to drill wells;
- 2. Extending stabilizing jackscrews to support and level a drilling rig;
- 3. Installing water well pumps;
- 4. Drillings wells for industrial water supplies, irrigation water supplies or water supplies for any other purpose; dewatering or other similar purposes; exploration; hole drilling for geologic and hydrologic information; and core drilling for geologic information.

GROUP CLASSIFICATIONS

LABORER, includes but is not limited to:

<u>Group 1</u>

- All cleanup work of debris, grounds, and building including windows and tile
- Dumpmen or Spotter (other than asphalt)
- Handling and Servicing of Flares, Watchmen
- General Laborer
- Guideposts and Highway Signs
- Guardrail Erection and Dismantling
- Limber, Brushloader and Piler
- Pavement Marking and Highway Striping
- Traffic Barrier Erector
- Tending to portable space heaters
- Profilograph work all types manual, self propelled or carts
- Gabion basket, building, handling, installation and rigging
- Dry set paver work
- Traffic Barrier Erector

Group 2

- Choker setter or Rigger (clearing work only) Pittsburgh
- Chipper and similar type brush shredders
- Concrete worker (wet or dry) all concrete work not listed in Group 3 included but not limited to: concrete forms stripping, handling, cleaning, oiling and moving to the next point of installation.
- Crusher or Grizzly Tender
- Greasing Dowels
- Guinea Chaser (Stakemen)
- Panel Forms (wood or metal) handling, cleaning and stripping of Loading and unloading, (Carrying and handling of all rods and material for use in reinforcing concrete
- Railroad Trackmen (maintenance, repair or builders)
- Sloper
- Semi-Skilled Wrecker (salvaging of building materials other than those listed in Group 3)
- Waterproofing work
- Epoxy rebar/dowels and anchoring dowel baskets
- Placement pouring of concrete including any epoxy resin or similar materials, rodding, spreading and tamping concrete, brooming or brushing, hand application of curing compounds, applying topping (wet or dry) colors or grits, and exposed finishes for architectural work
- Concrete patching, dry packing, chipping, stoning, and grouting
- Concrete cold whether/rain protection and curing
- Placement /anchoring of all earth stabilization/filters fabrics,
- Mechanically stabilized Earth (MSE) and Keystone type retaining walls rigging, placing, aligning, backfilling and installation of dead men and any stablilization compenents

- Asphalt Workers (Ironers, Shovelers, Cutting Machine)
- Buggymobile

- Chainsaw, Faller, Logloader and Bucker
- Compactor (all types)
- Concrete Mixer under 1/2 yard
- Concrete Pan Work (Breadpan type), handling, cleaning\stripping
- Concrete Saw, Chipping, Grinding, Sanding, Vibrator
- Cribbing, Shoring, Lagging, Trench Jacking, Hand-Guided Lagging Hammer
- Curbing or Divider machine
- Curb Setter (precast or cut)
- Ditching Machine (hand-guided)
- Drillers Helper, Chuck Tender
- Fence erector including safety, chain link, turtle, field and barbe wire fencing
- Form Raiser, Slip Forms
- Grouting of Concrete Walls, Windows and Door Jams
- Headerboardmen
- Jackhammer, Pavement Breaker, Air Spade
- Mastic Worker (wet or dry)
- Pipewrapper, Kettlemen, Potmen, and men applying asphalt, creosote and similar type materials
- All Power Tools (air, gas, or electric), Post Driver
- Riprap-Stonepaver and RockSlinger, including placing of sack concrete wet or dry Rototiller
- Rigging and Signaling in connection with Laborers' work
- Sandblaster, Potmen, Gunmen or Nozzlemen water blasting not covered in group 5A
- Vibra-screed
- All demolition and wrecking work including but not limited t any torch work cutting, burning, plasma are, dust control, and salvaging (removing and salvaging of all materials, windows, doors, plumbing, and electrical fixtures) and use of customary tools and equipment for demolition and wrecking
- All underpinning foundation work, digging and underpinning pits, removal of debris with tuggers or other methods, cutting, handling and installing all shoring boards and lagging boards used for underpinning and foundation work, placement and tying of steel reinforcing for underpinning piers, all tiebacks and soil nail work drilling and grouting, all soldier beam work and us of customary tools and equipment for underpinning foundation work

Group 3A

- Concrete Specialist
- Setting screeds
- Screed pins
- Curb forms and curb and gutter forms,
- Using Darby and push floats,
- Hand trowels or hand floating
- Marking edging
- Using base cove or step tools
- Spreading and finishing gypsum
- Concrete grinding machines (the terms does not include Rotomill machines for highway overlay grinding)
- Troweling machines,
- Floating machines
- Finishing of epoxy or resin materials,
- Operation of skill saw

- Laser Screed
- Laser Level
- Curb and Slipform machines,
- Stamps or other means or texturing,
- Any new devices which are beneficial to the construction of or with concrete or related products.

- Burning and Welding in connection with Laborers' work
- Joy Drill Model TWM-2A, Gardner Denver Model DN143 and similar type drills (in accordance with Memorandum of Understanding between Laborers and Operating Engineers dated at Miami, Florida, Feb. 3, 1954) and Track Drillers, Diamond Core Drillers, Wagon Drillers, Mechanical Drillers on Multiple Units
- High scalers including but not limited to laying, anchoring, pinning, cabling and stretching of any rock fall netting, mesh or wire fabric and use of customary tools and equipment for high scaling
- Concrete pump operator
- Heavy Duty Vibrator with Stinger 5" diameter or over
- Pipelayer, Caulker and Bander
- Pipelayer-waterline, Sewerline, Gasoline, Conduit and all other types of composition for any purpose buried under ground outside of building including, stringing, trench shoring, backfilling sanding, caution taping, all walk behind equipment and spotting
- Laborer work in connection with micro tunneling, directional drilling and pipe-jacking
- Cathodic protection, grounding for pipe work
- Cleaning of Utility Lines
- Slip Lining of Utility Lines (including operation of Equipment)
- TV Monitoring and Grouting of Utility Lines
- Asphalt Rakers and Asphalt dump Man
- All mechanical and pressurized pipe work, including the installation of pipe above and below ground, cathodic protection, bolt up, and support installation in connection to water conveyance, c

Group 4A

• Foreman

<u>Group 5</u>

- Construction Specialists
- Blasters and Powdermen, all work of loading, placing, and blasting of all powder and explosives of any type, regardless of method used for such loading and placing Asbestos removal
- Lead abatement
- Hazardous waste
- Material removal

Group 5A

- Pavement Marking and Highway Striping
- Pavement Marking and Highway Striping Foreman
- Pavement Marking and Highway Striping work includes but is not limited to: All work by any method preformed in connection with the permanent or temporary application and installation of pavement marking of any kind, brand, type or style on parking lots, airfields, highways,

streets and other such surfaces and all work performed in connection with removal of pavement.

- Gunite Foremen, Nozzlemen, Rodmen, Gunmen, Materialmen, Reboundmen
- Tunnel and shaft workers/miners and use of customary tools and equipment for tunnel and mine work All worked performed in a compressed air tunnel shaft or chamber including the use of hand, power tools or equipment as necessary in connection with compressed air work

OPERATING ENGINEER, includes but is not limited to:

<u>Group 1</u>

• Engineer Assistant

Group 1A

- Oiler (Construction)
- Partsman

<u>Group 2</u>

- Compressor Operator
- Material Loader and/or Conveyor Operator (handling building materials)
- Pump Operator

Group 3

- Bobcat or similar loader, 1/4 cu. yd. or less
- Concrete Curing Machines (streets, highways, airports, canals)
- Conveyor Belt Operator (tunnel)
- Forklift (under 20)
- Engineer Generating Plant (500 K.W.)
- Mixer Box Operator (concrete plant)
- Motorman
- Rodman/Chainman
- Rotomist Operator
- Oiler (truck crane)

Group 4

- Concrete Mixer Operator, Skip type
- Dinky Operator
- Forklift (20' or over) or Lumber Stacker
- Ross Carrier
- Skip Loader Operator (under one (1) cu. yd.)
- Tie Spacer

Group 5

- Concrete Mixers (over one (1) cu. yd.)
- Concrete Pumps or Pumpcrete Guns
- Elevator and Material Hoist (one (1) drum)
- Groundman for Asphalt Milling and similar

- Auger type drilling equipment up to and including 30 ft. depth digging capacity M.R.C.
- Boom Truck or Dual-Purpose a-Frame Truck
- B.L.H. Lima Road Pactor or similar
- Chip Box Spreader (Flaherty type or similar)
- Concrete Batch Plant (wet or dry)
- Concrete Saws (highways, streets, airports, canals)
- Locomotives (over thirty (30) tons)
- Maginnis International Full Slab Vibrator (airports, highways, canals and warehouses)
- Mechanical Finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types)

- Mechanical Burn, Curb and/or Curb and Gutter Machine (concrete or asphalt)
- Pavement Breaker, Truck Mounted, with compressor combination
- Pavement Breaker or Tamper (with or without compressor combination)
- Power Jumbo Operator (setting slip-forms, etc., in tunnels)
- Roller Operator (except asphalt)
- Self-Propelled Tape Machine
- Self-Propelled Compactor (single engine)
- Self-Propelled Power Sweeper Operator
- Slip-Form Pump (power-driven by hydraulic, electric, air, gas, etc. lifting device for concrete forms)
- Small Rubber-Tired Tractors
- Snooper Crane, Paxton-Mitchell or similar
- Stationary Pipe Wrapping, Cleaning and Bending Machine Operator

- Auger type drilling equipment over 30 ft. depth digging capacity M.R.C.
- Compressor (over 2)
- Concrete Conveyor or Concrete Pump, truck or equipment mounted (any assistance required shall be performed by an Assistant to Engineer) Boom length to apply Concrete Conveyor, Building Site
- Drilling and Boring Machine, vertical and horizontal (not to apply to waterliners, wagon drills or jack hammers)
- Crusher Plant Engineer
- Generators
- Instrument Man
- Kolman Loader
- Material Hoist (two (2) or more drums)
- Mine or Shaft Hoist
- Pipe Bending Machines (pipeline only)
- Pipe Cleaning Machines (tractor-propelled and supported)
- Pipe Wrapping Machines (tractor-propelled and supported)
- Portable Crushing and Screening Plants
- Post Driller And/or Driver
- Pumps (over 2)
- Screedman (except asphaltic or concrete paving)
- Self-Propelled Boom-Type Lifting Device (center mount) (on ten (10) ton capacity or less)
- Slusher Operator
- Soil Tester (Certified)
- Soils and Materials Tester
- Surface Heater and Planer Operator
- Trenching Machine (maximum digging capacity three (3) ft. depth) (Any assistance in the operation, if needed, shall be performed by an Assistant to Engineer)
- Truck-Type Loader
- Welding Machines (gasoline or diesel)

- Articulated on-Site Dump Trucks
- Asphalt Plant Engineer
- Asphalt Milling Machine

- Cast-In-Place Pipe-Laying Machine
- Combination Slusher and Motor Operator
- Concrete Batch Plant (multiple units)
- Dozer Operator
- Drill Doctor
- Elevating Grader Operator
- Stiff Frame Off Road Haul Trucks
- Grooving and Grinding Machine (highways)
- Ken Seal Operator
- Marination Plant
- Loader (up to and including two and one-half (2 1/2) cu. yds)
- Mechanical Finishers or Spreader Machine (asphalt, Barber-Greene or similar)
- Shuttle Buggy
- Mechanical Trench Shield
- Mixermobile
- Push Cats
- Road Oil Mixing Machine Operator Wood-Mixer (and other similar Pugmill equipment)
- Roller Operator (asphalt)
- Rubber-Tired Earthmoving Equipment (up to and including thirty-five (35) cu. yds. "struck " M.R.C., Euclids, T-Pulls, DW10, 20, 21 and similar)
- Water Pull
- Screedman (Barber-Greene and similar) (asphaltic or concrete paving)
- Self-Propelled Compactors with Dozer; Hyster 450, Cat 825 or similar
- Sheepfoot
- Small Tractor (with boom)
- Soil Stabilizer (P & H or equal)
- Timber Skidder (rubber-tired) or similar equipment
- Track Loader
- Tractor-Drawn Scraper
- Tractor Operator
- Tractor-Mounted Compressor Drill Combination
- Trenching Machine Operator (over three (3) feet depth)
- Tri-Batch Paver
- Tunnel Badger or Tunnel Boring Machine Operator
- Tunnel Mole Boring Machine
- Vermeer T-600b Rock Cutter
- Vacuum Truck(excludes trailer mounted vaccums)

- Chicago Boom
- Combination Backhoe and Loader (up to and including 3/8 cu. yd.)
- Combination Mixer and Compressor (gunite)
- Heavy Duty Repairman and/or Welder
- Lull Hi-Lift (twenty (20) feet or over)
- Mucking Machine
- Sub-Grader (Gurries or other types)
- Tractor (with Boom) (D6 or larger)
- Track-Laying-Type Earthmoving Machine (single engine with tandem scrapers)

- Boom-Type Backfilling Machine
- Bridge Crane
- Cary-Lift or similar
- Chemical Grouting Machine
- Chief of Party
- Derricks (two (2) Group 10 Operators required when swing engine remote from hoist)
- Derrick Barges (except excavation work)
- Euclid Loader and similar types
- Heavy Duty Repairman
- Heavy Duty Rotary Drill Rigs
- Lift-Slab (Vagtborg and similar types)
- Loader (over two and one-half (2 1/2 cu. yds. up to and including four (4) cu. yds.)
- Locomotive (over one hundred (100) tons, single or multiple units)
- Multiple-Engine Earthmoving Machines (Euclid Dozers, etc.)
- Pre-Stress Wire Wrapping Machine
- Rubber-Tired Scraper, Self-Loading
- Single-Engine Scraper (over thirty-five (35) cu. yds.)
- Shuttle Car (Reclaim Station)
- Train Loading Station
- Trenching Machine multi-engine with sloping attachments (Jefco or similar)
- Vacuum Cooling Plant
- Whirley Crane (up to and including twenty-five (25) tons)

Group 10A

- Backhoe-Hydraulic (up to and including one (1) cu. yd.)
- Backhoe (up to and including one (1) cu. yd.) (Cable)
- CMI Dual Lane Auto-Grader SP30 or similar type
- Cranes (not over twenty-five (25) tons) (hammerhead and gantry)
- Finish Blade
- Gradalls (up to and including one (1) cu. yd.)
- Motor Patrol Operator
- Power Shovels, Clamshells, Draglines, Cranes (up to and including one (1) cu. yd.)
- Rubber-Tired Scraper, Self-Loading (twin engine)
- Self-Propelled Boom-Type Lifting Device, center mount (over 10 tons up to and including 25 tons)

<u>Group 11</u>

- Automatic Asphalt or Concrete Slip-Form Paver
- Automatic Railroad Car Dumper
- Canal Trimmer
- Cary Lift, Campbell or similar type
- Cranes (over twenty-five (25) tons)
- Euclid Loader when controlled from the Pullcat
- Finish Blade
- Gradesetter, Grade Checker
- Highline Cableway Operator
- Loader (over four (4) cu. yds. up to and including twelve (12) cu. yds.)

- Multi-Engine Earthmoving Equipment (up to and including seventy-five (75) cu. yds. struck m.r.c.)
- Multi-Engine Scrapers (when used to Push Pull)
- Power Shovels, Clamshells, Draglines, Backhoes Gradalls (over one (1) cu. yd. and up to and including seven (7) cu. yds. m.r.c.)
- Self-Propelled Boom-Type Lifting Device (center mount) (over 25 tons m.r.c.)
- Self-Propelled Compactor (with multiple-propulsion power units)
- Single-Engine Rubber-Tired Earthmoving Machine, with Tandem Scraper
- Slip-Form Paver (concrete or asphalt)
- Tandem Cats and Scraper
- Tower Crane Mobile (including Rail Mount)
- Truck Mounted Hydraulic Crane when remote control equipped (over 10 tons up to and including 25 tons)
- Universal Liebher and Tower Cranes (and similar types)
- Wheel Excavator (up to and including seven hundred fifty (750) cu. yds. per hour)
- Whirley Cranes (over twenty-five (25) tons)

Group 11A

- Band Wagons (in conjunction with Wheel Excavators)
- Operator of Helicopter (when used in construction work)
- Loader (over twelve (12) cu. yds.)
- Multi-Engine Earthmoving Equipment (over seventy-five (75) cu. yds. "struck" m.r.c.)
- Power Shovels. Clamshells, Draglines, Backhoes, and Gradalls (over seven 7 cu. yds. m.r.c.)
- Remote-Controlled Earth Moving Equipment
- Wheel Excavator (over seven hundred fifty (750) cu. yds. per hour)

Group 11B

• Holland Loader or similar or Loader (over 18 cu. yds.)

OPERATING ENGINEERS - Steel Fabricator & Erector

Group 1

- Cranes over 100 tons
- Derrick over 100 tons
- Self-Propelled Boom Type Lifting Devices over 100 tons

Group 2

- Cranes over 45 tons up to and including 100 tons
- Derrick, 100 tons and under
- Self-Propelled Boom Type Lifting Device, over 45 tons
- Tower Crane

Group 3

- Cranes, 45 tons and under
- Self-Propelled Boom Type Lifting Device, 45 tons and under

- Chicago Boom
- Forklift, 10 tons and over

• Heavy Duty Repairman/Welder

Group 5

Boom Cat

OPERATING ENGINEER - PILEDRIVER

Group 1

- Derrick Barge Pedestal mounted over 100 tons
- Clamshells over 7 cu. yds.
- Self-Propelled Boom Type Lifting Device, over 100 tons
- Truck Crane or Crawler, land or barge mounted over 100 tons

Group 2

- Derrick Barge Pedestal mounted 45 tons up to and including 100 tons
- Clamshells up to and including 7 cu. yds.
- Self-Propelled Boom Type Lifting Device over 45 tons
- Truck Crane or Crawler, land or barge mounted, over 45 tons up to and including 100 tons

Group 3

- Derrick Barge Pedestal mounted under 45 tons
- Self-Propelled Boom Type Lifting Device 45 tons and under
- Skid/Scow Piledriver, any tonnage
- Truck Crane or Crawler, land or barge mounted 45 tons and under

Group 4

- Assistant Operator in lieu of Assistant to Engineer
- Forklift, 10 tons and over
- Heavy Duty Repairman/Welder

Group 5

No current classification

Group 6

• Deck Engineer

<u>Group 7</u>

No current classification

- Deckhand
- Fireman

TERRY REYNOLDS Director BRETT HARRIS Labor Commissioner STATE OF NEVADA



OFFICE OF THE LABOR COMMISSIONER 1818 COLLEGE PARKWAY, SUITE 102 CARSON CITY, NEVADA 89706 PHONE (775) 684-1890 FAX (775) 687-6409

OFFICE OF THE LABOR COMMISSIONER 3300 W. SAHARA AVE. SUITE 225 LAS VEGAS, NEVADA 89102 PHONE (702) 486-2650 FAX (702 486-2660

Department of Business & Industry OFFICE OF THE LABOR COMMISSIONER http://www.labor.nv.gov

2022-2023 Prevailing Wage

Amendment 2

- AMENDMENT 2 CLERICAL
- Classifications: Lubrication and Service Engineer
 Operating Engineers
 Operating Engineers – Steel Fabricator & Erector
 Operating Engineers – Piledriver
- County Washoe County Region and Northern Nevada Rural Region
- Effective October 1, 2022

The following represents the amended wage rates.

Craft: LUBRICATION AND SERVICE ENGINEER (MOBILE AND GREASE RACK) (Union Rate)

Prevailing wage rates include the base rate as well as all applicable fringes

Add Operating Engineers Zone Pay Add Premium Pay

2022-2023 Amendment 2 Operating Engineers

2022-2023 Prevailing Wage

Amendment 2

Craft: OPERATING ENGINEER (Union Rate) Prevailing wage rates include the base rate as well as all applicable fringes

Operating Engineers	
(SEE GROUP CLASSIFICATIONS)	
Group 1	63.41
Group 1A	66.17
Group 2	66.70
Group 3	66.97
Group 4	
Group 5	
Group 6	
Group 7	
Group 8	69.02
Group 9	
Group 10	
Group 10A	69.88
Group 11	70.12
Group 11A	
Group 11B	
Foreman	
Add \$12.5% to base rate for "Special" Shift	

Add Operating Engineers Zone Pay Add Premium Pay

2022-2023 Prevailing Wage

Amendment 2

Craft: OPERATING ENGINEER (Union Rate) STEEL FABRICATOR & ERECTOR

Prevailing wage rates include the base rate as well as all applicable fringes

Operating Engineers (SEE GROUP CLASSIFICATIONS)	
Group 1	78.17
Group 1 Truck Crane Oiler	72.54
Group 1 Oiler Group 2	70.58
Group 2	77.20
Group 2 Truck Crane Oiler	
Group 2 Oiler	70.37
Group 2 Oiler Group 3	75.96
Group 3 Truck Crane Oiler Group 3 Oiler	72.07
Group 3 Oiler	70.15
Group 3 Hydraulic	71.74
Group 4	74.23
Group 4 Group 5	73.13
Add \$12.5% to base rate for "Special" Shift	

2022-2023 Prevailing Wage

Amendment 2

Craft: OPERATING ENGINEER (Union Rate) PILEDRIVER

Prevailing wage rates include the base rate as well as all applicable fringes

Operating Engineers (SEE GROUP CLASSIFICATIONS)	
Group 1	
Group 1 Truck Crane Oiler	72.72
Group 1 Truck Crane Oiler Group 1 Oiler	70.80
Group 2	
Goup 2 Truck Crane Oiler	72.51
Group 2 Oiler	70.60
Group 3	
Group 3 Truck Crane Oiler	
Group 3 Oiler	70.37
Group 4	73.68
Group 4 Group 5	72.57
Group 6	69.29
Group 7	
Group 8	
Add \$12.5% to base rate for "Special" Shift	

ADD ZONE RATE

In addition to: **OPERATING ENGINEER, STEEL FABRICATOR & ERECTOR, and OPERATING ENGINEER PILEDRIVER,** rates add the applicable amounts per hour calculated based on a road miles from the Carson City Courthouse or Washoe County Courthouse

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$5.00
Zone 3	150 to 300 miles	\$6.00
Zone 4	300 miles over	\$7.00

ADD PREMIUM PAY

1. One and one-half (1-1/2) times the applicable straight-time rate for the day, shift, work, equipment and classification shall be paid for all work (including repair work and field survey work)

performed on Saturday and before a shift begins and after it ends, except when operating equipment

servicing a craft that is receiving double time on commercial building construction, in which case double time shall be paid.

2. Overtime. The following rates shall apply on Sundays and holidays and all work before a shift begins and after it ends:

RECOGNIZED HOLIDAYS

Holidays. Double the applicable straight-time rate shall be paid for all work (including repair,

maintenance and field survey work) performed on Sundays and the following holidays: New Year's Day (January 1); Memorial Day (last Monday in May); Independence Day (July 4); Labor Day (1st Monday in September); Nevada Admission Day (last Friday in October); Thanksgiving Day (4th Thursday in November); the day after Thanksgiving Day; and Christmas Day (December 25). Holidays falling on Sunday shall be observed on the following Monday. Holiday hours shall be reckoned on the same basis as Sunday hours.

Saturday Shift Period. On any shift, Saturday shall be the twenty-four-hour period commencing at 12:00 midnight Friday.

Sunday Shift Period. On any shift, Sunday shall be the twenty-four-hour period commencing at 12:00 midnight Saturday.

3. For hours worked in excess of 12) on any such workday, an Employee shall be paid two (2) times the regular straight-time rate of pay for each hour so worked.

JOB DESCRIPTION, includes but is not limited to:

Operate one or several types of power construction equipment, such as motor graders, bulldozers, scrapers, compressors, pumps, derricks, shovels, tractors, or front-end loaders to excavate, move, and grade earth, erect structures, or pour concrete or other hard surface pavement.

TERRY REYNOLDS Director BRETT HARRIS Labor Commissioner STATE OF NEVADA



OFFICE OF THE LABOR COMMISSIONER 1818 COLLEGE PARKWAY, SUITE 102 CARSON CITY, NEVADA 89706 PHONE (775) 684-1890 FAX (775) 687-6409

OFFICE OF THE LABOR COMMISSIONER 3300 W. SAHARA AVE. SUITE 225 LAS VEGAS, NEVADA 89102 PHONE (702) 486-2650 FAX (702 486-2660

Department of Business & Industry OFFICE OF THE LABOR COMMISSIONER http://www.labor.nv.gov

2022-2023 Prevailing Wage

Amendment 2A

- AMENDMENT 2A CLERICAL
- Classification Operating Engineer Steel Fabricator & Erector Group 1
- County Washoe County Region and Northern Nevada Rural Region
- Effective October 1, 2022

The following represents the amended wage rates.

Craft: OPERATING ENGINEER (Union Rate) STEEL FABRICATOR & ERECTOR

TERRY REYNOLDS Director BRETT HARRIS Labor Commissioner STATE OF NEVADA



OFFICE OF THE LABOR COMMISSIONER 1818 COLLEGE PARKWAY, SUITE 102 CARSON CITY, NEVADA 89706 PHONE (775) 684-1890 FAX (775) 687-6409

OFFICE OF THE LABOR COMMISSIONER 3300 W. SAHARA AVE. SUITE 225 LAS VEGAS, NEVADA 89102 PHONE (702) 486-2650 FAX (702 486-2660

Department of Business & Industry OFFICE OF THE LABOR COMMISSIONER http://www.labor.nv.gov

2022-2023 Prevailing Wage

Amendment 3

- AMENDMENT 3
- Classifications:

Laborer Group 3A Wage Rate

Zone Rates for Washoe County and Northern Nevada Rural Regions

- County Washoe County Region and Northern Nevada Rural Region
- Effective October 10, 2022

The following represents the amended wage rate.

Craft: LABORER (Union Rate)

Group 3A......49.21

ADD ZONE RATE

In addition to LABORER rates add the applicable amounts per hour, calculated based on a <u>road</u> miles from either the Carson City Courthouse or the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$5.00
Zone 3	150 to 300 miles	\$6.00
Zone 4	300 miles or over	\$7.00

TERRY REYNOLDS Director BRETT HARRIS

BRETT HARRIS Labor Commissioner STATE OF NEVADA



OFFICE OF THE LABOR COMMISSIONER 1818 COLLEGE PARKWAY, SUITE 102 CARSON CITY, NEVADA 89706 PHONE (775) 684-1890 FAX (775) 687-6409

OFFICE OF THE LABOR COMMISSIONER 3300 W. SAHARA AVE. SUITE 225 LAS VEGAS, NEVADA 89102 PHONE (702) 486-2650 FAX (702 486-2660

Department of Business & Industry OFFICE OF THE LABOR COMMISSIONER http://www.labor.nv.gov

2022-2023 Prevailing Wage

Amendment 3A

- AMENDMENT 3A
- Classifications –

Fence Erector Group 3A Zone Rate

Flag Person Group 3A Zone Rate

Highway Striper Group 3A Zone Rate

- **Traffic Barrier Erector Group 3A Zone Rate**
- County Washoe County Region and Northern Nevada Rural Region
- Effective October 10, 2022

ADD ZONE RATE

In addition to FENCE ERECTOR, FLAG PERSON, HIGHWAY STRIPER, TRAFFIC BARRIER ERECTOR rates, add the applicable amounts per hour, calculated based on <u>road</u> miles from either the Carson City Courthouse or the Washoe County Courthouse:

Zone 1	0 to 75 miles	\$0.00
Zone 2	75 to 150 miles	\$5.00
Zone 3	150 to 300 miles	\$6.00
Zone 4	300 miles or over	\$7.00

TERRY REYNOLDS Director BRETT HARRIS Labor Commissioner STATE OF NEVADA



OFFICE OF THE LABOR COMMISSIONER 1818 COLLEGE PARKWAY, SUITE 102 CARSON CITY, NEVADA 89706 PHONE (775) 684-1890 FAX (775) 687-6409

OFFICE OF THE LABOR COMMISSIONER 3300 W. SAHARA AVE. SUITE 225 LAS VEGAS, NEVADA 89102 PHONE (702) 486-2650 FAX (702 486-2660

Department of Business & Industry OFFICE OF THE LABOR COMMISSIONER http://www.labor.nv.gov

2022-2023 Prevailing Wage

Amendment 5

- AMENDMENT 5
- Classifications Plasterer
- County Washoe County Region and Northern Nevada Rural Region
- Effective December 8, 2022

Prevailing wage rates include the base rate as well as all applicable fringes

Plasterer-Journeyman	50.82
Plasterer-Foreman	54.32

ADD ZONE RATE

In addition to PLASTERER rates add the applicable amounts per hour, calculated from the South Virginia and Mill Street, Reno, Nevada:

Zone 1	0 to 70 miles	\$0.00
Zone 2	70 miles and over	\$8.00

ADD PREMIUM PAY

<u>OVERTIME</u> Eight (8) consecutive hours (exclusive of a meal period) shall constitute a day's work at straight time. Five (5) consecutive days of eight (8) consecutive hours (exclusive of a meal period), Monday through Friday, shall constitute a week's work. One and one half (1 ½) the regular straight time hourly rate shall be paid for all work over eight (8) hours. Sunday will be paid at double the regular straight time rate.

RECOGNIZED HOLIDAYS

All work performed on the following holidays shall be paid for at double the regular straight time rate: New Year's Day, Memorial Day, Fourth of July, Labor Day, Admissions Day, Thanksgiving Day and the Friday after Thanksgiving and also Christmas Day. If any of the above holidays fall on Sunday, the Monday following shall be considered a holiday. No work shall be permitted on the Fourth of July or Labor Day, regardless of compensation or donation, except in case of emergency or to protect life and property. Permission to work shall be granted by the representative of the Union or its officer.

JOB DESCRIPTION: Excerpt from Agreement No NV. Plasterers Master Labor Agreement

This includes but is not limited to:

1. All building construction, including but not limited to the construction, erection, alteration, repair, modification, demolition, addition, or improvement in whole or in part of any building structures,

2. All interior or exterior plastering construction, restoration, repair and inspection of cement, stucco, stone imitation or any patent material when ornamental molded plaster, and the setting of same. All specialty finishes such as veneer, venetian, marmoreno and grasello. All custom and specialty finishes, including but not limited to custom rock, carved plaster, brick and block veneer, stone and wood. Smooth and finish surfaces of full system E.I.F.S. including sticking and shaping of foam pieces or surfaces by adhesive or mechanical installation. All spray or toweled on fireproofing, including cementitious and intumescent products. All plaster acoustical finish systems including, but not limited to, BASWA Phon and Fellert.

3. All work processes which represent technological change, replacement, modification or substitution for the work described above. In addition, all work and use of new materials or 2020-2024 Reno Plasterers Master Labor Agreement 4 techniques involved in plaster construction including but not limited to what is known as green or sustainable construction technology.

TERRY REYNOLDS Director

BRETT HARRIS Labor Commissioner STATE OF NEVADA



OFFICE OF THE LABOR COMMISSIONER 1818 COLLEGE PARKWAY, SUITE 102 CARSON CITY, NEVADA 89706 PHONE (775) 684-1890 FAX (775) 687-6409

OFFICE OF THE LABOR COMMISSIONER 3300 W. SAHARA AVE. SUITE 225 LAS VEGAS, NEVADA 89102 PHONE (702) 486-2650 FAX (702 486-2660

Department of Business & Industry OFFICE OF THE LABOR COMMISSIONER http://www.labor.nv.gov

2022-2023 Prevailing Wage

Amendment 8

- AMENDMENT 8
- Classifications Ironworkers Wage
- County All Regions
- Effective January 1, 2023

Prevailing wage rates include the base rate as well as all applicable fringes

Ironworker-Journeyman	
Ironworker -Foreman	
Ironworker-General Foreman	90.71

ADD ZONE RATE

In addition to Iron Worker rates add the applicable amounts per day, calculated based on a road mile from the Reno or Las Vegas City Hall.

Zone 1	60 – 75 miles	\$20.00
Zone 2	75 - 100 miles	\$25.00
Zone 3	100 miles and over	\$75.00

ADD PREMIUM PAY

One and one half (1X) the regular straight time hourly rate shall be paid:

- 1. For the first two (2) hours worked in excess of eight (8) on a regular workday Monday-Friday
- 2. For the first eight (8) hours on Saturday

Double the regular straight time hourly rate shall be paid for all time:

- 1. For all hours worked over ten (10) hours in one day or shift.
- 2. For any hours worked on Sunday.
- 3. For all hours worked over eight (8) on Saturday
- 4. For all hours worked on Holidays

Shift Pay

- 1. 2nd shift add 6% of hourly wage
- 2. 3rd shift add 13% of hourly wage
- 3. Dedicated shift add 6% of hourly wage

RECOGNIZED HOLIDAYS

New Year's Day, President's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, Day after Thanksgiving Day, Christmas Day.

"General Decision Number: NV20230013 04/21/2023

Superseded General Decision Number: NV20220013

State: Nevada

Construction Type: Highway HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Counties: Storey and Washoe Counties in Nevada.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60).

If the contract is entered into on or after January 30, 2022, or the contract is renewed or extended (e.g., an option is exercised) on or after January 30, 2022:	 Executive Order 14026 generally applies to the contract. The contractor must pay all covered workers at least \$16.20 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in 2023.
If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022:	

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

https://sam.gov/wage-determination/NV20230013/3

Contract# 3983

Additional information on contractor requirements and worker protections under the Executive Orders is available at http://www.dol.gov/whd/govcontracts.

Modification Number Publication Date 0 01/06/2023 1 01/27/2023 2 03/03/2023 3 04/21/2023	
CARP0971-001 07/01/2022	
Rates	Fringes
CARPENTER (Form Work Only)\$ 34.13	19.53
ELEC0401-001 01/01/2022	
Rates	Fringes
ELECTRICIAN\$ 42.50	20.95
ENGI0003-033 07/01/2018	
Rates	Fringes
<pre>POWER EQUIPMENT OPERATOR Backhoe Loader Combo\$ 37.83 Backhoe/Excavator/Trackhoe\$ 38.37 Bobcat/Skid Steer/Skid Loader\$ 35.46 Grade Setter\$ 38.18 Grader/Blade\$ 38.37</pre>	24.80 24.80 24.80 24.80 24.80 24.80
Loader\$ 37.51 Paver (Asphalt, Aggregate and Concrete)\$ 36.92 Roller (Asphalt)\$ 36.92 Roller (Except Asphalt)\$ 36.67 Screed\$ 36.92	24.80 24.80 24.80 24.80 24.80 24.80
ENGI0012-013 10/01/2022	
Rates	Fringes
<pre>POWER EQUIPMENT OPERATOR (1) Forklift\$ 49.89 (6) Drill\$ 50.77 (8 A) Grade Checker; Mechanic; Scraper;\$ 50.67 (8 B) Oiler\$ 50.13</pre>	30.85 30.85 30.85 30.85
IRON0118-002 01/01/2023	
Rates	Fringes
IRONWORKER, REINFORCING\$ 46.20	21.26
LABO0169-008 10/01/2022	
Rates	Fringes
LABORER (1 _{04/26/2023}) or General;	Contract# 3983

95 of 99

		SAM.gov
Cones/ Barricades/ Barrels- Setter/Mover/Sweeper (1A) Flagger (3) Asphalt Shoveler, Spreader and Distributor;		15.02 15.02
Concrete Saw; Mason Tender- Cement/Concrete	\$ 30.30	15.02
(4) Asphalt Raker; Pipelayer	\$ 30.55	15.02
(5A) Highway/Parking Lot Striping	\$ 32.80	15.02
LABO0872-001 07/01/2022		
	Rates	Fringes
LABORER (3)Jackhammer		30.36
PAIN0159-008 07/01/2022		
	Rates	Fringes
PAINTER: Brush and Roller Only		21.28
PLAS0797-001 07/01/2022		
	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER		17.61
TEAM0631-003 07/01/2021		
	Rates	Fringes
TRUCK DRIVER: Dump Truck (All Types)	\$ 39.99	23.58
* UAVG-NV-0001 03/30/2023		
	Rates	Fringes
OPERATOR: Crane		28.65
SUNV2017-012 10/01/2018		
		- ·
	Rates	Fringes

they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness injury or other health-related needs, including O4/26/2023

SAM.gov

preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at

https://www.dol.gov/agencies/whd/government-contracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Contract# 3983

SAM.gov

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data project description, area practice material, 3983).

etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISIO"

CONTRACT FORM CONTRACT #3983

This Contract, made and entered into this	s, day of,	, by and between the
State of Nevada Department of Transportation, h	nereinafter called the Department, and	, of
,	, hereinafter called the Contractor.	

Witnesseth: The Contractor and Department agree that, for the consideration and agreements set forth herein and performed by the Parties, and under the conditions expressed in a bond, Exhibit A, attached hereto, and for all purposes incorporated herein, that the Contractor shall and will at its own proper cost and expense, do all the work and furnish all the materials necessary for the substantial construction and completion, to the satisfaction of the Department, of a portion of the highway system of the State of Nevada, being in the County of Washoe, on US 395, North of Reno, from McCarran to Golden Valley Structure, Route Section US395-2, Mileposts MP WA 27.064 to MP WA 31.107, to construct Northbound and Southbound auxiliary lanes, Southbound travel lane, braided ramp at Panther Valley Interchange, and pavement rehabilitation, hereinafter called the Project, in strict conformity, in every part and particular, with the Department's Standard Specifications for Road and Bridge Construction 2014, Project Plans, Project Special Provisions, and Project Invitation to Bid, which are made a part hereof, and in full compliance with the terms of this Contract.

And the Contractor hereby agrees to receive and accept the prices set forth in the Proposal – Contract #3983, Total Proposal Amount: ______(\$____), Exhibit B, attached hereto, and for all purposes incorporated herein, as full compensation for furnishing all materials and labor, and the doing of all work, in strict accordance with the plans, special provisions and specifications hereinbefore mentioned, to the satisfaction of the Resident Engineer and in the manner and under the conditions hereinbefore specified.

And the Contractor hereby agrees to the Required Contract Provisions, Federal-Aid Construction Contracts, FHWA-1273, revised July 5, 2022, Exhibit C, attached hereto, and for all purposes incorporated herein.

The Department hereby promises and agrees with the Contractor, to employ, and does hereby employ, the Contractor to provide the materials and do the work according to the terms and conditions and price set forth herein, and hereby contracts to pay the same at the time, in the manner, and upon the conditions set forth herein; and the parties themselves, their heirs, executors, administrators, successors, and assigns, do hereby agree to the full performance of the covenants herein contained. The Contractor further agrees that no moneys payable under this Contract shall be assigned by power of attorney, or otherwise, except upon the written consent of the Department.

It is further agreed, by and between the parties hereto, that should there be any conflict between the terms of this Contract and the Proposal of the Contractor, then this Contract shall control, and nothing herein shall be considered an acceptance of the terms of such Proposal conflicting therewith.

And the Contractor hereby further agrees that the payment of the final amount due under this Contract shall release the State of Nevada and the Department of Transportation from any and all claims or liability on account of work performed under this Contract other than such claims, if any, as may be specifically excepted by the Contractor in writing at the time final payment is made.

During the performance of this contract, the contractor agrees as follows:

(1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity or expression, age, disability, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, religion, sex, sexual orientation, gender identity or expression, age, disability, or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The

contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.

- (2) The contractor will, in all solicitations or advancements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity or expression, age, disability, or national origin.
- (3) The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under Section 202 of Executive Order No. 11246 of September 24, 1965, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- (4) The contractor will comply with all provisions of Executive Order No. 11246 of Sept. 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- (5) The contractor will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- (6) In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be cancelled, terminated, or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts in accordance with procedures authorized in Executive Order No. 11246 of Sept. 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order No. 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- (7) The contractor will include the provisions of paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order No. 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as may be directed by the Secretary of Labor as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, that in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction, the contractor may request the United States to enter into such litigation to protect the interests of the United States." [Sec. 202 amended by EO 11375 of Oct. 13, 1967, 32 FR 14303, 3 CFR, 1966-1970 Comp., p. 684, EO 12086 of Oct. 5, 1978, 43 FR 46501, 3 CFR, 1978 Comp., p. 230, EO 13672 of July 21, 2014, 79 FR 42971]

The Contractor shall take such action with respect to any subcontract or procurement as the NDOT or the FHWA may direct as a means of enforcing such provisions including sanctions for non-compliance: Provided, however, that, in the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the Contractor may request the NDOT to enter into such litigation to protect the interests of the NDOT, and, in addition, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

In Witness Whereof, each party to the presents have hereunto caused this Contract to be executed by a duly authorized representative as of the year and date first above written. Attested: STATE OF NEVADA

Through the Department of Transportation

Director, Department of Transportation

Chairman, Board of Directors, Department of Transportation

Dated:

Approved as to Form and Legality:

By:

Deputy Attorney General, Chief Counsel

Name and Title

PERFORMANCE BOND

Whereas, the Nevada Department of Transportation, hereinafter designated as "NDOT", has awarded to

, , , hereinafter designated "PRINCIPAL", Contract #3983 dated for the following work: <u>Construction of a portion of the US Route Highway System in Washoe County, on US 395, North of Reno, from McCarran to</u> <u>Golden Valley Structure, to construct northbound and southbound auxiliary lanes, southbound travel lane, braided ramp at panther</u> <u>valley interchange, and pavement rehabilitation; and</u>

Whereas, PRINCIPAL is required under the terms of said Contract and by law to furnish a Bond for the performance of said Contract;

Now therefore, we PRINCIPAL, and

(Surety Company Name and Primary Address)

hereinafter designated "SURETY", are held and firmly bound unto NDOT, in the sum of ______ (\$_____), lawful money of the United States, being not less than one hundred percent (100%) of the estimated contract cost of the work, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators, and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH, that if the above-bounden PRINCIPAL's heirs, executors, administrators, successors, or assigns, shall in all things stand to and abide by, and well and truly keep and faithfully perform the covenants, conditions, and agreements in the Contract and any alterations made as therein provided, on PRINCIPAL's part to be kept and performed at the time and in the manner therein specified, and in all respects according to their true intent and meaning; and shall indemnify and save harmless NDOT, its officers and agents, as therein stipulated; then this obligation shall become null and void. Otherwise, it shall be and remain in full force and virtue.

SURETY, for value received, hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of Contract, or to the work to be performed thereunder, shall in any way affect its obligation on this Bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the Contract or to the work.

And SURETY, for value received, hereby stipulates and agrees, if requested to do so by NDOT, to perform and fully complete the work mentioned and described in said Contract, pursuant to the terms, conditions and covenants thereof, if for any cause, said Principal fails or neglects to so perform and fully complete said work; the said SURETY further agrees to commence said work to full completion within twenty (20) days after notice thereof from NDOT, and to fully complete the same with all due diligence and in accordance with the plans and specifications.

And SURETY, for value received, further stipulates and agrees that should NDOT incur attorney's fees or other expenses for the enforcement of the Contract or this Bond, the same shall be paid by SURETY to NDOT.

The Surety Company hereby certifies that it is duly authorized by certificate of authority issued by the State of Nevada Division of Insurance to conduct business in the State of Nevada.

Ву:	Attorney in Fact (on file with the NV Division of Insurance)	By: Signature on behalf of Principal
Name: Date:		Name and Title:
Date.		Name of Resident Agent
		Resident Agent Street Address
		Resident Agent City and State

NOTE TO SURETY ON BOND: Certificates of authority for Attorneys in Fact must be on file with the Department of Transportation and the Insurance Commissioner of the State of Nevada.

Approval of Bond

PAYMENT BOND

Whereas, the Nevada Department of Transportation, hereinafter designated as "NDOT", has awarded to _____

_____, hereinafter designated "PRINCIPAL", Contract #3983 dated ______ for the following work: Construction of a portion of the US Route Highway System in Washoe County, on US 395, North of Reno, from McCarran to Golden Valley Structure, to construct northbound and southbound auxiliary lanes, southbound travel lane, braided ramp at panther valley interchange, and pavement rehabilitation; and

Whereas, PRINCIPAL is required under the terms of said Contract and by law to furnish a Bond for labor and materials used in said Contract;

Now therefore, we PRINCIPAL, and

(Surety Company Name and Primary Address)

hereinafter designated "SURETY", are held and firmly bound unto NDOT, in the sum of ______ (\$_____), lawful money of the United States, being not less than one hundred percent (100%) of the estimated contract cost of the work, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators, and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH, that if the above-bounden PRINCIPAL's heirs, executors, administrators, successors, or assigns, shall in all things stand to and abide by, and well and truly keep and faithfully perform the covenants, conditions, and agreements in the Contract and any alterations made as therein provided, on PRINCIPAL's part to be kept and performed at the time and in the manner therein specified, and in all respects according to their true intent and meaning; and shall indemnify and save harmless NDOT, its officers and agents, as therein stipulated; then this obligation shall become null and void. Otherwise, it shall be and remain in full force and virtue.

SURETY, for value received, hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of Contract, or to the work to be performed thereunder, shall in any way affect its obligation on this Bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the Contract or to the work.

And SURETY, for value received, hereby stipulates and agrees, if requested to do so by NDOT, to perform and fully complete the work mentioned and described in said Contract, pursuant to the terms, conditions and covenants thereof, if for any cause, said Principal fails or neglects to so perform and fully complete said work; the said SURETY further agrees to commence said work to full completion within twenty (20) days after notice thereof from NDOT, and to fully complete the same with all due diligence and in accordance with the plans and specifications.

And SURETY, for value received, further stipulates and agrees that should NDOT incur attorney's fees or other expenses for the enforcement of the Contract or this Bond, the same shall be paid by SURETY to NDOT.

The Surety Company hereby certifies that it is duly authorized by certificate of authority issued by the State of Nevada Division of Insurance to conduct business in the State of Nevada.

By:		Ву:	
	Attorney in Fact (on file with the NV Division of Insurance)		Signature on behalf of Principal
Name: Date:		Name and Title:	
			Name of Resident Agent
			Resident Agent Street Address
			Resident Agent City and State
	O SURETY ON BOND: Certificates of authority for Attorneys in Fac sioner of the State of Nevada.	ct must be on file with	the Department of Transportation and the Insurance
			Approval of Bond

Bond No(s):

Bid Proposal Attached at Award

REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

- I. General
- II. Nondiscrimination
- III. Non-segregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- V. Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- X. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion
- XI. Certification Regarding Use of Contract Funds for Lobbying
- XII. Use of United States-Flag Vessels:

ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under title 23, United States Code, as required in 23 CFR 633.102(b) (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services). 23 CFR 633.102(e).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider. 23 CFR 633.102(e).

Form FHWA-1273 must be included in all Federal-aid designbuild contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services) in accordance with 23 CFR 633.102. The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in solicitation-for-bids or request-for-proposals documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract). 23 CFR 633.102(b).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work

performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract. 23 CFR 633.102(d).

3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.

4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. 23 U.S.C. 114(b). The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors. 23 U.S.C. 101(a).

II. NONDISCRIMINATION (23 CFR 230.107(a); 23 CFR Part 230, Subpart A, Appendix A; EO 11246)

The provisions of this section related to 23 CFR Part 230, Subpart A, Appendix A are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR Part 60, 29 CFR Parts 1625-1627, 23 U.S.C. 140, Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794), Title VI of the Civil Rights Act of 1964, as amended (42 U.S.C. 2000d et seq.), and related regulations including 49 CFR Parts 21, 26, and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR Part 60, and 29 CFR Parts 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with 23 U.S.C. 140, Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794), and Title VI of the Civil Rights Act of 1964, as amended (42 U.S.C. 2000d et seq.), and related regulations including 49 CFR Parts 21, 26, and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR Part 230, Subpart A, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements. 1. Equal Employment Opportunity: Equal Employment Opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (*see* 28 CFR Part 35, 29 CFR Part 1630, 29 CFR Parts 1625-1627, 41 CFR Part 60 and 49 CFR Part 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140, shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR Part 35 and 29 CFR Part 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract. 23 CFR 230.409 (g)(4) & (5).

b. The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, sexual orientation, gender identity, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

2. EEO Officer: The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.

3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action or are substantially involved in such action, will be made fully cognizant of and will implement the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:

a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer or other knowledgeable company official.

b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.

c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women. d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.

a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.

b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.

c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.

5. Personnel Actions: Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, age or disability. The following procedures shall be followed:

a. The contractor will conduct periodic inspections of project sites to ensure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.

b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.

c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.

d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

6. Training and Promotion:

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs (i.e., apprenticeship and on-the-job training programs for the geographical area of contract performance). In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).

c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.

d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. 23 CFR 230.409. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.

b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability.

c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.

d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.

8. Reasonable Accommodation for Applicants /

Employees with Disabilities: The contractor must be familiar with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established thereunder. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

9. Selection of Subcontractors, Procurement of Materials

and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.

a. The contractor shall notify all potential subcontractors, suppliers, and lessors of their EEO obligations under this contract.

b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurances Required:

a. The requirements of 49 CFR Part 26 and the State DOT's FHWA-approved Disadvantaged Business Enterprise (DBE) program are incorporated by reference.

b. The contractor, subrecipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to:

- (1) Withholding monthly progress payments;
- (2) Assessing sanctions;
- (3) Liquidated damages; and/or

(4) Disqualifying the contractor from future bidding as non-responsible.

c. The Title VI and nondiscrimination provisions of U.S. DOT Order 1050.2A at Appendixes A and E are incorporated by reference. 49 CFR Part 21.

11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.

a. The records kept by the contractor shall document the following:

(1) The number and work hours of minority and nonminority group members and women employed in each work classification on the project;

(2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and

(3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women.

b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project indicating the number of minority, women, and nonminority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of more than \$10,000. 41 CFR 60-1.5.

As prescribed by 41 CFR 60-1.8, the contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, sexual orientation, gender identity, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location under the contractor's control where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size), in accordance with 29 CFR 5.5. The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. 23 U.S.C. 113. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. 23 U.S.C. 101. Where applicable law requires that projects be treated as a project on a Federal-aid highway, the provisions of this subpart will apply regardless of the location of the project. Examples include: Surface Transportation Block Grant Program projects funded under 23 U.S.C. 133 [excluding recreational trails projects], the Nationally Significant Freight and Highway Projects funded under 23 U.S.C. 117, and National Highway Freight Program projects funded under 23 U.S.C. 167.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages (29 CFR 5.5)

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

b.(1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:

(i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

(ii) The classification is utilized in the area by the construction industry; and

(iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.

(2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.

d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

2. Withholding (29 CFR 5.5)

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federallyassisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

3. Payrolls and basic records (29 CFR 5.5)

a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

b.(1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency.

(2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:

(i) That the payroll for the payroll period contains the information required to be provided under 29 CFR 5.5(a)(3)(ii), the appropriate information is being maintained under 29 CFR 5.5(a)(3)(i), and that such information is correct and complete;

(ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in 29 CFR part 3;

(iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.

(3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH–347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.

(4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under 18 U.S.C. 1001 and 31 U.S.C. 231.

c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and trainees (29 CFR 5.5)

a. Apprentices (programs of the USDOL).

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

b. Trainees (programs of the USDOL).

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.

d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. 23 CFR 230.111(e)(2). The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

5. Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract as provided in 29 CFR 5.5.

6. Subcontracts. The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.

7. Contract termination: debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract as provided in 29 CFR 5.5.

9. Disputes concerning labor standards. As provided in 29 CFR 5.5, disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor

set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility (29 CFR 5.5)

a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

Pursuant to 29 CFR 5.5(b), the following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours workweek in excess of forty hours in such workweek. 29 CFR 5.5.

2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph 1 of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph 1 of this section, in the sum currently provided in 29 CFR 5.5(b)(2)* for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph 1 of this section. 29 CFR 5.5.

* \$27 as of January 23, 2019 (See 84 FR 213-01, 218) as may be adjusted annually by the Department of Labor; pursuant to the Federal Civil Penalties Inflation Adjustment Act of 1990). **3. Withholding for unpaid wages and liquidated damages.** The FHWA or the contacting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph 2 of this section. 29 CFR 5.5.

4. Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraphs 1 through 4 of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs 1 through 4 of this section. 29 CFR 5.5.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System pursuant to 23 CFR 635.116.

1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).

a. The term "perform work with its own organization" in paragraph 1 of Section VI refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions: (based on longstanding interpretation)

(1) the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;

(2) the prime contractor remains responsible for the quality of the work of the leased employees;

(3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and (4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.

b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract. 23 CFR 635.102.

2. Pursuant to 23 CFR 635.116(a), the contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

3. Pursuant to 23 CFR 635.116(c), the contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.

4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract. (based on longstanding interpretation of 23 CFR 635.116).

5. The 30-percent self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements. 23 CFR 635.116(d).

VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR Part 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract. 23 CFR 635.108.

2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR Part 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704). 29 CFR 1926.10.

3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance

with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federalaid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR Part 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 11, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT (42 U.S.C. 7606; 2 CFR 200.88; EO 11738)

This provision is applicable to all Federal-aid construction contracts in excess of \$150,000 and to all related subcontracts. 48 CFR 2.101; 2 CFR 200.326.

By submission of this bid/proposal or the execution of this contract or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, subcontractor, supplier, or vendor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal Highway Administration and the Regional Office of the Environmental Protection Agency. 2 CFR Part 200, Appendix II.

The contractor agrees to include or cause to be included the requirements of this Section in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements. 2 CFR 200.326.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200. 2 CFR 180.220 and 1200.220.

1. Instructions for Certification – First Tier Participants:

a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.

b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction. 2 CFR 180.320.

c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default. 2 CFR 180.325.

d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances. 2 CFR 180.345 and 180.350.

e. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180, Subpart I, 180.900-180.1020, and 1200. "First Tier Covered Transactions" refers to any covered transaction between a recipient or subrecipient of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a recipient or subrecipient of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction. 2 CFR 180.330.

g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold. 2 CFR 180.220 and 180.300.

h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. 2 CFR 180.300; 180.320, and 180.325. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. 2 CFR 180.335. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the System for Award Management website (https://www.sam.gov/). 2 CFR 180.320, and 180.325.

i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default. 2 CFR 180.325.

* * * * *

2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:

(1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency, 2 CFR 180.335;.

(2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property, 2 CFR 180.800;

(3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification, 2 CFR 180.700 and 180.800; and

(4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default. 2 CFR 180.335(d).

(5) Are not a corporation that has been convicted of a felony violation under any Federal law within the two-year period preceding this proposal (USDOT Order 4200.6 implementing appropriations act requirements); and

(6) Are not a corporation with any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted, or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability (USDOT Order 4200.6 implementing appropriations act requirements).

b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant should attach an explanation to this proposal. 2 CFR 180.335 and 180.340.

3. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders, and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200). 2 CFR 180.220 and 1200.220.

a. By signing and submitting this proposal, the prospective lower tier participant is providing the certification set out below.

b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances. 2 CFR 180.365.

d. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180, Subpart I, 180.900 – 180.1020, and 1200. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations. "First Tier Covered Transactions" refers to any covered transaction between a recipient or subrecipient of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a recipient or subrecipient of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated. 2 CFR 1200.220 and 1200.332.

f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold. 2 CFR 180.220 and 1200.220.

g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the System for Award Management website (<u>https://www.sam.gov/</u>), which is compiled by the General Services Administration. 2 CFR 180.300, 180.320, 180.330, and 180.335.

h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment. 2 CFR 180.325.

* * * * *

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals:

(a) is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency, 2 CFR 180.355;

(b) is a corporation that has been convicted of a felony violation under any Federal law within the two-year period preceding this proposal (USDOT Order 4200.6 implementing appropriations act requirements); and

(c) is a corporation with any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted, or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability. (USDOT Order 4200.6 implementing appropriations act requirements)

2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant should attach an explanation to this proposal.

* * * * *

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000. 49 CFR Part 20, App. A.

1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier

subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

XII. USE OF UNITED STATES-FLAG VESSELS:

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, or any other covered transaction. 46 CFR Part 381.

This requirement applies to material or equipment that is acquired for a specific Federal-aid highway project. 46 CFR 381.7. It is not applicable to goods or materials that come into inventories independent of an FHWA funded-contract.

When oceanic shipments (or shipments across the Great Lakes) are necessary for materials or equipment acquired for a specific Federal-aid construction project, the bidder, proposer, contractor, subcontractor, or vendor agrees:

1. To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels. 46 CFR 381.7.

2. To furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (b)(1) of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Office of Cargo and Commercial Sealift (MAR-620), Maritime Administration, Washington, DC 20590. (MARAD requires copies of the ocean carrier's (master) bills of lading, certified onboard, dated, with rates and charges. These bills of lading may contain business sensitive information and therefore may be submitted directly to MARAD by the Ocean Transportation Intermediary on behalf of the contractor). 46 CFR 381.7.



QUALIFIED PRODUCTS LIST

March 15, 2023



QUALIFIED PRODUCTS LIST (QPL)

Table of Contents

Spec #	Spec Description	Page #
213.02.17	BACKFLOW PREVENTER COVERS	1
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	1
401.03.02	ASPHALT RELEASE AGENTS	1 – 2
406.02.01	PRIME COAT MATERIAL	2 – 3
408.02.05	ALL WEATHER ASPHALT COLD PATCH	3 – 4
496.02.02	OVERLAY SYSTEM (POLYESTER)	4
497.02.04	ADHESIVES FOR MULTILAYER OVERLAYS	4 – 5
497.02.05	AGGREGATES FOR MULTILAYER OVERLAYS	5 – 6
502.02.04b	CONCRETE PAINT	6
502.03.13b	PREFORMED JOINT FILLERS	6 - 8
502.03.13c	ASPHALTIC PLUG EXPANSION JOINTS	8
502.03.13d	EXPANSION JOINT SEALANT	9
502.03.13e	EXPANSION JOINT (SPECIAL)	9
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	9 – 10
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	10 - 11
505.02.01	EPOXY COATINGS (FOR STEEL REINFORCING BARS)	11
600.02.01	TRENCH DRAINS	11 – 12
609.02.01	FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	12 – 18
610.03.06	ARTICULATED CONCRETE BLOCK	18 – 19
613.02.01	DETECTABLE WARNINGS (ADA TILE)	19 – 20
616.02.01	PLASTIC FENCE FABRIC	20
616.03.01	FENCE POST BAG MIX CONCRETE	20 – 21
618.02.01	GUARDRAIL OFFSET BLOCKS	21 – 22
618.02.01a	GUARDRAIL TERMINAL	22 – 23
619.02.01a	GUIDEPOSTS (FLEXIBLE)	23 – 25
619.02.01b	OBJECT MARKERS (FLEXIBLE, TYPE 2)	25 – 27
623.02.08	SERVICE PEDESTALS	27
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	27
Wednesday Marc	h 15, 2023	Page i of iv

623.02.16	DUCT SEALING COMPOUND	28
623.02.30e	LOOP DETECTOR SEALANT	28 – 29
623.02.37	DYNAMIC MESSAGE SIGNS	29
623.03.01	TRAFFIC SIGNALS	29 – 31
623.03.15	SIGN LIGHTING FIXTURES	31
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	31
623.05.26	RED LIGHT DETECTORS	31
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	32 – 33
625.02.03	CHANGEABLE MESSAGE SIGNS	33
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	33 - 34
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	34 – 35
625.02.06	ALTERNATIVE PORTABLE BARRIER RAIL	35 – 36
625.02.07	PORTABLE BEACON LIGHT SYSTEM	36
625.03.03	SIGN SUPPORT SYSTEM	36 – 37
625.03.04	BARRICADES	37 – 38
627.02.01	THERMOPLASTIC SIGN PANELS	38
630.02.01	HEADLIGHT GLARE SCREENS	39
632.03.05	RETROREFLECTOMETERS	39 – 40
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	40 - 41
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	41 – 42
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	42
633.02.04	PAVEMENT MARKERS ADHESIVE	42 – 43
633.02.05	LANE LINE MARKERS (REFLECTIVE, TEMPORARY)	43
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	44
641.02.01	IMPACT ATTENUATORS	44 – 45
642.02.02	CONCRETE PANEL WALL SYSTEMS	45 – 46
642.02.03	SEGMENTAL BLOCK WALL SYSTEMS	46 – 47
646.02.02	CRACK SEALANTS	47 – 48
646.02.04	SHEET MEMBRANE	48
646.02.05	LIQUID MEMBRANE	48
702.03.01c	CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)	49 – 50
702.03.01d	CURING COMPOUND (WHITE PIGMENTED, WAX BASE)	50 – 51
Wednesday, Marc	h 15, 2023	Page ii of iv

702.03.04	CURING COMPOUND (BRIDGE DECK)	51
702.03.05	POZZOLANS	52 – 54
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	54
714.03.01b	COATING SYSTEMS FOR BRIDGES	55
716.03.01a	REFLECTIVE SHEETING (TYPE IV)	55 – 57
716.03.01b	REFLECTIVE SHEETING (TYPE V)	57
716.03.01c	REFLECTIVE SHEETING (TYPE VI)	57 – 58
716.03.01d	REFLECTIVE SHEETING (TYPE IX)	58 – 59
716.03.01e	REFLECTIVE SHEETING (TYPE XI)	59 – 60
728.03.02	EPOXY RESIN ADHESIVE FOR BONDING	60 - 65
729.03.03	PAINT MARKING MATERIAL – EPOXY	65 – 66
729.03.04a	PAINT MARKING MATERIAL – RAPID DRY WATERBORNE PAINT (ACRYLIC EMULSION)	66
729.03.04b	PAINT MARKING MATERIAL – RAPID DRY WATERBORNE PAINT (TYPE I, TEMPORARY STRIPING FORMULATION)	66 – 67
729.03.04c	PAINT MARKING MATERIAL – RAPID DRY WATERBORNE PAINT (TYPE II, PERMANENT STRIPING FORMULATION)	67 – 68
729.03.05	PAINT MARKING MATERIAL – POLYUREA	68
732.03.01	PAVEMENT MARKING TAPE (TYPE I)	68 - 69
732.03.02	PAVEMENT MARKING TAPE (TYPE II)	69 – 70
732.03.03	PAVEMENT MARKING TAPE (TYPE IV)	70
732.03.04a	PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)	71
732.03.04b	PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)	71 – 72

Archived Editions of the QPL:

Past editions of the NDOT QPL have been removed from the Research Section webpages. If you need to obtain one, please use the list of archived QPLs at the back of this document to identify the <u>exact</u> edition(s) you require. Send your request to the Product Evaluation Coordinator at <u>sgilbert-young@dot.nv.gov</u>.

QPL Category Notes:

497.02.04 ADHESIVES FOR MULTILAYER OVERLAYS category acceptance criteria has been modified to allow consideration of completed NTPEP HFTO field testing under equivalent winter conditions.

702.03.05 POZZOLANS category acceptance criteria has been modified to now only require 1-gallon sample for verification testing.

General Notices:

NDOT is currently seeking applications for product evaluation in the following QPL categories:

214.02.01	MAILBOX SUPPORT SYSTEMS
496.02.01	OVERLAY SYSTEM (POLYESTER)
497.02.04	ADHESIVES FOR MULTILAYER OVERLAYS
497.02.05	AGGREGATES FOR MULTILAYER OVERLAYS
502.02.04b	CONCRETE PAINT
613.02.01	DETECTABLE WARNINGS (ADA TILE)
623.02.016	DUCT SEALING COMPOUND
625.02.03	CHANGEABLE MESSAGE SIGNS
627.02.01	THERMOPLASTIC SIGN PANELS
646.02.04	SHEET MEMBRANE
646.02.05	LIQUID MEMBRANE

If you represent a product which meets the acceptance criteria for evaluation by NDOT, please consider submitting an application for product evaluation at https://www.dot.nv.gov/doing-business/about-ndot/ndot-divisions/planning/research/product-evaluation.

MASH Changes to QPL:

12/31/19 NDOT has removed all non-MASH-16 compliant products from the following eight QPL categories:

Category Number	Category Description	Category Number	Category Description
214.02.01	MAILBOX SUPPORT SYSTEMS	625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)
618.02.01a	GUARDRAIL TERMINAL	625.02.06	ALTERNATIVE PORTABLE BARRIER RAIL
625.02.03	CHANGEABLE MESSAGE SIGNS	625.03.03	SIGN SUPPORT SYSTEM
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	625.03.04	BARRICADES

Products in the above eight categories on the active QPL just prior to the 12/31/19 deadline date may not be purchased new after that date but can continue to be used throughout their normal service life. MASH-16 compliant devices presented to NDOT through its product evaluation program <u>https://www.dot.nv.gov/doing-business/about-ndot/ndot-divisions/planning/research/product-evaluation</u> will be considered for inclusion on future QPLs.

If you have any questions related to NDOT's MASH-16 compliance plan or questions regarding the status of any the previously removed safety-related QPL products, please contact Tim Rudnick at 775-888-7598 or <u>trudnick@dot.nv.gov</u>.

NEVADA DEPARTMENT OF TRANSPORTATION

QUALIFIED PRODUCTS LIST (QPL)

213.02.17	BA	CKFLOW P	REVENTER	COVERS			
Vendor Name /	' Addr	ess			Product Name	Remarks	
Strongbox, LLC			Phone:	(562) 480-7553	SBBC-60 ALHP		approve
Michael Williams			Cell:				6 /14/2006
2320 Meyers Ave. Escondido	CA	92029	Fax:	(760) 480-0211			
mwilliams@strongb	ox.con	ı	www.	strongbox.com			
Strongbox, LLC			Phone:	(562) 480-7553	SBBC-60 ALHP I		approve
Michael Williams			Cell:				6 /14/2006
2320 Meyers Ave. Escondido	CA	92029	Fax:	(760) 480-0211			
mwilliams@strongb	ox.con	า	www.	strongbox.com			

Vendor Name / Address		Product Name	Remarks
No Vendors at this time	Phone:	***	MASH-16 crash testing standards are in effect for this category on 12/31/19. Awaiting submission of approved
***	Cell:		qualifying products from Industry to repopulate 12/31/2019 category.
*** **	Fax:		

401.03.02 ASPHALT REL	EASE AGEN	ITS			
Vendor Name / Address			Product Name	Remarks	
Arrow-Magnolia International, Inc.	Phone:	(800) 527-2101	Super Slick Asphalt	Dilution rate is 10:1. Expires 12/1/24. NTPEP test on file ARA-2019-04-002.	approved
Curtis Shaw	Cell:	(214) 415-3984	Release Agent	011 1116 ATTA-2013-04-002.	7 /12/2006
2646 Rodney Lane Dallas TX 75229	Fax:	(972) 247-7111			
cshaw@arrowmagnolia.com	www.	arrowmagnolia.co	om		
BG Chemical	Phone:	(214) 826-6822	Loose Juice	Dillution rate is 10:1. Expires 6/1/24. NTPEP test on file ARA-2019-02-010.	approved
Mike Blanco	Cell:	(832) 236-8018		IIIC AI (A-2013-02-010.	3 /11/2021
2007 Industrial Blvd., Suite A Rockwall TX 75087	Fax:	(214) 826-7290			
mblanco@bgchemical.com	bgche	emical.com			
BG Chemical LP	Phone:	(800) 725-8470	GreenGuard	Dilution rate is 10:1. Expires 12/1/21. NTPEP test on file ARA-2018-04-013. HAVE NOT RECEIVED	approved
Jeff Gunter	Cell:	(214) 826-6822		UPDATED TESTING INFO.	11/5 /2009
2007 Industrial Blvd., Suite A Rockwall TX 75087	Fax:	(214) 826-7290			
jgunter@bgchemical.com	www.	bgchemical.com			
ChemStation of Nevada	Phone:	(702) 771-3455	41470C	Dilution rate is 4:1. Expires 3/1/25. NTPEP test on file ARA-2020-01-020.	approved
Mark Stipek	Cell:	(702) 771-3455		IIIE ANA-2020-0 1-020.	6 /11/2020
4430 Mitchell Street North Las Vegas NV 89081	Fax:	(702) 360-6588			
mstipek@chemstation.com	chem	station.com			

Wednesday, March 15, 2023

Listing on the QPL does not guarantee that the product meets "Buy America" standards

		EASE AGEN	ITS			
Vendor Name / Addr	ess			Product Name	Remarks	
Chemtek, Inc.		Phone:	(919) 724-5390	BA-30	Ready to use. Expires 12/1/27. NTPEP test on file ARA-2022-01-009.	approved
Joshua Rigsbee		Cell:				12/14/2022
P.O. Box 14481	27700	Fax:				
Research Triangle NC Park	27709					
sales@pavepro.com						
Chemtek, Inc.		Phone:	(800) 672-8536	Product 357 (Tradenames:	Ready to use. Expires 9/1/21. NTPEP test on file ARA-2018-03-003. HAVE NOT RECEIVED	approved
Kat Murray		Cell:		PavePro Blue/NoTrax)	UPDATED TESTING INFO.	4 /1 /2020
3005 Carrington Mill Blvd.MorrisvilleNC	27560	Fax:				
kat.murray@chemtek.us		www.	chemtekinc.com			
Lubrication Technologies,	Inc.	Phone:	(763) 746-1426	Lube-Tech Endurance HD	Dilution rate is 10:1. Expires 6/1/27. NTPEP test on file ARA-2022-01-004.	approved
Scott Hommerding		Cell:		Asphalt Release Agent	IIIE ARA-2022-0 I-004.	9 /19/2022
900 Mendelssohn Ave. N	55407	Fax:				
Golden Valley MN scotthom@lubetech.com	55427	lubot				
			ech.com			
Meyer Laboratory, Inc.		Phone:	(816) 228-4433	Avalanche 2022	Ready to use. Expires 3/1/27. NTPEP test on file ARA-2022-01-002.	approved
Gary Brandt 2401 NW Jefferson St.		Cell:				9 /19/2022
Blue Springs MO	64015	Fax:	(816) 229-4604			
gbrandt@meyerlab.com	01010	www.	meyerlab.com			
Meyer Laboratory, Inc.		Phone:	(816) 228-4433	Super Slider	Ready to use. Expires 3/1/25. NTPEP test on file	approved
Gary Brandt		Cell:			ARA-2020-01-017.	3 /11/2021
2401 NW Jefferson St.		Fax:	(816) 229-4604			5/11/2021
Blue Springs MO	64015	Tux.	(010) 220 1001			
gbrandt@meyerlab.com		www.	meyerlab.com			
SoySolv Biosolvents, LLC		Phone:	(440) 785-7090	TackSolv	Dilution rate is 30:1. Expires 3/1/26. NTPEP test on file ARA-2021-01-001.	approved
Kyle Kure		Cell:			IIIE AIXA-2021-01-001.	6 /15/2022
4450 Hamilton Ave.		Fax:				
Cleveland OH	44114					
kyle.kure@soysolv.com		www.	soysolv.com			
Zep, Inc.		Phone:	(678) 721-4101	BMF	Dilution rate is 3:1. Expires 3/1/27. NTPEP test on file ARA-2021-01-010. Product was previously under	approved
Allen Popham 70 Riverside Drive SW		Cell:	(770) 547-1431		Compound Technologies, Inc.	6 /15/2016
Cartersville GA	30120	Fax:	(770) 386-3391			
charles.popham@zep.com		www.	asphaltrelease.cc	om		
406.02.01 PRI	ME COAT	MATERIAL				
Vendor Name / Addr	ess			Product Name	Remarks	
Centennial Asphalt Co.		Phone:	(661) 591-6900	Topein-S	Dilute 1 part Topein-S with 3 parts water, apply 0.25 gal per so vd and allow to break, then apply 0.15 gal	approved

Centennial Asphalt Edgard Hitti 1201 China Grade L Bakersfield		93388	Phone: Cell: Fax:	(661) 591-6900	Topein-S	gai per sq yu anu anow to break, then apply 0.15 gai	pproved /11/2012
edgard.hitti@gcinc.	com						

406.02.01 PRIME C Vendor Name / Address	OAT MATERIAL		Product Name	Remarks	
-					
Enviroad, LLC	Phone:	(503) 279-2605	Earthbind Prime (aka EB- Prime)	Application rate of 0.50 gal/sq yd at a dilution ratio of 4:1 or 0.60 gal/sq yd at a diution ratio of 5:1.	approved
Andy Clayton 2601 N. Newark Street	Cell:	(760) 317-7146	,		6 /15/2022
Portland OR 9721	7 Fax:	(503) 279-2621			
andy@enviroad.com	www.	enviroad.com			
Ergon Asphalt & Emulsions, Inc.	Phone:	(480) 505-8079	ePrime	Typ. sent ready to use. Appl. rates: 0.20 gal/yd2 Prime Coat; 0.15 gal/yd2 Curing Seal. If shipped as	approved
Mo Rahman	Cell:	(480) 252-4602		concentrate, dilute 1 part concentrate to 2 parts water. Prior to dilution, concentrate shall have a	9 /11/2012
3901 W. Ponderosa Way	Fax:			minimum 57% residue when tested to Nev. T759.	
Las Vegas NV 8911 mo.rahman@ergon.com	8-3018 ergon	asphalt.com			
Southwest Liquid Asphalt & Emul	_	(435) 659-1984	Asphalt Emulsion Prime	approved for a standard application rate of 0.25 gal	
Gene Chrisenbery	Cell:	(455) 059-1904	(AEP)	per square yard.	approved
3750 N. Bruce Street					7 /22/2019
North Las Vegas NV 8903	Fax:				
gene.swa@outlook.com					
408.02.05 ALL WEA	THER ASPHALT	COLD PATCH			
Vendor Name / Address			Product Name	Remarks	
Cold Mix Manufacturing Corporati	on Phone:	(718) 463-1444	GreenPatch		approved
Dario Amicucci	Cell:	(718) 463-1444			9 /19/2022
65 Edison Avenue	Fax:	(718) 463-0292			
Mount Vernon NY 1055					
info@greenpatch.com	www.	greenpatch.com			
Crafco, Inc.	Phone:	(602) 276-0406	HP All Season Cold Patch PN 34977ER		approved
Angie Hoaglin	Cell:	(602) 418-9902	FN 34377ER		10/13/2011
6165 W. Detroit Street Chandler AZ 8522	Fax:	(480) 961-0513			
angie.hoaglin@crafco.com		crafco.com			
Perma-Patch, LLC	Phone:	(800) 847-5744	Perma-Patch		200700/00
Eric Osterchrist	Cell:	(719) 231-2475			approved 1 /11/2022
6123 Oakleaf Ave.	Fax:	(410) 764-7137			1/11/2022
Baltimore MD 2151		(10) 101 1101			
eric@permapatch.com	www.	permapatch.com			
Seaboard Asphalt Products Comp	oany Phone:	(410) 355-0330	Bond-X Green High		approved
Shawn Campbell	Cell:	(800) 536-0332	Performance Cold Mix		9 /3 /2014
3601 Fairfield Road	Fax:	(410) 355-5864			
Baltimore MD 2122					
sales@seaboardasphalt.com		seaboardasphalt.			
Seaboard Asphalt Products Comp	pany Phone:	(410) 355-0330	Seaboard Bond-X High Performance Cold Mix		approved
Shawn Campbell	Cell:	(800) 536-0332			10/13/2011
2004 Estate Desert					
3601 Fairfield Road Baltimore MD 2122	Fax:	(410) 355-5864			

Vendor Name / Address			Product Name	Remarks	
SpecChem	Phone:	(816) 986-5600	Max-A-Patch ACP		
Mike LeMark	Cell:	(562) 489-9607			approve 12/3 /2020
1511 Baltimore Ave.	Fax:	(816) 561-4029			12/3/2020
Kansas City MO 64108	Tax.	(010) 301-4023			
mlemark@specchemllc.com	speco	hemllc.com			
The EZ Street Company	Phone:	(305) 663-3090	EZ Street Asphalt		approve
Tom Francione	Cell:				9 /19/2022
13611 S. Dixie Hwy., Ste. 430 Miami FL 33176	Fax:	(305) 663-0832			
tom@ez.st	www.	ezstreetasphalt.c	om		
The Quikrete Companies dba QPR	Phone:	(423) 553-6877	QPR		approve
Grant Handzlik	Cell:	(423) 637-2499			9 /19/2022
7322 Bonnyshire Dr. Chattanooga TN 37416	Fax:				
granth@qprusa.com	www.	qprusa.com			
Unique Paving Materials Corporation	Phone:	(800) 441-4880	UPM High Performance		approve
Frank "Skip" Rodick	Cell:	(216) 533-2230	Cold Mix		10/13/201
3993 East 93rd Street	_				
	Fax:	(216) 341-8514			
Cleveland OH 44105			erials com		
Cleveland OH 44105 srodick@uniquepavingmaterials.com	www.	uniquepavingmat	erials.com		
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS	www.	uniquepavingmat		Romarks	
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address	www. TEM (POLY	uniquepavingmat	Product Name	Remarks	
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products	www. TEM (POLY Phone:	uniquepavingmat 'ESTER) (702) 227-6800		Remarks	approve
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn	www. TEM (POLY	uniquepavingmat (ESTER) (702) 227-6800 (858) 277-2100	Product Name	Remarks	
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products	www. TEM (POLY Phone:	uniquepavingmat 'ESTER) (702) 227-6800	Product Name	Remarks	
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway	www. TEM (POLY Phone: Cell: Fax:	uniquepavingmat (ESTER) (702) 227-6800 (858) 277-2100	Product Name	Remarks	
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	www. TEM (POLY Phone: Cell: Fax:	uniquepavingmat (ESTER) (702) 227-6800 (858) 277-2100 (702) 222-0488	Product Name Atlas Tech-Deck	Remarks	3 /13/2012
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015	www. TEM (POLY Phone: Cell: Fax: www.	uniquepavingmat (ESTER) (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com	Product Name Atlas Tech-Deck	Remarks	3 /13/2012 approved
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC	www. TEM (POLY Phone: Cell: Fax: www. Phone: Cell:	uniquepavingmat (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com (858) 442-8185	Product Name Atlas Tech-Deck	Remarks	3 /13/2012 approved
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC Steve Frank	www. TEM (POLY Phone: Cell: Fax: www. Phone:	uniquepavingmat (ESTER) (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com	Product Name Atlas Tech-Deck	Remarks	3 /13/2012 approved
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court	www. TEM (POLY Phone: Cell: Fax: www. Phone: Cell: Fax:	uniquepavingmat (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com (858) 442-8185	Product Name Atlas Tech-Deck PPC-1121	Remarks	3 /13/2012 approved
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net 497.02.04 ADHESIVES FO	www. TEM (POLY Phone: Cell: Fax: Www. Phone: Cell: Fax: www.	uniquepavingmat (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com (858) 442-8185 (858) 571-5043	Product Name Atlas Tech-Deck PPC-1121	Remarks	3 /13/2012 approved
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net	www. TEM (POLY Phone: Cell: Fax: Www. Phone: Cell: Fax: www.	uniquepavingmat (FSTER) (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com (858) 442-8185 (858) 571-5043 kwikbondpolymer	Product Name Atlas Tech-Deck PPC-1121	Remarks	3 /13/2012 approved
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Vendor Name / Address Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net 497.02.04 ADHESIVES FO	www. TEM (POLY Phone: Cell: Fax: Www. Phone: Cell: Fax: www.	uniquepavingmat (FSTER) (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com (858) 442-8185 (858) 571-5043 kwikbondpolymer	Product Name Atlas Tech-Deck PPC-1121 rs.com YS Product Name		3 /13/2012 approved 3 /13/2012
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net 497.02.04 ADHESIVES FO Vendor Name / Address E-Bond Epoxies Incorporated Steve Frank	www. TEM (POLY Phone: Cell: Fax: www. Phone: Cell: Fax: www. OR MULTIL	uniquepavingmat (ESTER) (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com (858) 442-8185 (858) 571-5043 kwikbondpolymer AYER OVERLAY	Product Name Atlas Tech-Deck PPC-1121 rs.com YS Product Name		3 /13/2012 approved 3 /13/2012 approved
Cleveland OH 44105 srodick@uniquepavingmaterials.com 496.02.02 OVERLAY SYS Vendor Name / Address Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net 497.02.04 ADHESIVES FO Vendor Name / Address E-Bond Epoxies Incorporated	www. TEM (POLY Phone: Cell: Fax: www. Phone: Cell: Fax: www. OR MULTIL Phone:	uniquepavingmat (ESTER) (702) 227-6800 (858) 277-2100 (702) 222-0488 atlasform.com (858) 442-8185 (858) 571-5043 kwikbondpolymer AYER OVERLAY	Product Name Atlas Tech-Deck PPC-1121 rs.com YS Product Name		approved 3 /13/2012 approved 3 /13/2012 approved 8 /29/2009

		Product Name	Remarks	
Phone:	(505) 217-2121	EPX50-OVERLAY FAST		approve
Cell:	(954) 789-4764			12/17/2018
Fax:	(505) 217-3721			
www.	e-chem.net			
Phone:	(720) 626-6643	KBP Epoxy LM		approved
Cell:	(866) 434-1772			6 /15/2022
Fax:	(707) 746-7981			
www.	kwikbondpolymei	rs.com		
			For use in high friction surface treatments (HEST)	
	(000) 442-0100	KWIK DOIIG PPC-HFSI	r of use in high incluin surface dealments (in ST).	approved
				9 /21/2021
Fax:	(858) 571-5043			
http:/	/www.kwikbondp	oolymers.com/		
Phone:	(654) 246-8520	Planiseal Traffic Coat		approved
Cell:	(954) 637-5121			6 /15/2022
Fax:	(954) 246-8825			
	manaiaam			
	•			
			4/26/21 informed by vendor that this product is not being produced or sold in 2023.	approved
	(979) 480-4607			8 /29/2009
Fax:				
https	//olinpolycarb.co	m/		
ES FOR MUL	FILAYER OVERI	LAYS		
ES FOR MUL	FILAYER OVERI	LAYS Product Name	Remarks	
ES FOR MUL	-		Remarks calcined bauxite. Available in super sacks.	
	-	Product Name		approved 9 /20/2021
Phone:	(307) 682-4346	Product Name		
Phone: Cell: Fax:	(307) 682-4346 (307) 228-3050	Product Name		
Phone: Cell: Fax: earth	(307) 682-4346 (307) 228-3050 work.us.com	Product Name Traction Control	calcined bauxite. Available in super sacks.	
Phone: Cell: Fax: earth Phone:	(307) 682-4346 (307) 228-3050 work.us.com	Product Name		9 /20/2021 approved
Phone: Cell: Fax: earth Phone: Cell:	(307) 682-4346 (307) 228-3050 work.us.com	Product Name Traction Control	calcined bauxite. Available in super sacks.	9 /20/2021
Phone: Cell: Fax: earth Phone:	(307) 682-4346 (307) 228-3050 work.us.com	Product Name Traction Control	calcined bauxite. Available in super sacks.	9 /20/2021 approved
Phone: Cell: Fax: earth Phone: Cell:	(307) 682-4346 (307) 228-3050 work.us.com	Product Name Traction Control	calcined bauxite. Available in super sacks.	9 /20/2021 approved
Phone: Cell: Fax: earth Phone: Cell: Fax:	(307) 682-4346 (307) 228-3050 work.us.com	Product Name Traction Control	calcined bauxite. Available in super sacks. steel slag. Awaiting updated contact info.	9 /20/2021 approved 9 /20/2021
Phone: Cell: Fax: earth Phone: Cell: Fax: x	(307) 682-4346 (307) 228-3050 work.us.com (719) 492-0706	Product Name Traction Control #8 EAF Steel Slag	calcined bauxite. Available in super sacks. steel slag. Awaiting updated contact info.	9 /20/2021 approved
Phone: Cell: Fax: earth Phone: Cell: Fax: x Phone:	(307) 682-4346 (307) 228-3050 work.us.com (719) 492-0706	Product Name Traction Control #8 EAF Steel Slag	calcined bauxite. Available in super sacks. steel slag. Awaiting updated contact info.	9 /20/2021 approved 9 /20/2021 approved
_	Cell: Fax: www.d Phone: Cell: Fax: www.l Phone: Cell: Fax: http:// Phone: Cell: Fax: www.l	Cell: (954) 789-4764 Fax: (505) 217-3721 www.e-chem.net Phone: (720) 626-6643 Cell: (866) 434-1772 Fax: (707) 746-7981 www.kwikbondpolymer Phone: (858) 442-8185 Cell: Fax: (858) 571-5043 http://www.kwikbondp Phone: (654) 246-8520 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com Phone: (330) 748-6407 Cell: (979) 480-4607 Fax:	Cell: (954) 789-4764 Fax: (505) 217-3721 www.e-chem.net Phone: (720) 626-6643 KBP Epoxy LM Cell: (866) 434-1772 Fax: (707) 746-7981 www.kwikbondpolymers.com Phone: (858) 442-8185 Kwik Bond PPC-HFST Cell: Fax: (858) 571-5043 http://www.kwikbondpolymers.com/ Phone: (654) 246-8520 Planiseal Traffic Coat Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com Phone: (330) 748-6407 Poly-Carb Mark 163 Flexogrid	Cell: (954) 789-4764 Fax: (505) 217-3721 www.e-chem.net Phone: Phone: (720) 626-6643 KBP Epoxy LM Cell: (866) 434-1772 Fax: (707) 746-7981 www.kwikbondpolymers.com For use in high friction surface treatments (HFST). Cell: (858) 442-8185 Kwik Bond PPC-HFST Fax: (858) 571-5043 For use in high friction surface treatments (HFST). Cell: Fax: (858) 571-5043 http://www.kwikbondpolymers.com/ For use in high friction surface treatments (HFST). Cell: (954) 246-8520 Planiseal Traffic Coat Cell: (954) 246-8825 www.mapei.com Phone: (330) 748-6407 Poly-Carb Mark 163 Hexogrid 4/26/21 informed by vendor that this product is not being produced or sold in 2023. Cell: (979) 480-4607 Flexogrid

		TILAYER OVER	LAYS		
Vendor Name / Address			Product Name	Remarks	
Harsco Metals LLC	Phone:	(870) 763-6505	#8 EAF Steel Slag	steel slag. Awaiting updated contact info.	approved
Norm Whinery	Cell:	(870) 549-0395			9 /20/2021
x	Fax:				
X X					
X	Х				
Kwik Bond Polymers	Phone:	(720) 626-6643	KBP Calcined Bauxite	calcined bauxite.	approved
Gregg Freeman	Cell:	(866) 434-1772			9 /20/2021
923 Teal Drive	Fax:	. ,			
Benicia CA 94510					
gregg@kwikbondpolymers.com	http:/	/kwikbondpolyme	ers.com		
Newport Industries Ltd	Phone:	(919) 522-8113	Calcined Bauxite	calcined bauxite. Tel: +44 208 742 0333, Fax: +44	approved
Head Office contact	Cell:			208 742 0444. Awaiting updated contact info.	9 /20/2021
20 Belmont Terrace,	Fax:				0 / 20/ 20 2 1
Chiswick W4 5UG London	- CAN				
sales@newport-industries.com	www.	calcined-bauxite.o	com		
Schmidt Construction	Phone:	(248) 675-0103	#8 EAF Steel Slag	steel slag. Awaiting updated contact info.	approved
Tom Blair	Cell:	(248) 766-3586			9 /20/2021
X	Fax:				•
x x					
tblair@edwclevy.net					
Washington Rock Quarries Inc.	Phone:	(801) 884-3510	Basalt by Armorstone	epoxy overlay aggregate. Available in super sacks.	approved
Dale Mortensen	Cell:	(253) 262-1661			9 /20/2021
21711 103rd Ave Ct E, Suite C302	Fax:	(253) 262-1664			0 /20/2021
Graham WA 98338		(200) 202 .000			
dale@wa-rock.com	wa-ro	ck.com			
502.02.04b CONCRETE PAI	NT				
Vendor Name / Address			Product Name	Remarks	
No Vendors at this time	Phone:		***	New acceptance criteria has been issued for	approved
***	Cell:			category. Awaiting submission of laboratory testing from applicants to populate category.	9/17/2019
***	Fax:				5,11,2010
*** ** ***	i un				

502.03.13b	PR	EFORMED	JOINT FILL	ERS			
Vendor Name /	Addr	ress			Product Name	Remarks	
Chase Corporation			Phone:	(412) 302-7996	Phyzite 380		approved
Ben Shterengarts			Cell:	(781) 332-0700			1 /31/2023
201 Zeta Dr. Pittsburg	PA	15238	Fax:				
bshterengarts@cha	secorp	o.com	www.	chasecorp.com			

502.03.13b PREFORMED JC	DINT FILL	ERS			
Vendor Name / Address			Product Name	Remarks	
EMSEAL Joint Systems, LTD	Phone:	(508) 599-3229	BEJS (Bridge Expansion		approved
Greg Rodgers	Cell:	(508) 836-0280	Joint System)		7 /22/2019
25 Bridle Lane Westborough MA 01581-1228	Fax:				
Westborough MA 01581-1228 grodgers@emseal.com	www	emseal.com			
			EMV-Seal		
EMSEAL Joint Systems, LTD Greg Rodgers	Phone:	(508) 836-0280	Elviv-Seal		approved
25 Bridle Lane	Cell:	(500) 026 0201			9 /20/2021
Westborough MA 01581	Fax:	(508) 836-0281			
grodgers@emseal.com	WWW.	emseal.com/brid	ge		
MasterSpec Materials, LLC	Phone:	(702) 997-8838	RiteSeal Preformed Joint	t	approved
Luisa Flores	Cell:	(505) 974-0421	Seal		7 /22/2019
806 Buchanan Blvd, Ste 115-294 Boulder City NV 89005	Fax:				
info@masterspecmaterials.com	www.	masterspecmate	rials.com		
Polyset Company Incorporated	Phone:	(518) 664-6000	Ply-Seal	telephone ext. 332	approved
Terry Eck	Cell:	(518) 522-6609			3 /28/2011
P.O. Box 111 Mechanicville NY 12118	Fax:	(518) 664-6001			
Mechanicville NY 12118 t.eck@polyset.com	www.	polyset.com			
Polyset Company Incorporated	Phone:	(518) 664-6000	Ply-Seal XE Beige	telephone ext. 332	approved
Terry Eck	Cell:	(518) 522-6609			3 /28/2011
P.O. Box 111	Fax:	(518) 664-6001			072072011
Mechanicville NY 12118					
t.eck@polyset.com		polyset.com			
RJ Watson Incorporated	Phone:	(716) 901-7020	Silicoflex		approved
Tammy Gilbert 11035 Walden	Cell:	(716) 864-9122			12/7 /2000
Alden NY 14004	Fax:	(716) 901-7015			
tgilbert@rjwatson.com	www.	rjwatson.com			
Sunshine Industrial, Inc.	Phone:	(816) 820-0035	Polytite N		approved
Mack Hahn	Cell:	(816) 820-0035			5 /7 /2015
P.O. Box 3734 Olathe KS 66063	Fax:	(913) 362-6341			
mackh.sunshine@yahoo.com	suns	nineindustrial.con	n		
TechStar Incorporated	Phone:	(419) 424-0888	W Seal		
Steve Brown	Cell:	(419) 408-5469			approvec 4 /19/1999
1219 West Main Cross Street	Fax:	(419) 424-5959			+/13/1333
Findlay OH 45840	i un	(110) 121 0000			
steve@techstar-inc.com	www.	techstar-inc.com			

Vendor Name / Address			Product Name Remarks	
The DS Brown Company	Phone:	(419) 257-3561	J Series Sealing System	
Brent Toller	Cell:	(801) 837-8555		approve
300 East Cherry Street	Fax:	(001) 001-0000		3 /15/2023
North Baltimore OH 45872	Fax.			
brent.toller@dsbrown.com	WWW.	dsbrown.com		
Watson Bowman Acme	Phone:	(716) 544-4620	JEENE Structural & Sealing	approved
Chris Smyth	Cell:	(716) 817-5410	Jt	8 /2 /2006
95 Pineview Drive	Fax:	(716) 691-9239		
Amherst NY 14228 chris.smyth@watsonbowmanacme.com		wbacorp.com		
-				
Watson Bowman Acme	Phone:	(716) 544-4620	Wabo Evazote UV	approved
Chris Smyth 95 Pineview Drive	Cell:	(716) 817-5410		8 /2 /2006
Amherst NY 14228	Fax:	(716) 691-9239		
chris.smyth@watsonbowmanacme.com	www.	wbacorp.com		
Watson Bowman Acme	Phone:	(716) 544-4620	Wabo FS Bridge Seal	approved
Chris Smyth	Cell:	、 ,		12/31/2019
95 Pineview Drive	Fax:	(716) 691-9239		12/01/2010
Amherst NY 14228		()		
chris.smyth@watsonbowmanacme.com	www.	wbacorp.com		
Watson Bowman Acme	Phone:	(716) 544-4620	Wabo SPS Joint System	approved
Chris Smyth	Cell:			7 /22/2019
95 Pineview Drive Amherst NY 14228	Fax:	(716) 691-9239		
chris.smyth@watsonbowmanacme.com	24/14/14/	whacorp.com		
-		wbacorp.com		
502.03.13c ASPHALTIC PLU Vendor Name / Address	JG EXPAN	ISION JOINTS	Product Name Remarks	
	Dhanat	(000) 040 4700		
DS Brown Company Brent Toller	Phone:	(800) 848-1730	Matrix 502 DS Brown	approved
300 East Cherry Street	Cell:	(801) 837-8555		6 /5 /1997
North Baltimore OH 45872	Fax:	(419) 257-2200		
btoller@dsbrown.com	www.	dsbrown.com		
Watson Bowman Acme	Phone:	(716) 544-4620	Wabo Expandex	approved
Chris Smyth	Cell:			12/5 /2011
95 Pineview Drive	Fax:	(716) 691-9239		121012011
Amherst NY 14228				
chris.smyth@watsonbowmanacme.com	www.	wbacorp.com		
502.03.13d EXPANSION JO	INT SEAL	ANT		

Vendor Name / Address			Product Name	Remarks	
Sika Corporation	Phone:	(201) 933-8800	Sikasil 728 RCS		
Don Edwards	Cell:	(816) 372-3599			approve 10/15/2014
201 Polito Avenue	Fax:	(010) 012-0000			10/15/2014
Lyndhurst NJ 07071	Tax.				
edwards.don@us.sika.com	usa.s	ika.com			
The Dow Chemical Company	Phone:	(989) 496-3833	DOWSIL 890-SL Silicone		approve
Jason Sika	Cell:	(303) 880-9614	Sealant		4 /22/2002
12081 West Alameda Parkway #421	Fax:				
Lakewood CO 80228					
jason.sika@dow.com	www.	.dow.com			
The Dow Chemical Company	Phone:	(989) 496-3833	DOWSIL 902 RCS Joint Sealant		approved
Jason Sika	Cell:	(303) 880-9614	Jealant		4 /22/2002
12081 West Alameda Parkway #421 Lakewood CO 80228	Fax:				
jason.sika@dow.com	www.	.dow.com			
Watson Bowman Acme	Phone:	(716) 544-4620	Wabo Silicone Seal	Two part sealant	
Chris Smyth		()	wabo shicone seal		approve
95 Pineview Drive	Cell:	(716) 308-6799			8 /2 /2006
Amherst NY 14228	Fax:	(716) 691-9239			
chris.smyth@watsonbowmanacme.com	www.	wbacorp.com			
502.03.13e EXPANSION JO	INT (SPE	CIAL)			
Vendor Name / Address			Product Name	Remarks	
Chase Corporation	Phone:	(412) 302-7996	CEVA Expansion Joint		approved
Ben Shterengarts	Cell:	(781) 332-0700	System		1/31/2023
201 Zeta Dr.	Fax:	· · ·			
Pittsburg PA 15238					
bshterengarts@chasecorp.com	www.	.chasecorp.com			
Silicone Specialties Incorporated	Phone:	(800) 888-8909	Dow 902 XJS Joint System	This is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This	approved
Eric Larson	Cell:	(713) 874-7017		product is permitted ONLY when specified in the contract documents as an acceptable product.	4 /22/2002
PO Box 50009 Tulsa OK 74150	Fax:	(918) 582-7510		······	
eric.larson@ssicm.com	14/14/14/	.ssicm.com			
	FINISH (B	SONDED GROU		D	
502.03.19 FINE SURFACE			Product Name	Remarks	
Vendor Name / Address					_
Vendor Name / Address Euclid Chemical Company	Phone:	(800) 321-7628	Tammscoat Fine		approved
Vendor Name / Address Euclid Chemical Company Brian Lewis	Phone: Cell:	(800) 321-7628 (216) 692-8305	Tammscoat Fine		approved 1 /1 /2006
Vendor Name / Address		· · · ·	Tammscoat Fine		approved 1 /1 /2006

blewis@euclidchemical.com www.euclidchemical.com

502.03.19 FIN Vendor Name / Addre			ONDED GROU	Product Name	Remarks	
					Nemarks	
Textured Coatings of Amer	ica	Phone:	(510) 206-8030	TexCote 300 Bridge Cote		approve
Bill Borchert PO Box 9235		Cell:				6 /16/2008
Santa Rosa CA	95405	Fax:				
specwestreps@aol.com		www.	texcote.com			
Tayturad Captings of Amor	iaa	Phono:	(510) 206 2020	TexCote XL70 Bridge Cote	•	
Textured Coatings of Amer Bill Borchert	ICa	Phone:	(510) 206-8030	Texcole XL/0 Bridge Colo	e	approve
PO Box 9235		Cell:				6 /16/2008
Santa Rosa CA	95405	Fax:				
specwestreps@aol.com		www.	texcote.com			
502.03.22 JOI	NT SEALER	(ALONG E	DGES OF CON	CRETE BARRIER RAIL)		
Vendor Name / Addre	ess			Product Name	Remarks	
Crafco, Inc.		Phone:	(602) 276-0406	Crafco Asphalt Rubber	Type 1, 2 or 4 depends on the climate zone	approve
Angie Hoaglin		Cell:	(602) 418-9902			1 /7 /1998
6165 W. Detroit Street	0-000	Fax:	(480) 961-0513			
Chandler AZ	85226					
angie.hoaglin@crafco.com		www.	crafco.com			
Crafco, Inc.		Phone:	(602) 276-0406	Deery 180	Type 1, 2 or 4 depends on the climate zone	approve
Angie Hoaglin		Cell:	(602) 418-9902			6 /6 /2013
6165 W. Detroit Street Chandler AZ	85226	Fax:	(480) 961-0513			
angie.hoaglin@crafco.com		www.	crafco.com			
FPT Infrastructure		Phone:	(336) 466-9559	Greyseal 6690		
Stacey Cleary		Cell:	(336) 789-7259			approve 3 /15/2023
401 Old US 52 South		Fax:	(000) 100 1200			5/15/2025
Mount Airy NC	27030	Tux.				
stacey.cleary@FPTInfrastru	ucture.com	https	://www.fptinfrast	ructure.com/		
Henry Company		Phone:	(228) 239-3568	Calseal	Type 1, 2 or 4 depends on the climate zone	approve
Dean Yake		Cell:	(610) 933-8888			9 /8 /1998
336 Coldstream Road	10110	Fax:				
Kimberton PA dyake@henry.com	19442	www.	henry.com			
Maxwell Products Incorpora	ated	Phone:	(801) 972-2090	Elastoflex 650	Type 1, 2 or 4 depends on the climate zone	
Chris Robb) [-, -, -, -, -, -, -, -, -, -, -, -, -, -	approve
650 South Delong Street		Cell:	(801) 803-9281			9 /30/1996
Salt Lake City UT	84104	Fax:	(801) 972-5536			
chris.robb@maxwellproduc	cts.com	www.	maxwellproducts	.com		
Maxwell Products Incorpora	ated	Phone:	(801) 972-2090	Elastoflex 670	Type 1, 2 or 4 depends on the climate zone	approve
Chris Robb		Cell:	(801) 803-9281			9 /30/1996
650 South Delong Street		Fax:	(801) 972-5536			0,00,1000
Salt Lake City UT	84104					
chris.robb@maxwellproduc			maxwellproducts.	0000		

Vendor Name / Address			Product Name	Remarks	
The Quikrete Companies DBA QPR	Phone:	(423) 553-6877	NxGen		approve
Susan Holder	Cell:	(901) 317-5243			12/31/2019
7322 Bonnyshire Dr.	Fax:				
Chattanooga TN 37416					
susan.holder@quikrete.com	www.	qprusa.com			
505.02.01 EPOXY COATI	NGS (FOR	STEEL REINFOR	RCING BARS)		
Vendor Name / Address			Product Name	Remarks	
3M Electrical Markets Division	Phone:	(737) 259-0765	Scotchkote 413 Fusion	Fusion Bonded Epoxy Coating 413 - AASHTO M284 / ASTM A775	approved
Jennifer Pratt	Cell:	(979) 215-4571	Bonded Epoxy Powder Coating	//orm////o	10/10/2011
13011 McCallen Pass, Bldg. C	Fax:		county		
Austin TX 78753					
jkpratt@mmm.com	www.	3m.com/corrosio	n		
Akzo Nobel	Phone:	(615) 259-2430	Resicoat RB600 HKF30R		approved
Lynette Drumm	Cell:	(248) 245-2667			4 /30/2008
20 Culvert Street Nashville TN 37210	Fax:	(615) 255-7903			
lynette.drumm@akzonobel.com	140404/	akzonobel.com			
IFS Coatings, Inc.	Phone:	(513) 448-2521	PureFlex Green, ERSS33252		approved
Robert R. Phillippi 3601 North I-35	Cell:	(940) 668-1062			9 /24/2018
Gainesville TX 76240	Fax:	(940) 668-1061			
rphillippi@ifscoatings.com	www.	ifscoatings.com			
The Sherwin-Williams Company	Phone:	(612) 375-7842	Greenbar		
Anthony Del Percio			Greenbar		approved
1101 South 3rd Street	Cell:	(612) 859-1151			4 /4 /2000
Minneapolis MN 55415	Fax:				
anthony.delpercio@sherwin.com	www.	sherwin-williams.	com		
The Sherwin-Williams Company	Phone:	(612) 375-7842	Vectrashield		approved
Anthony Del Percio	Cell:	(612) 859-1151			3 /28/2017
1101 South 3rd Street	Fax:				
Minneapolis MN 55415					
anthony.delpercio@sherwin.com	www.	sherwin-williams.	com		
600.02.01 TRENCH DRAI	NS				
Vendor Name / Address			Product Name	Remarks	
ABT Incorporated	Phone:	(800) 438-6057	A-67 Interceptor	This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved
Brad Short	Cell:	(949) 633-6111		שששע או גויד שרכוווי איטובט ובקטוופווופוונא.	1 /17/2003
259 Murdock Road/PO Box 837 Troutman NC 28166	Fax:	(704) 528-5478			
bshort@abtdrains.com		abtdrains.com			

600.02.01 TRENCH DRAI	NS				
Vendor Name / Address			Product Name	Remarks	
ABT Incorporated	Phone:	(800) 438-6057	MHD	(8", 12", 18", and 24" Trench Drain Systems). This is	approved
Brad Short	Cell:	(949) 633-6111		a general QPL ONLY; the unit will be selected based on the specific project requirements.	1 /17/2003
259 Murdock Road/PO Box 837	Fax:	(704) 528-5478			
Troutman NC 28166					
bshort@abtdrains.com	www.a	abtdrains.com			
ABT Incorporated	Phone:	(800) 438-6057	Polydrain	This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved
Brad Short	Cell:	(949) 633-6111			1 /17/2003
259 Murdock Road/PO Box 837 Troutman NC 28166	Fax:	(704) 528-5478			
bshort@abtdrains.com	14/14/14/	abtdrains.com			
ABT Incorporated	Phone:	(800) 438-6057	XHD	(8", 12", and 18"). This is a general QPL ONLY; the unit will be selected based on the specific project	approved
Brad Short 259 Murdock Road/PO Box 837	Cell:	(949) 633-6111		requirements.	1 /17/2003
Troutman NC 28166	Fax:	(704) 528-5478			
bshort@abtdrains.com	www.	abtdrains.com			
Multidrain Systems Incorporated	Phone:	(800) 433-1119	EconoDrain	This is a general QPL ONLY; the unit will be selected	
Steve Born		()	Leonobrain	based on the specific project requirements.	approved
PO Box 7107	Cell:	(704) 881-4064			4 /6 /2004
Statesville NC 28687	Fax:	(704) 508-1011			
steve.born@multidrainsystems.com	www.	multidrainsystem	s.com		
Multidrain Systems Incorporated	Phone:	(800) 433-1119	MultiDrain	This is a general QPL ONLY; the unit will be selected	approved
Steve Born	Cell:	(704) 881-4064		based on the specific project requirements.	4 /6 /2004
PO Box 7107	Fax:	(704) 508-1011			.,.,
Statesville NC 28687		()			
steve.born@multidrainsystems.com	www.	multidrainsystem	s.com		
609.02.01 FAST SETTING	CONCRET	E PRODUCTS (NON STRUCTURAL)		
Vendor Name / Address			Product Name	Remarks	
Aquafin	Phone:	(410) 920-9395	Aquafin Pavemend SL	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Alexander Gugliotta	Cell:	(410) 392-2300		unless pre-approved through Materials Division for	9 /20/2021
505 Blue Ball Road, Suite 160	Fax:			other applications. Class R3 Mortar. Approved for all Districts.	
Elkton MD 21921					
agugliotta@aquafin.net	https:	///www.aquafin.	net/us/en		
Ardex LP	Phone:	(724) 203-5000	Transportation Repair	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Karen Marz	Cell:	(408) 425-3070	Mortar (TRM)	unless pre-approved through Materials Division for other applications.	10/31/2013
400 Ardex Park Drive	Fax:				
Aliquippa PA 15001		ardavamariaas as			
karen.marz@ardexamericas.com		ardexamericas.co			
Atlas Tech Products	Phone:	(702) 227-6800	Atlas Pro-1 Patch	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Ryan Quinn 680 West Lake Mead Parkway	Cell:	(858) 277-2100		unless pre-approved through Materials Division for other applications.	5 /14/2009
680 West Lake Mead Parkway Henderson NV 89015	Fax:	(702) 222-0488			
ryanquinn@atlasform.com	\\/\\/\/	atlasform.com			
ganganneaddolornioolff	** ** ** ** *				

Vendor Name / Address			Product Name	Remarks	
-			FIGURE Nume	nemurs	
Buzzi Unicem USA Incorporated	Phone:	(610) 882-4013	Ulti Pave3	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
William Krupa	Cell:	(610) 882-5013		unless pre-approved through Materials Division for other applications.	6 /28/2010
100 Brodhead Road Suite 230 Bethlehem PA 18017	Fax:	(610) 868-8795			
william.krupa@buzziunicemusa.com	www.	buzziunicemusa.c	com		
Buzzi Unicem USA Incorporated	Phone:	(610) 882-4013	UltiGrout	The use of products on this list are limited to concrete	approved
William Krupa	Cell:	(610) 882-5013		collars placed around maintoles, valves, covers, etc.,	6 /28/2010
100 Brodhead Road Suite 230	Fax:	(610) 868-8795			0,20,20.0
Bethlehem PA 18017		()			
william.krupa@buzziunicemusa.com	www.	buzziunicemusa.c	com		
Buzzi Unicem USA Incorporated	Phone:	(610) 882-4013	Utility Fill One Step	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
William Krupa	Cell:	(610) 882-5013		unless pre-approved through Materials Division for	6 /28/2010
100 Brodhead Road Suite 230	Fax:	(610) 868-8795		other applications.	
Bethlehem PA 18017					
william.krupa@buzziunicemusa.com	www.	buzziunicemusa.c	com		
CTS Cement Manufacturing Corp	Phone:	(800) 929-3030	Rapid Set Cement All	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approve
Grant Kao	Cell:	(626) 833-8838		uplace are approved through Materials Division for	1 /27/1994
12442 Knott Street Garden Grove CA 92841	Fax:	(714) 379-8270			
gkao@ctscement.com	www.	ctscement.com			
CTS Cement Manufacturing Corp	Phone:	(800) 929-3030	Rapid Set Concrete Mix	The use of products on this list are limited to concrete	approve
Grant Kao	Cell:	(626) 833-8838		collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	1 /27/1994
12442 Knott Street	Fax:	(714) 379-8270		other applications.	172771001
Garden Grove CA 92841		()			
gkao@ctscement.com	www.	ctscement.com			
CTS Cement Manufacturing Corp	Phone:	(800) 929-3030	Rapid Set DOT Repair Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approve
Grant Kao	Cell:	(626) 833-8838		unless pre-approved through Materials Division for	1 /27/1994
12442 Knott Street	Fax:	(714) 379-8270		other applications.	
Garden Grove CA 92841					
gkao@ctscement.com	www.	ctscement.com			
CTS Cement Manufacturing Corp	Phone:	(800) 929-3030	Rapid Set Motar Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approve
Grant Kao	Cell:	(626) 833-8838		unless pre-approved through Materials Division for	1 /27/1994
12442 Knott Street	Fax:	(714) 379-8270		other applications.	
Garden Grove CA 92841					
gkao@ctscement.com	www.	ctscement.com			
CTS Cement Manufacturing Corporation	Phone:	(800) 929-3030	Rapid Set Mortar Mix Plus	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approve
Grant Kao	Cell:	(626) 833-8838		unless pre-approved through Materials Division for other applications.	9 /25/2017
12442 Knott Street Garden Grove CA 92841	Fax:	(714) 379-8270			

Vendor Name / Address			Product Name	Remarks	
Dayton Superior Corporation	Phone:	(937) 866-0711	Dayton Superior HD-50	The use of products on this list are limited to concrete	approve
Sarah Clark	Cell:	(937) 479-5164		collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	9 /30/1996
1125 Byers Rd.	Fax:	(937) 847-8473		other applications. Ext. 44376.	5750/1550
Miamisburg OH 45342	T CIX.				
sarahclark@daytonsuperior.com	www.	daytonsuperior.co	om		
Euclid Chemical Company	Phone:	(800) 321-7628	EucoRepair SCC Fast	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Brian Lewis	Cell:	(216) 692-8305		unless pre-approved through Materials Division for other applications. Class R2 Mortar. Approved for all	9 /20/2021
19215 Redwood Rd.	Fax:	(216) 513-9399		Districts.	
Cleveland OH 44110 blewis@euclidchemical.com		euclidchemical.co			
			-		
Euclid Chemical Company	Phone:	(800) 321-7628	EucoRepair V100	collais placed alound manifoles, valves, covers, etc.,	approved
Brian Lewis 19215 Redwood Rd.	Cell:	(216) 692-8305		unless pre-approved through Materials Division for other applications. Class R2 Mortar. Approved for all	9 /20/2021
Cleveland OH 44110	Fax:	(216) 513-9399		Districts.	
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Euclid Chemical Company	Phone:	(800) 321-7628	EucoSpeed	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved
Brian Lewis	Cell:	(216) 692-8305			9 /23/1998
19215 Redwood Road Cleveland OH 44110	Fax:	(216) 531-9399			0 1201 1000
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Euclid Chemical Company	Phone:	(800) 321-7628	EucoSpeed MP	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Brian Lewis	Cell:	(216) 692-8305		unless pre-approved through Materials Division for other applications.	9 /23/1998
19215 Redwood Road	Fax:	(216) 531-9399			
Cleveland OH 44110 blewis@euclidchemical.com	140404/	euclidchemical.co	m		
Euclid Chemical Company	Phone:	(800) 321-7628	Express Repair	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Brian Lewis 19215 Redwood Road	Cell:	(216) 692-8305		unless pre-approved through Materials Division for other applications.	3 /16/2006
Cleveland OH 44110	Fax:	(216) 531-9399			
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Euclid Chemical Company	Phone:	(800) 321-7628	Hi-Flow Grout	The use of products on this list are limited to concrete	approved
Brian Lewis	Cell:	(216) 692-8305		collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	3 /16/2006
DHAH LEWIS		(216) 531-9399		other applications.	0710/2000
19215 Redwood Road	Fax:				
	Fax:	()			
19215 Redwood Road		euclidchemical.co	om		
19215 Redwood Road Cleveland OH 44110		euclidchemical.co		The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
19215 Redwood Road Cleveland OH 44110 blewis@euclidchemical.com Euclid Chemical Company Brian Lewis	www.	euclidchemical.co		collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	approved 9 /20/2021
19215 Redwood Road Cleveland OH 44110 blewis@euclidchemical.com Euclid Chemical Company	www. Phone:	euclidchemical.co (800) 321-7628		collars placed around manholes, valves, covers, etc.,	

Vendor Name / Address			Product Name	Remarks	
Euclid Chemical Company	Phone:	(800) 321-7628	Versaspeed LS100	The use of products on this list are limited to concrete	approved
Brian Lewis	Cell:	(216) 692-8305		collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	9 /20/2021
19215 Redwood Road	Fax:	(216) 531-9399		other applications. Class R2 Mortar. Approved for all Districts.	072072021
Cleveland OH 44110		()			
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Five Star Products Inc.	Phone:	(800) 243-2206	Highway Patch	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Ryan Taylor	Cell:	(203) 336-7900		unless pre-approved through Materials Division for other applications.	9 /30/1996
60 Parrott Drive	Fax:	(203) 336-7930			
Shelton CT 06484 taylorr@fivestarproducts.com		fivestarproducts.			
Five Star Products Inc.	Phone:	(800) 243-2206	Structural Concrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Ryan Taylor 60 Parrott Drive	Cell:	(203) 336-7900		unless pre-approved through Materials Division for other applications.	9 /30/1996
Shelton CT 06484	Fax:	(203) 336-7930			
taylorr@fivestarproducts.com	www.	fivestarproducts.	com		
H.B. Fuller Construction Products	Phone:	(706) 459-3362	ProSpec BlendCrete	The use of products on this list are limited to concrete	approved
Dylan Bryant	Cell:	. ,			12/31/2019
1702 Kimberly Park Drive	Fax:				12/01/2013
Dalton GA 30720					
dylan.bryant@hbfuller.com	www.	prospec.com			
H.B. Fuller Construction Products	Phone:	(706) 459-3362	ProSpec Premium Patch	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Dylan Bryant	Cell:		200	unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all	12/31/2019
1702 Kimberly Park Drive Dalton GA 30720	Fax:			Districts.	
dylan.bryant@hbfuller.com	www	prospec.com			
		proopooloom		The use of weed one on this list are limited to concrete	
Henkel Loctite Matt Yetka	Phone:		Loctite PC9410 MagnaCrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
2735 Paint Drive	Cell:	(209) 482-4488		unless pre-approved through Materials Division for other applications.	10/17/2008
Auburn CA 95603	Fax:				
matthew.yetka@henkel.com	www.	loctite.com			
MAPEI Corporation	Phone:	(954) 246-8520	Planigrout 712	The use of products on this list are limited to concrete	approved
Bruce Haller	Cell:	(954) 637-5121		collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	9 /25/2017
1144 E Newport Center Drive	Fax:	(954) 246-8825		other applications.	572572017
Deerfield Beach FL 33442	i divi				
bhaller@mapei.com	www.	mapei.com			
MAPEI Corporation	Phone:	(954) 246-8520	Planitop 18	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Bruce Haller	Cell:	(954) 637-5121		unless pre-approved through Materials Division for other applications.	3 /24/2017
1144 E Newport Center Drive Deerfield Beach FL 33442	Fax:	(954) 246-8825		ουτοι αμμικαυστο.	

Vendor Name / Address MAPEI Corporation Bruce Haller 1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com MAPEI Corporation Bruce Haller	Phone: Cell: Fax: www. Phone:	(954) 246-8520 (954) 637-5121 (954) 246-8825	Product Name Planitop 18 ES	Remarks The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-annrwed through Materials Division for	approved
Bruce Haller 1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com MAPEI Corporation	Cell: Fax: www.	(954) 637-5121	Planitop 18 ES	collars placed around manholes, valves, covers, etc.,	approved
1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com MAPEI Corporation	Fax: www.	· · ·			
Deerfield Beach FL 33442 bhaller@mapei.com MAPEI Corporation	www.	(954) 246-8825		unless pre-approved through Materials Division for other applications.	9 /25/2017
MAPEI Corporation					
•	Phone:	mapei.com			
Bruce Haller		(954) 246-8520	Planitop 18 TG	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved
	Cell:	(954) 637-5121			9 /24/2018
1144 E Newport Center Drive Deerfield Beach FL 33442	Fax:	(954) 246-8825			
bhaller@mapei.com	www.	mapei.com			
MAPEI Corporation	Phone:	(954) 246-8520	Planitop X	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Bruce Haller	Cell:	(954) 637-5121		unless pre-approved through Materials Division for other applications.	9 /25/2017
1144 E Newport Center Drive Deerfield Beach FL 33442	Fax:	(954) 246-8825		other applications.	
bhaller@mapei.com	www.	mapei.com			
MAPEI Corporation	Phone:	(954) 246-8520	Planitop XS	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Bruce Haller	Cell:	(954) 637-5121		unless pre-approved through Materials Division for other applications.	9 /25/2017
1144 E. Newport Center Drive Deerfield Beach FL 33442	Fax:	(954) 246-8825			
bhaller@mapei.com	www.	mapei.com			
Master Builders Solutions Construction Systems	Phone:	(952) 403-6547	Master Emaco S466 CI	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	approved
Mark Aument	Cell:	(952) 250-1787		other applications.	1 /3 /2002
889 Valley Park Drive Shakopee MN 55379	Fax:	(952) 496-6067			
mark.aument@mbcc-group.com	https	://www.master-bi	uilders-solutions.co		
Master Builders Solutions Construction Systems	Phone:	(952) 403-6547	Master Emaco T10-60	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	approved
Mark Aument	Cell:	(952) 250-1787		other applications.	1 /3 /2002
889 Valley Park Drive Shakopee MN 55379	Fax:	(952) 496-6067			
mark.aument@mbcc-group.com	https	://www.master-bi	uilders-solutions.co		
Master Builders Solutions Construction Systems	Phone:	(952) 403-6547	Master Emaco T545 DOT	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Mark Aument	Cell:	(952) 250-1787		unless pre-approved through Materials Division for other applications.	1 /3 /2002
889 Valley Park Drive	Fax:	(952) 200 1107			1/3/2002
Shakopee MN 55379	Tax.	(332) +30-0007			
mark.aument@mbcc-group.com	https	://www.master-bi	uilders-solutions.co		
MasterSpec Materials, LLC	Phone:	(702) 997-8838	RiteCrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Luisa Flores	Cell:	(505) 974-0421		unless pre-approved through Materials Division for other applications.	9 /24/2018
806 Buchanan Blvd, Ste 115-294Boulder CityNV89005	Fax:			онегаррисаноть.	
info@masterspecmaterials.com	www.	masterspecmate	rials.com		

Vendor Name / Address			Product Name	Remarks	
Phoscrete Corporation	Phone:	(561) 420-0595	Phoscrete HC	The use of products on this list are limited to concrete	approved
Brian Mintz	Cell:	(727) 944-4368		collars placed around manifoles, valves, covers, etc.,	3 /24/2017
1800 NW 15th Ave., Ste. 130	Fax:	(561) 420-0599			072172017
Pompano Beach FL 33069		(00.)			
brian.mintz@phoscrete.com	www.	phoscrete.com			
Sika Corporation	Phone:	(201) 933-8800	Sikacrete 321FS	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Don Edwards	Cell:	(816) 372-3599		unless pre-approved through Materials Division for	12/28/2016
201 Polito Avenue	Fax:			other applications.	
Lyndhurst NJ 07071					
edwards.don@us.sika.com	usa.s	ika.com			
Sika Corporation	Phone:	(201) 933-8800	Sikaquick 2500	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Don Edwards	Cell:	(816) 372-3599		unless pre-approved through Materials Division for other applications.	12/28/2016
201 Polito Avenue	Fax:				
Lyndhurst NJ 07071 edwards.don@us.sika.com	1162.6	ika.com			
Simpson Strong-Tie	Phone:	(480) 450-5321	RPS-263	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Daniel Bartlett	Cell:	(702) 524-5524		unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all	9 /19/2022
12246 Holly St. N Riverside CA 92509	Fax:			Districts.	
dbartlett@strongtie.com	stron	gtie.com			
SpecChem	Phone:	(816) 968-5600	RepCon 928	The use of products on this list are limited to concrete	
Michael Lemark	Cell:	(562) 489-9607		collars placed around manholes, valves, covers, etc, unless pre-approved through Materials Division for	approved
1511 Baltimore Ave., Suite 600	Fax:	(302) 403-3007		other applications.	5 /7 /2013
Kansas City MO 64108	Ταλ.				
mlemark@specchemllc.com	www.	specchemllc.com			
The QUIKRETE Companies, LLC	Phone:	(404) 926-3128	QUIKRETE Comm. Grade	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Dave Wingard	Cell:	(800) 282-5828	FastSet Repair Mortar 1241	unless pre-approved through Materials Division for	12/10/2020
500 Marathon Parkway	Fax:	(770) 237-2548	1271	other applications. Class R2 Mortar. Approved for all Districts.	
Lawrenceville GA 30046					
dave.wingard@quikrete.com	www.	quikrete.com			
The QUIKRETE Companies, LLC	Phone:	(404) 926-3128	QUIKRETE Commerical Grade FastSet DOT Mix	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Dave Wingard	Cell:	(800) 282-5828	1244-56	unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all	12/10/2020
500 Marathon Parkway Lawrenceville GA 30046	Fax:	(770) 237-2548		Districts.	
dave.wingard@quikrete.com	www	quikrete.com			
		•		The use of products on this list are limited to separate	
US Concrete Products Thomas Brennan	Phone:	(866) 827-8727	HP Concrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
16 Greenmeadow Drive	Cell:	(410) 561-8770		unless pre-approved through Materials Division for other applications.	10/22/2004
Timonium MD 21093	Fax:	(410) 561-8771			

				NON STRUCTURAL)	Remarks	
Vendor Name / Addr	255			Product Name	Remarks	
US Mix Company		Phone:	(303) 778-7227	US SPEC Quickset	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved
Andrew Beaty		Cell:	(303) 489-1083			3 /24/2017
112 South Santa Fe DriveDenverCO	80223	Fax:	(303) 722-8426			
andrew.beaty@oldcastle.c	om	www.	usspec.com			
US Mix Company		Phone:	(303) 778-7227	US SPEC SC Concrete	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Concrete. Approved for all Districts.	approved
Andrew Beaty		Cell:	(303) 489-1083			9 /20/2021
112 South Santa Fe Drive		Fax:	(303) 722-8426			
Denver CO andrew.beaty@oldcastle.c	80223	14/14/14/	usspec.com			
•			-			
US Mix Company		Phone:	(303) 778-7227	US SPEC STR Mortar CI	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Andrew Beaty 112 South Santa Fe Drive		Cell:	(303) 489-1083		unless pre-approved through Materials Division for other applications.	9 /24/2018
Denver CO	80223	Fax:	(303) 722-8426			
andrew.beaty@oldcastle.c	om	www.	usspec.com			
US Mix Company		Phone:	(303) 778-7227	US SPEC Transpatch	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Andrew Beaty		Cell:	(303) 489-1083		unless pre-approved through Materials Division for	3 /24/2017
112 South Santa Fe Drive Denver CO	80223	Fax:	(303) 722-8426		other applications.	
andrew.beaty@oldcastle.c	om	www.	usspec.com			
US Mix Company		Phone:	(303) 778-7227	US SPEC Transpatch	The use of products on this list are limited to concrete	approved
Andrew Beaty		Cell:	(303) 489-1083	Concrete	collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	9/3/2014
112 South Santa Fe Drive		Fax:	(303) 722-8426		other applications.	0,0,2011
Denver CO	80223					
andrew.beaty@oldcastle.c	om	www.	usspec.com			
W.R. Meadows		Phone:	(847) 214-2100	Futura-15-Very Rapid- Hardening Hztl. Repair	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc.,	approved
Chris Mader		Cell:	(224) 325-1080	Mortar	unless pre-approved through Materials Division for other applications.	8 /21/2008
300 Industrial Dr. Hampshire IL	60140	Fax:				
dot@wrmeadows.com		www.	wrmeadows.com			
Western Material & Design	1	Phone:	(816) 380-4747	FasTrac 246	The use of products on this list are limited to concrete	approved
Zach Gebhardt		Cell:	、 ,		collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for	3 /11/2021
101 E Walnut Street		Fax:			other applications. Class R3 Mortar. Approved for all Districts.	U 11/2021
Archie MO	64725	foots				
zgebhardt@wmdus.com		lastra	acproducts.com			
	TICULATED (CONCRET	E BLOCK	Due du et Marres	Domarka	
Vendor Name / Addr	ess			Product Name	Remarks	
Basalite Concrete Products	s, LLC	Phone:	(775) 358-1200	UltraFlex	This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved
James Motarex		Cell:	(775) 745-1286			11/18/2009
335 Greg Street Sparks NV	89431-6295	Fax:	(775) 359-5997			

www.basalite.com

NV

james.motarex@basalite.com

Sparks

Vendor Name / Address			Product Name	Remarks	
CONTECH	Phone:	(800) 338-1122	Armorflex	This is a general QPL ONLY; the unit will be selected	approve
Daniel Priest	Cell:	(513) 645-7000		based on the specific project requirements.	10/23/2008
9100 Centre Pointe Drive Suite 400	Fax:	(10/20/2000
West Chester OH 43069					
dpriest@conteches.com	www.	conteches.com			
CONTECH	Phone:	(800) 338-1122	Petraflex	This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved
Daniel Priest	Cell:	(513) 645-7000			10/23/2008
9100 Centre Pointe Drive Suite 400 West Chester OH 43069	Fax:				
dpriest@conteches.com	www.	conteches.com			
Shoretec	Phone:	(225) 273-9600	Shoreblock	This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved
Cody Colvin	Cell:	(225) 328-0545		based on the specific project requirements.	3 /23/2009
510 O'Neal Lane Ext Baton Rouge LA 70819	Fax:	(225) 273-0400			
ccolvin@premier-concrete.com	www.	shoretec.com			
Shoretec	Phone:	(225) 273-9600	Shoretec	This is a general QPL ONLY; the unit will be selected	approved
Cody Colvin	Cell:	(225) 328-0545		based on the specific project requirements.	3 /23/2009
510 O'Neal Lane Ext	Fax:	(225) 273-0400			0,20,2000
Baton Rouge LA 70819		()			
ccolvin@premier-concrete.com	www.	shoretec.com			
Soil Retention Products, Inc.	Phone:	(760) 966-6090	Enviroflex	This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved
Nick Jansson	Cell:				8 /23/2011
1265 Carlsbad Village Dr., Suite 100	Fax:	(760) 966-6099			
Carlsbad CA 92008 njansson@soilrentention.com	14/14/14/	soilretention.com			
-					
613.02.01 DETECTABLE W Vendor Name / Address	ARNING	5 (ADA TILE)	Product Name	Remarks	
venuor wunne / Auuress			FIGUULLIVUITE	nemurks	
		(0.1.0) 0.05 5 1.00			
ADA Solutions, a Surewerx Brand	Phone:	(910) 695-5462	Iron Dome Cast Iron	Approved for cast iron in Patina (natural).	approved
ADA Solutions, a Surewerx Brand John Stieby	Phone: Cell:	(910) 695-5462			
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street		(910) 695-5462 (978) 262-9125	Iron Dome Cast Iron		approved 3 /14/2022
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887	Cell: Fax:	(978) 262-9125	Iron Dome Cast Iron		
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar-	Cell: Fax: adatil	(978) 262-9125 e.com	Iron Dome Cast Iron		3 /14/2022
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc.	Cell: Fax: adatil Phone:	(978) 262-9125 e.com	Iron Dome Cast Iron Detectable Warning Plates		3 /14/2022
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc. Ryan West	Cell: Fax: adatil	(978) 262-9125 e.com (440) 543-7526 (866) 999-7452	Iron Dome Cast Iron Detectable Warning Plates		3 /14/2022 approved
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc. Ryan West 10095 Queens Way	Cell: Fax: adatil Phone:	(978) 262-9125 e.com (440) 543-7526	Iron Dome Cast Iron Detectable Warning Plates		3 /14/2022 approved
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc. Ryan West	Cell: Fax: adatil Phone: Cell: Fax:	(978) 262-9125 e.com (440) 543-7526 (866) 999-7452	Iron Dome Cast Iron Detectable Warning Plates DWS Cast Iron		3 /14/2022 approved
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc. Ryan West 10095 Queens Way Chagrin Falls OH 44023 rwest@detectable-warning.com	Cell: Fax: adatil Phone: Cell: Fax:	(978) 262-9125 e.com (440) 543-7526 (866) 999-7452 (904) 212-0022 detectable-warnir	Iron Dome Cast Iron Detectable Warning Plates DWS Cast Iron		3 /14/2022 approved 6 /15/2022
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc. Ryan West 10095 Queens Way Chagrin Falls OH 44023	Cell: Fax: adatil Phone: Cell: Fax: www. Phone:	(978) 262-9125 e.com (440) 543-7526 (866) 999-7452 (904) 212-0022 detectable-warnir (608) 249-8644	Iron Dome Cast Iron Detectable Warning Plates DWS Cast Iron	Approved for cast iron in Patina (natural).	3 /14/2022 approved 6 /15/2022 approved
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc. Ryan West 10095 Queens Way Chagrin Falls OH 44023 rwest@detectable-warning.com MetaDome, LLC	Cell: Fax: adatil Phone: Cell: Fax: www. Phone: Cell:	(978) 262-9125 e.com (440) 543-7526 (866) 999-7452 (904) 212-0022 detectable-warnir (608) 249-8644 (608) 692-0837	Iron Dome Cast Iron Detectable Warning Plates DWS Cast Iron	Approved for cast iron in Patina (natural).	3 /14/2022 approved 6 /15/2022
ADA Solutions, a Surewerx Brand John Stieby 323 Andover Street Wilmington MA 01887 jstieby@surewerx.com Detectable Warning Systes, a div. of Mar- Bal, Inc. Ryan West 10095 Queens Way Chagrin Falls OH 44023 rwest@detectable-warning.com MetaDome, LLC Duane Sippola	Cell: Fax: adatil Phone: Cell: Fax: www. Phone:	(978) 262-9125 e.com (440) 543-7526 (866) 999-7452 (904) 212-0022 detectable-warnir (608) 249-8644	Iron Dome Cast Iron Detectable Warning Plates DWS Cast Iron	Approved for cast iron in Patina (natural).	approved 6 /15/2022 approved

Vendor Name / Address			Product Name	Remarks	
Neenah Enterprises	Phone:	(503) 545-9322	Detectable Warning Plate	Approved for cast iron in Patina (natural).	approve
James Malloy	Cell:	(800) 558-5075			6 /22/2021
2121 Brooks Ave. #4700	Fax:	(920) 729-3661			
Neenah WI 54957 james.malloy@groupnei.com	nfco.) om			
StrongGo, LLC Jennifer Rinn	Phone:	(866) 439-3216	TekWay Dome Tiles	Approved for concrete panels in NV Red ONLY.	approve
3296 East Hemisphere Loop	Cell:	(520) 547-3510			11/27/2006
Tucson AZ 85706-5013	Fax:	(520) 547-3515			
jrinn@stronggo.com	www.	stronggo.com			
TufTile, Inc.	Phone:	(847) 307-3070	TufTile Cast Iron Tile and	Approved for cast iron in Patina (natural).	approve
Don Kimble	Cell:	(425) 761-6525	Radius Wedge Tiles		6 /22/2021
1200 Flex Court	Fax:	(847) 550-8004			• • == • = • = •
Lake Zurich IL 60047					
don@tuftile.com	www.	tuftile.com			
616.02.01 PLASTIC FENCE	FABRIC				
Vendor Name / Address			Product Name	Remarks	
SWM AMS, LLC	Phone:	(800) 426-6933	Plastic Fence X05650		approve
Customer Service	Cell:	(612) 623-1700	Series		10/10/1999
2810 Weeks Ave. SE	Fax:	(612) 623-2500			
Minneapolis MN 55414 customer.service@swmintl.com	cwmi	ntl.com			
616.03.01 FENCE POST BA	AG MIX C	ONCRETE			
Vendor Name / Address			Product Name	Remarks	
CTS Cement Manufacturing Corp	Phone:	(714) 793-1040	CTS 24/6 Concrete Mix		approve
	Cell:	(626) 833-8838			9 /20/2021
Grant Kao 12442 Knott Street Garden Grove CA 92841		(626) 833-8838 (714) 379-8270			
12442 Knott Street Garden Grove CA 92841	Fax:				
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com	Fax:	(714) 379-8270 ctscement.com	Planitop 18		9 /20/2021
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com MAPEI Corporation	Fax: www.	(714) 379-8270 ctscement.com (954) 246-8520	Planitop 18		9 /20/2021 approve
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com MAPEI Corporation Bruce Haller	Fax: www. Phone: Cell:	(714) 379-8270 ctscement.com (954) 246-8520 (954) 637-5121	Planitop 18		
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com MAPEI Corporation Bruce Haller 1144 E. Newport Center Drive	Fax: www. Phone:	(714) 379-8270 ctscement.com (954) 246-8520	Planitop 18		9 /20/2021 approved
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com MAPEI Corporation Bruce Haller 1144 E. Newport Center Drive Deerfield Beach FL 33442	Fax: www. Phone: Cell: Fax:	(714) 379-8270 ctscement.com (954) 246-8520 (954) 637-5121	Planitop 18		9 /20/2021 approve
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com MAPEI Corporation Bruce Haller 1144 E. Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	Fax: www. Phone: Cell: Fax:	(714) 379-8270 ctscement.com (954) 246-8520 (954) 637-5121 (954) 246-8825	Planitop 18 Planitop 18 TG		9 /20/2021 approve 6 /11/2020
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com MAPEI Corporation Bruce Haller 1144 E. Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com MAPEI Corporation Bruce Haller	Fax: www. Phone: Cell: Fax: www.	(714) 379-8270 ctscement.com (954) 246-8520 (954) 637-5121 (954) 246-8825 mapei.com			9 /20/2021 approved
12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com MAPEI Corporation Bruce Haller 1144 E. Newport Center Drive	Fax: www. Phone: Cell: Fax: www. Phone:	(714) 379-8270 ctscement.com (954) 246-8520 (954) 637-5121 (954) 246-8825 mapei.com (954) 246-8520			9 /20/2021 approve 6 /11/2020 approve

Vendor Name / Address			Product Name	Remarks	
The QUIKRETE Companies, LLC	Phone:	(404) 926-3128	Crack Resistant Concrete	!	approved
Dave Wingard	Cell:	(800) 282-5828	Mix		6 /22/2021
500 Marathon Parkway Lawrenceville GA 30046	Fax:	(770) 237-2548			
dave.wingard@quikrete.com	www.	quikrete.com			
The QUIKRETE Companies, LLC	Phone:	(404) 926-3128	Fiber Reinforced Deck M	ix	approved
Dave Wingard	Cell:	(800) 282-5828			6 /22/2021
500 Marathon Parkway Lawrenceville GA 30046	Fax:	(770) 237-2548			
dave.wingard@quikrete.com	www.	quikrete.com			
The QUIKRETE Companies, LLC	Phone:	(404) 926-3128	Form and Pour Concrete		approved
Dave Wingard	Cell:	(800) 282-5828	Mix MS		6 /22/2021
500 Marathon Parkway	Fax:	(770) 237-2548			
Lawrenceville GA 30046 dave.wingard@quikrete.com	WWW	quikrete.com			
The QUIKRETE Companies, LLC	Phone:	(404) 926-3128	QUIKRETE 1101		
Dave Wingard	Cell:	(800) 282-5828	CONCRETE MIX 80LB		approved
500 Marathon Parkway	Fax:	()	(770) 237-2548	6 /22/2021	
Lawrenceville GA 30046	Tux.	(110) 201-2040			
dave.wingard@quikrete.com	www.	quikrete.com			
dave.wingard@quikrete.com 618.02.01 GUARDRAIL C					
			Product Name	Remarks	
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators			Product Name Glue Laminated Wood	Remarks For use on w-beam and thrie-beam guardrails	approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank	OFFSET BLC	OCKS			approved 3 /10/2004
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave.	DFFSET BLC Phone:	OCKS			
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank	Phone: Cell: Fax:	(928) 333-5501			
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com	Phone: Cell: Fax:	(928) 333-5501 (928) 333-4403			3 /10/2004
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925	Phone: Cell: Fax: www.	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790	Glue Laminated Wood	For use on w-beam and thrie-beam guardrails	3 /10/2004 approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250	Phone: Cell: Fax: www. Phone:	(928) 333-5501 (928) 333-4403 azglulam.com	Glue Laminated Wood GB14SH1 Composite	For use on w-beam and thrie-beam guardrails	3 /10/2004
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773	Phone: Cell: Fax: www. Phone: Cell: Fax:	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9960	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout	For use on w-beam and thrie-beam guardrails	3 /10/2004 approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com	Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9960 mondopolymer.co	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout	For use on w-beam and thrie-beam guardrails 8". For use on Midwestern Guardrail installations.	3 /10/2004 approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com Mondo Polymer Technologies, Inc.	Phone: Cell: Fax: www. Phone: Cell: Fax:	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9960	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout m GB14SH2 Composite	For use on w-beam and thrie-beam guardrails	3 /10/2004 approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com Mondo Polymer Technologies, Inc. Maggie Ellis	Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9960 mondopolymer.co	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout	For use on w-beam and thrie-beam guardrails 8". For use on Midwestern Guardrail installations.	3 /10/2004 approved 12/17/2018
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com Mondo Polymer Technologies, Inc.	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9960 mondopolymer.co (888) 607-4790	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout m GB14SH2 Composite	For use on w-beam and thrie-beam guardrails 8". For use on Midwestern Guardrail installations.	3 /10/2004 approved 12/17/2018 approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Route 7 / P.O. Box 250	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9960 mondopolymer.cc (888) 607-4790 (740) 376-9396	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout	For use on w-beam and thrie-beam guardrails 8". For use on Midwestern Guardrail installations.	3 /10/2004 approved 12/17/2018 approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Route 7 / P.O. Box 250 Reno OH 45773	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	(928) 333-5501 (928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9960 mondopolymer.co (888) 607-4790 (740) 376-9396 (740) 376-9396	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout	For use on w-beam and thrie-beam guardrails 8". For use on Midwestern Guardrail installations.	3 /10/2004 approved 12/17/2018 approved 12/17/2018
618.02.01 GUARDRAIL O Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH Mondo Polymer Technologies, Inc. Maggie@mondopolymer.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Route 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(928) 333-5501 (928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout GB14SH2 Composite Guardrail Block om	For use on w-beam and thrie-beam guardrails 8". For use on Midwestern Guardrail installations. 8". For use on Midwestern Guardrail installations.	3 /10/2004 approved 12/17/2018 approved 12/17/2018 approved
618.02.01 GUARDRAIL C Vendor Name / Address Arizona Structural Laminators Ginger Wiltbank 2000 W. Central Ave. Eagar AZ 85925 gwiltbank@azglulam.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com Mondo Polymer Technologies, Inc. Maggie Ellis 27620 State Route 7 / P.O. Box 250 Reno OH 45773 maggie@mondopolymer.com	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: Www.	(928) 333-5501 (928) 333-4403 azglulam.com (888) 607-4790 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396 (740) 376-9396	Glue Laminated Wood GB14SH1 Composite Guardrail Blockout GB14SH2 Composite Guardrail Block m MGS14SH Composite	For use on w-beam and thrie-beam guardrails 8". For use on Midwestern Guardrail installations. 8". For use on Midwestern Guardrail installations.	3 /10/2004 approved 12/17/2018 approved 12/17/2018

Vendor Name / Address			Product Name	Remarks	
Mondo Polymer Technologies, Inc.	Phone:	(888) 607-4790	TB21SH Composite	Usage permitted only when creating MGS transition	
Aaggie Ellis			Guardrail Blockout	or repairing existing thrie-beam.	approve
27620 State Rt. 7 / PO Box 250	Cell:	(740) 376-9396			4 /1 /2020
Reno OH 45773	Fax:	(740) 376-9960			
maggie@mondopolymer.com	www.	mondopolymer.co	om		
Valtir, LLC	Phone:	(916) 644-9102	12in King MASH16	12". For use on Midwestern Guardrail installations.	approve
Paul Kruse	Cell:		Composite Block		12/20/2022
15601Dallas Parkway, Suite 525 Addison TX 75001	Fax:				
paul.kruse@trin.net	www.	valtir.com			
Valtir, LLC	Phone:	(214) 589-8056	8in King MASH16	8". For use on Midwestern Guardrail installations.	approve
Chelsea Dunn	Cell:		Composite Block		3 /11/2021
15601Dallas Parkway, Suite 525	Fax:				
Addison TX 75001					
chelsea.dunn@trin.net	www.	valtir.com			
618.02.01a GUARDRAIL TE	RMINAL			- /	
Vendor Name / Address			Product Name	Remarks	
Lindsay Transportation Solutions, LLC	Phone:	(402) 829-6800	MAX-Tension TANGENTIAL; MASH TL-3	ANGENTIAL; MASH TL-3 app	approve
Larry Savage	Cell:	(916) 474-9644			3 /27/2019
18135 Burke Street, Suite 100 Omaha NE 68022	Fax:	(402) 829-6834			
		lindoou oom (infro	at wat wa		
larry.savage@lindsay.com		lindsay.com/infra			
Lindsay Transportation Solutions, LLC	Phone:	(402) 829-6800	MAX-Tension	MEDIAN; MASH TL-3	approve
Larry Savage 18135 Burke Street, Suite 100	Cell:	(916) 474-9644			3 /27/2019
Omaha NE 68022	Fax:	(402) 829-6834			
larry.savage@lindsay.com	www.	lindsay.com/infra	structure		
Road Systems Incorporated	Phone:	(432) 263-2435	MSKT (MASH Sequentially	7 TANGENTIAL; MASH, TL-3 Compliant	approve
Kaddo Kothmann	Cell:	(432) 517-0697	Kinking Terminal)		12/28/2016
3616 Old Howard County Airport Road	Fax:	(432) 267-4039			,_0,_0
Big Spring TX 79720					
kaddo@basin-net.net		roadsystems.com			
Road Systems, Inc. Kaddo Kothmann	Phone:	(432) 263-2435	MFLEAT	FLARED; MASH TL-3	approve
Kaddo Kotnmann 3616 Old Howard County Airport Road	Cell:	(432) 517-0697			9 /17/2019
Big Spring TX 79720	Fax:	(432) 267-4039			
kaddo@baisn-net.net	www.	roadsystems.com	1		
Valtir, LLC	Phone:	(916) 644-9102	MATT Median	MEDIAN; MASH TL-3	approve
Paul Kruse	Cell:	. ,	Attenuating TREND		9 /19/2022
15601 Dallas Parkway, Suite 525	Fax:		Terminal		3/13/2022
Addison TX 75001	T UA.				
paul.kruse@trin.net	www.	valtir.com			

Vendor Name / Addre	255			Product Name	Remarks	
Valtir, LLC		Phone:	(916) 644-9102	SoftStop	TANGENTIAL; MASH, TL-3 Compliant	approved
Paul Kruse		Cell:				7 /2 /2018
15601 Dallas Parkway, Sui		Fax:				1 12 120 10
Addison TX	75001					
paul.kruse@trin.net		www.	valtir.com			
		(FLEXIBLE)				
Vendor Name / Addre	255			Product Name	Remarks	
Carsonite Composites		Phone:	(800) 648-7916	Flexguard Post System	Type 2; standard surface and soil/ground mount options available	approved
Cynthia Young		Cell:	(803) 940-1190			1 /17/2013
19845 US Highway 76	00400	Fax:	(803) 276-8940			
Newberry SC	29108					
cindy.young@valmont.com		www.	carsonite.com			
Pexco, LLC		Phone:	(253) 284-8000	FG 300 Complete Curb	MASH TL-3; Type 2; standard surface and soil/ground mount options available	approved
Craig Schulz		Cell:	(253) 284-8005			6 /19/2009
3110 70th Avenue East Tacoma WA	00101	Fax:	(253) 284-8080			
craig.schulz@pexco.com	98424					
C .			pexco.com			
Pexco, LLC		Phone:	(253) 284-8000	FG 300 Model EFX	Type 2; standard surface and soil/ground mount options available	approved
Craig Schulz 3110 70th Avenue East		Cell:	(253) 284-8005			6 /19/2009
Tacoma WA	98424	Fax:	(253) 284-8080			
craig.schulz@pexco.com	30424	www.	pexco.com			
Pexco, LLC		Phone:	(253) 284-8000	FG 300 Model PE	Type 2; standard surface and soil/ground mount	
Craig Schulz		Cell:	(253) 284-8005		options available	approvec 10/15/1999
3110 70th Avenue East		Fax:	(253) 284-8080			10/15/1999
Tacoma WA	98424	Tax.	(200) 204-0000			
craig.schulz@pexco.com		www.	pexco.com			
Pexco, LLC		Phone:	(253) 284-8000	FG 300 Model UR	Type 2; standard surface and soil/ground mount options available	approved
Craig Schulz		Cell:	(253) 284-8005		options available	10/15/1999
3110 70th Avenue East		Fax:	(253) 284-8080			
Tacoma WA	98424					
craig.schulz@pexco.com		www.	pexco.com			
Pexco, LLC		Phone:	(253) 284-8000	Flexi-Guide FG 348	Type XI sheeting is required.	approved
Craig Schulz		Cell:	(253) 284-8005	Ground Mount		9 /17/2020
3110 70th Ave. East		Fax:	(253) 284-8080			
Tacoma WA	98424		<i>i</i> . <i>c</i> .			
craig.schulz@pexco.com		www.	pexco.com/traffic			
Pexco, LLC		Phone:	(253) 284-8000	TSM Series		approved
Craig Schulz		Cell:	(253) 284-8005			9 /3 /2014
3110 70th Avenue East		Earr	(050) 004 0000			
Tacoma WA	98424	Fax:	(253) 284-8080			

619.02.01a	GL	JIDEPOSTS	(FLEXIBLE)				
Vendor Name	/ Addı	ress			Product Name	Remarks	
SHUR-TITE Produ	ucts		Phone:	(512) 218-9500	Driveable Del	Type 2; standard surface and surface/soil mount options available	approved
Gary Champ			Cell:				4 /30/2009
P.O. Box 965			Fax:	(512) 388-0417			
Hutto	ΤX	78634					
gary@shur-tite.co	m		www.	shur-tite.com			
SHUR-TITE Produ	ucts		Phone:	(512) 218-9500	Shur-Flex Guardrail Clamp	Type 2; standard surface and surface/soil mount options available	approved
Gary Champ			Cell:				4 /30/2009
P.O. Box 965	ТХ	78634	Fax:	(512) 388-0417			
Hutto gary@shur-tite.co		/0034		shur-tite.com			
SHUR-TITE Produ	ucts		Phone:	(512) 218-9500	Shur-Tite Cable Barrier	Type 2; standard surface and soil/ground mount options available	approved
Gary Champ P.O. Box 965			Cell:				4 /30/2009
Hutto	ТХ	78634	Fax:	(512) 388-0417			
gary@shur-tite.co		10001	www.	shur-tite.com			
SHUR-TITE Produ			Phono:	(510) 010 0500	Socket Mt Del	Type 2; standard surface and surface/soil mount	
Gary Champ	ucis		Phone:	(512) 218-9500	Socket Wit Dei	options available	approved
P.O. Box 965			Cell:				4 /30/2009
Hutto	ΤХ	78634	Fax:	(512) 388-0417			
gary@shur-tite.co	m		www.	shur-tite.com			
SHUR-TITE Produ	ucts		Phone:	(512) 218-9500	Surface Mt Del	Type 2; standard surface and surface/soil mount	approved
Gary Champ			Cell:			options and angled mounts	4 /30/2009
P.O. Box 965			Fax:	(512) 388-0417			+/00/2000
Hutto	ΤX	78634		(0.2) 000 0			
gary@shur-tite.co	m		www.	shur-tite.com			
Three D Traffic W	orks		Phone:	(877) 843-9757	TD 5500 Earthflex Del	Type 2; soil mount only	approved
Frank Dvoracek			Cell:	(323) 849-1316			12/3 /2002
430 North Varney		0.4 = 0.0	Fax:	(818) 841-5096			
Burbank	CA	91502					
sales@trafficwks.	com		www.	trafficwks.com			
Valtir, LLC			Phone:	(916) 644-9102	RT 360 HD BD Tub	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount	approved
Paul Kruse	0		Cell:			options available	10/5 /2008
15601 Dallas Park Addison	way, Su TX	75001	Fax:				
paul.kruse@trin.n		75001	14/14/14/	valtir.com			
•						The Original sector (17)	
Valtir, LLC			Phone:	(916) 644-9102	RT 360 HD Tub	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount	approved
Paul Kruse 15601 Dallas Parl	Way C.	uite 525	Cell:			options available	10/5 /2008
Addison	way, Su TX	75001	Fax:				
paul.kruse@trin.n			WWW	valtir.com			

Vendor Name / Addr	ess			Product Name	Remarks	
Valtir, LLC Paul Kruse		Phone:	(916) 644-9102	SH Barrier Replaceable	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount	approved
15601 Dallas Parkway, Su	ite 525	Cell:			options available	10/5 /2008
Addison TX	75001	Fax:				
paul.kruse@trin.net		www.	valtir.com			
Valtir, LLC		Phone:	(916) 644-9102	SH Dura Post	Type 2; minimum embedment depth: 430 mm (17	approved
Paul Kruse		Cell:			inches); standard surface and surface/soil mount options available	10/5 /2008
15601 Dallas Parkway, Su Addison TX	ite 525 75001	Fax:				
paul.kruse@trin.net		www.	valtir.com			
Valtir, LLC		Phone:	(916) 644-9102	SH K-Marker	Type 2; minimum embedment depth: 430 mm (17	approved
Paul Kruse		Cell:			inches); standard surface and surface/soil mount options available	10/5 /2008
15601 Dallas Parkway, Su	Dallas Parkway, Suite 525					10/0 /2000
Addison TX	75001	Fax:				
paul.kruse@trin.net		www.	valtir.com			
Valtir, LLC		Phone:	(916) 644-9102	SH Tubular	Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount	approved
Paul Kruse		Cell:			options available	10/5 /2008
-	601 Dallas Parkway, Suite 525					
Addison TX	75001					
			1.1			
paul.kruse@trin.net		www.	valtir.com			
619.02.01b OB			valtir.com IBLE, TYPE 2)			
				Product Name	Remarks	
619.02.01b OB Vendor Name / Addre Pexco, LLC				Product Name FG 300 Complete Curb	Remarks MASH TL-3; Type 2; standard surface and surface/soil mount options available	approved
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz		KERS (FLEX	IBLE, TYPE 2)		MASH TL-3; Type 2; standard surface and	approved 6 /19/2009
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East	ess	KERS (FLEX Phone:	IBLE, TYPE 2) (253) 284-8000		MASH TL-3; Type 2; standard surface and	
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA		KERS (FLEX Phone: Cell: Fax:	(253) 284-8000 (253) 284-8005 (253) 284-8080		MASH TL-3; Type 2; standard surface and	
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com	ess	KERS (FLEX Phone: Cell: Fax: www.	(253) 284-8000 (253) 284-8005 (253) 284-8080 (253) 284-8080 pexco.com	FG 300 Complete Curb	MASH TL-3; Type 2; standard surface and surface/soil mount options available	6 /19/2009
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC	ess	KERS (FLEX Phone: Cell: Fax: www. Phone:	(253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000		MASH TL-3; Type 2; standard surface and	6 /19/2009 approved
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com	ess	RERS (FLEX Phone: Cell: Fax: www. Phone: Cell:	(253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005	FG 300 Complete Curb	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount	6 /19/2009
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz	ess	KERS (FLEX Phone: Cell: Fax: www. Phone:	(253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000	FG 300 Complete Curb	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount	6 /19/2009 approved
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East	98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax:	(253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005	FG 300 Complete Curb	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount	6 /19/2009 approved
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA	98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax:	(253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com	FG 300 Complete Curb FG 300 Model PE	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz	98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com	FG 300 Complete Curb FG 300 Model PE	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East	98424 98424 98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(253) 284-8000 (253) 284-8005 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8005 (253) 284-8005 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000	FG 300 Complete Curb FG 300 Model PE	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009 approved
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA	98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	BLE, TYPE 2) (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8000 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005 (253) 284-8005 (253) 284-8080	FG 300 Complete Curb FG 300 Model PE	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009 approved
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East	98424 98424 98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	BLE, TYPE 2) (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8000 (253) 284-8005	FG 300 Complete Curb FG 300 Model PE FG 300 Model UR	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009 approved
619.02.01b OB Vendor Name / Addre Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com	98424 98424 98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	BLE, TYPE 2) (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8000 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005 (253) 284-8005 (253) 284-8080	FG 300 Complete Curb FG 300 Model PE	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009 approved
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com	98424 98424 98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www.	BLE, TYPE 2) (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8000 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com	FG 300 Complete Curb FG 300 Model PE FG 300 Model UR	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009 approved 6 /19/2009
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com	98424 98424 98424 98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	BLE, TYPE 2) (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000 pexco.com (253) 284-8000	FG 300 Complete Curb FG 300 Model PE FG 300 Model UR	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009 approved 6 /19/2009 approved
619.02.01b OB Vendor Name / Addr Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA craig.schulz@pexco.com	98424 98424 98424	KERS (FLEX Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	BLE, TYPE 2) (253) 284-8000 (253) 284-8005 (253) 284-8080 pexco.com (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000 (253) 284-8000 pexco.com (253) 284-8000 (253) 284-8000	FG 300 Complete Curb FG 300 Model PE FG 300 Model UR	MASH TL-3; Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available Type 2; standard surface and surface/soil mount options available	6 /19/2009 approved 6 /19/2009 approved 6 /19/2009 approved

Vendor Name / Address			IBLE, TYPE 2)	Product Name	Remarks	
	3					
Pexco, LLC		Phone:	(253) 284-8000	Type K Island Marker	Type 2; standard surface and surface/soil mount options available	approve
Craig Schulz		Cell:	(253) 284-8005			9 /13/2007
3110 70th Avenue East Tacoma WA 9	98424	Fax:	(253) 284-8080			
craig.schulz@pexco.com	0424	14/14/14/	pexco.com			
C .			-			<u>.</u>
SHUR-TITE Products		Phone:	(512) 218-9500	Shur-Flex Driveable	Type 2; standard surface and surface/soil mount options available	approved
Gary Champ P.O. Box 965		Cell:				2 /2 /2010
	78634	Fax:	(512) 388-0417			
gary@shur-tite.com		www.	shur-tite.com			
				TD 5315 K Markor	Type 2; standard surface and surface/soil mount	
Three D Traffic Works Frank Dvoracek		Phone:		TD 5215 K Marker	options available	approved
430 North Varney Street		Cell:	(323) 849-1316			12/3 /2002
•	91502	Fax:	(818) 841-5096			
sales@trafficwks.com		www.	trafficwks.com			
Valtir, LLC		Phone:	(916) 644-9102	RT 360 HD Bolt Down	Type 2; standard surface and surface/soil mount	2007000
Paul Kruse		Cell:			options available; minimum embedment depth: 430 mm (17 inches)	approveo 10/5 /2008
15601 Dallas Parkway, Suite	525	Fax:			· · ·	10/3/2000
Addison TX 7	75001	Tux.				
paul.kruse@trin.net		www.	valtir.com			
Valtir, LLC		Phone:	(916) 644-9102	RT 360 HD Tubular	Type 2; standard surface and surface/soil mount	approved
Paul Kruse		Cell:			options available; minimum embedment depth: 430 mm (17 inches)	10/5 /2008
15601 Dallas Parkway, Suite		Fax:				
	75001					
paul.kruse@trin.net		www.	valtir.com			
Valtir, LLC		Phone:	(916) 644-9102	SH Dura Post 36"	Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430	approved
Paul Kruse		Cell:			mm (17 inches)	10/5 /2008
15601 Dallas Parkway, Suite		Fax:				
Addison TX 7	75001					
aul.kruse@trin.net		www.valtir.com				
paul.kruse@trin.net						
Valtir, LLC		Phone:	(916) 644-9102	SH K-Marker Series	Type 2; standard surface and soil/ground mount options available	approved
Valtir, LLC Paul Kruse			(916) 644-9102	SH K-Marker Series		approved 10/5 /2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite		Phone:	(916) 644-9102	SH K-Marker Series		••
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite Addison TX 7	525 75001	Phone: Cell: Fax:	. ,	SH K-Marker Series		••
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite Addison TX 7 paul.kruse@trin.net		Phone: Cell: Fax: www.	valtir.com		options available	••
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite Addison TX 7 paul.kruse@trin.net Valtir, LLC		Phone: Cell: Fax: www. Phone:	valtir.com	SH K-Marker Series	options available Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430	••
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite Addison TX 7 paul.kruse@trin.net Valtir, LLC Paul Kruse	75001	Phone: Cell: Fax: www.	valtir.com		options available Type 2; standard surface and surface/soil mount	10/5 /2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite Addison TX 7 paul.kruse@trin.net Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite	75001	Phone: Cell: Fax: www. Phone:	valtir.com		options available Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430	10/5 /2008 approved

Vendor Name / Address			Product Name	Remarks	
Valtir, LLC Paul Kruse	Phone:	(916) 644-9102	SH Tubular	Type 2; standard surface and soil/ground mount options available	approve
Paul Kruse 15601 Dallas Parkway, Suite 525	Cell:				10/5 /2008
Addison TX 75001	Fax:				
paul.kruse@trin.net	www.	valtir.com			
623.02.08 SERVICE PEDE	STALS				
Vendor Name / Address			Product Name	Remarks	
Milbank Manufacturing Company	Phone:	(660) 463-0827	Metered Service Pedest	als	approve
Dave Stipe	Cell:	(714) 743-0712			1 /15/2002
4801 Deramus Avenue Kansas City MO 64120	Fax:				
dstipe@milbankmfg.com	www.	milbankmfg.com			
Myers Power Products	Phone:	(909) 923-1800	Service Pedestals	+UPS/BBS	
Diana Grootonk	Cell:	(949) 375-3399			approve 9 /5 /2000
2950 East Philadelphia Street	Fax:	(909) 923-1806			57572000
Ontario CA 91761		. ,			
quotes-PEDS@myerspower.com		myerspowerprodu			
Tesco Controls Incorporated	Phone:	(916) 395-8800	Tescoflex Service Pedestals		approved
Curt Vasey 8440 Florin Road	Cell:	(916) 765-0523	- Cucotalo		11/21/2002
Sacramento CA 95828	Fax:	(916) 403-0013			
cvasey@tescocontrols.com	www.	tescocontrols.cor	n		
623.02.12c HIGH MAST H	EAD FRAM	IE ASSEMBLY			
Vendor Name / Address			Product Name	Remarks	
Carolina High Mast	Phone:	(682) 286-0046	Series 426	Ext. 2156. Bottom latching	approve
Daniel Thomas	Cell:	(817) 586-9845			12/30/2003
700 East McLeroy Boulevard Suite A Saginaw TX 76179	Fax:	(682) 286-0086			
dthomas@chmindustries.com	www.	chmindustries.co	m		
Holophane Corporation	Phone:	(775) 431-4390	Series Holophane LD5	Bottom latching	
Michele Janson	Cell:	(110) 101 1000	Lighting Lowering D		approve 1 /2 /2004
1839 Dutchman Drive	Fax:				1 /2 /2004
Sparks NV 89434	T GA.				
michele.janson@acuitybrands.com	www.	holophane.com			
Stratus Products	Phone:	(817) 878-3141	Model 2060 with a	Bottom latching. Company is a division of Structural & Steel Products, Inc.	approve
Bill Shoemaker	Cell:	(800) 782-5804	lowering device		12/20/202
3900 Lubbock Avenue Fort Worth TX 76110	Fax:				
bill@s-steel.com	www.	s-steel.com			
623.02.16 DUCT SEALING	G COMPOL	JND			

Vendor Name / Address			Product Name	Remarks	
Ideal Industries Incorporated	Phone:	(800) 435-0705	Duct Seal		approve
Customer Service	Cell:				10/7 /2009
Becker Place	Fax:	(800) 533-4483			
Sycamore IL 60178		、 ,			
contactus@idealindustries.com	www.	idealind.com			
623.02.30e LOOP DETECT		NT			
Vendor Name / Address			Product Name	Remarks	
3M Automotive Aftermarket Division	Phone:	(651) 736-6952	5000 Rubberized Loop	Rubberized asphalt material	approved
Rebecca Zappala	Cell:				6 /16/2000
3M Center Bldg. 250-3E-02	Fax:				
St. Paul MN 55144					
rzappala@mmm.com	www.	3mcollision.com			
3M Automotive Aftermarket Division	Phone:	(651) 736-6952	P/N 606 Detector Loop	Rubberized asphalt material	approved
Rebecca Zappala	Cell:				6 /16/2000
3M Center Bldg. 250-3E-02	Fax:				
St. Paul MN 55144 rzappala@mmm.com	140404/	3mcollision.com			
Crafco, Inc.	Phone:	(602) 276-0406	271 Loop Detector	Rubberized asphalt material	approved
Angie Hoaglin 6165 W. Detroit Street	Cell:	(602) 418-9902			8 /5 /1998
Chandler AZ 85226	Fax:	(480) 961-0513			
angie.hoaglin@crafco.com	www.	crafco.com			
Crafco, Inc.	Phone:	(602) 276-0406	272 Loop Detector	Rubberized asphalt material	
Angie Hoaglin		()			approved
6165 W. Detroit Street	Cell:	(602) 418-9902			8 /5 /1998
Chandler AZ 85226	Fax:	(480) 961-0513			
angie.hoaglin@crafco.com	www.	crafco.com			
Durant Performance Coating, Inc.	Phone:	(800) 420-0021	Stat-a-Flex Polyester Loop	Polyester material	approved
Al Losanno	Cell:	(781) 289-1400			11/19/1996
112 Railroad Street	Fax:	(781) 289-1405			11/10/1000
Revere MA 02151		()			
alosanno@durantcorp.com	www.	durantcorp.com			
RAI Products Incorporated	Phone:	(704) 525-1852	Perm Sealer 974 Nitrile	Nitrile rubber material	approved
John Rosenblatt Jr.	Cell:	(704) 904-1481			12/19/1996
PO Box 240772	Fax:	(704) 525-1859			
Charlotte NC 28224					
john@raiproducts.com	www.	raiproducts.com			
RAI Products Incorporated	Phone:	(704) 525-1852	Pro Seal 6006 Polyester	Polyester material	approved
John Rosenblatt Jr.	Cell:	(704) 904-1481			12/19/1996
		()			
PO Box 240772 Charlotte NC 28224	Fax:	(704) 525-1859			

623.02.30e Vendor Name / A			OR SEALAI		Product Name	Remarks	
Reed & Graham Corr			Phone:	(408) 287-1400	Overkote Loop Filler	Asphaltic emulsion material	
Peter Fitzpatrick	прапу		Cell:	(408) 421-2833			approved
690 Sunol Street				(408) 294-3696			8 /5 /1998
San Jose	CA	95126	Fax:	(400) 294-3090			
peter@rginc.com			www.	rginc.com			
623.02.37	DY		SSAGE SIG	NS			
Vendor Name / A	Addr	ess			Product Name	Remarks	
Daktronics Incorporat	ited		Phone:	(605) 692-0200	Dynamic Message Signs	Type 1 and Type 2	approved
Kyle Niemeyer			Cell:	(970) 413-4978			1 /7 /2004
201 Daktronics Dr.			Fax:	(605) 697-4700			
0	SD	57006					
kyle.niemeyer@daktr	ronics	.com	www.	daktronics.com			
SES America, Inc.			Phone:	(781) 826-9706	Dynamic Message Signs	Type 1 and Type 2	approved
Chad Bodemann			Cell:	(781) 857-8819			6 /11/2020
720 Washington St. Pembroke	MA	02359	Fax:				
Fembloke				sunrisesesatech.			
cbodemann@sunrise	esesat	ecn.com	vv vv vv .	3011130303010011.	50111		
cbodemann@sunrise				3411136363466114	5011		
623.03.01	TR/	AFFIC SIGN		Sumsesesateon		Remarks	
623.03.01 Vendor Name / A	TR/	AFFIC SIGN	IALS		Product Name	Remarks	
623.03.01 Vendor Name / A Current by GE	TR/	AFFIC SIGN	IALS Phone:	(617) 817-1555		Remarks	
623.03.01 Vendor Name / A	TR/	AFFIC SIGN	IALS Phone: Cell:	(617) 817-1555	Product Name	Remarks	approvec 8 /7 /2019
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road	TR/	AFFIC SIGN	IALS Phone:		Product Name	Remarks	approvec 8 /7 /2019
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road	TR/ Addro	AFFIC SIGN ess	Phone: Cell: Fax:	(617) 817-1555	Product Name	Remarks	
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland	TR/ Addro	AFFIC SIGN ess	Phone: Cell: Fax:	(617) 817-1555 (954) 337-0633	Product Name	Must be intertek ETL verified to be compliant to the	8 /7 /2019
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c	TR/ Addro	AFFIC SIGN ess	IALS Phone: Cell: Fax: www.	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119	Product Name GTx LED Signal Modules		8 /7 /2019 approved
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation	TR/ Addro OH com	AFFIC SIGN ess	IALS Phone: Cell: Fax: www. Phone: Cell:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883	Product Name GTx LED Signal Modules LED 12" Signal Heads (all)	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	8 /7 /2019
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines	TR/ Addro OH com	AFFIC SIGN ess	IALS Phone: Cell: Fax: www. Phone: Cell:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119	Product Name GTx LED Signal Modules LED 12" Signal Heads (all)	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	8 /7 /2019 approved
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines 1501 Route 34 South Farmingdale	TR/ Addro OH com	AFFIC SIGN ess 44112	IALS Phone: Cell: Fax: www. Phone: Cell: Fax:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883	Product Name GTx LED Signal Modules LED 12" Signal Heads (all)	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	8 /7 /2019 approved
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines 1501 Route 34 South	TRA Addra OH com	AFFIC SIGN ess 44112	IALS Phone: Cell: Fax: www. Phone: Cell: Fax:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183	Product Name GTx LED Signal Modules LED 12" Signal Heads (all)	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow,	8 /7 /2019 approved 3 /26/2002
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.cc Dialight Corporation John Vines 1501 Route 34 South Farmingdale jvines@dialight.com	TRA Addra OH com	AFFIC SIGN ess 44112	IALS Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183 dialight.com	Product Name GTx LED Signal Modules LED 12" Signal Heads (all) 16"x18" Ped Signal Hea	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green	8 /7 /2019 approved 3 /26/2002
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.cc Dialight Corporation John Vines 1501 Route 34 South Farmingdale jvines@dialight.com Excellence Opto, Inc. Cheryl Huang 21858 Garcia Lane	TRA Addra OH com NJ	44112 07727	IALS Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183 dialight.com (909) 468-0550	Product Name GTx LED Signal Modules LED 12" Signal Heads (all) 16"x18" Ped Signal Hea	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	8 /7 /2019 approved 3 /26/2002 approved
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines 1501 Route 34 South Farmingdale jvines@dialight.com Excellence Opto, Inc. Cheryl Huang 21858 Garcia Lane City of Industry	TRA Addra OH com	AFFIC SIGN ess 44112	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183 dialight.com (909) 468-0550 (626) 823-8639	Product Name GTx LED Signal Modules LED 12" Signal Heads (all) 16"x18" Ped Signal Hea	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the	8 /7 /2019 approved 3 /26/2002 approved
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines 1501 Route 34 South Farmingdale jvines@dialight.com Excellence Opto, Inc. Cheryl Huang 21858 Garcia Lane City of Industry	TRA Addra OH com NJ	44112 07727	IALS Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183 dialight.com (909) 468-0550 (626) 823-8639	Product Name GTx LED Signal Modules LED 12" Signal Heads (all) 16"x18" Ped Signal Hea	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	8 /7 /2019 approved 3 /26/2002 approved
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines 1501 Route 34 South Farmingdale jvines@dialight.com Excellence Opto, Inc. Cheryl Huang 21858 Garcia Lane City of Industry vendor@eoius.com Excellence Opto, Inc.	CA	44112 07727	IALS Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183 dialight.com (909) 468-0550 (626) 823-8639 (909) 468-0554	Product Name GTx LED Signal Modules LED 12" Signal Heads (all) 16"x18" Ped Signal Hea	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	8 /7 /2019 approved 3 /26/2002 approved 6 /17/2008
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines 1501 Route 34 South Farmingdale jvines@dialight.com Excellence Opto, Inc. Cheryl Huang 21858 Garcia Lane City of Industry vendor@eoius.com Excellence Opto, Inc. Cheryl Huang	CA	44112 07727	IALS Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183 dialight.com (909) 468-0550 (626) 823-8639 (909) 468-0554 eoius.com	Product Name GTx LED Signal Modules LED 12" Signal Heads (all) 16"x18" Ped Signal Hea LED Traffic Signal	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green	8 /7 /2019 approved 3 /26/2002 approved
623.03.01 Vendor Name / A Current by GE Patrick Rossetti 1975 Noble Road E. Cleveland patrick.rossetti@ge.c Dialight Corporation John Vines 1501 Route 34 South Farmingdale jvines@dialight.com Excellence Opto, Inc. Cheryl Huang 21858 Garcia Lane City of Industry vendor@eoius.com	CA	44112 07727	IALS Phone: Cell: Fax: www.	(617) 817-1555 (954) 337-0633 led.com (732) 919-3119 (732) 751-5883 (732) 751-3183 dialight.com (909) 468-0550 (626) 823-8639 (909) 468-0554 eoius.com (909) 468-0550	Product Name GTx LED Signal Modules LED 12" Signal Heads (all) 16"x18" Ped Signal Hea LED Traffic Signal	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow,	8 /7 /2019 approved 3 /26/2002 approved 6 /17/2008 approved

	FFIC SIGNALS					
Vendor Name / Addre	SS			Product Name	Remarks	
Leotek Electronics USA, LL	C F	Phone:	(408) 380-1788	LED 12" Signal Heads (all)	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
Gail Lawrence		Cell:	(903) 399-8055	16"x18" Tinted Ped	specifications	4 /6 /2010
1955 Lundy Avenue	05404	Fax:	(408) 518-8128			
	95131		la ataly a am			
gail.lawrence@leotek.com		www.	leotek.com			
Leotek Electronics USA, LL	C F	Phone:	(903) 935-2695	TSL-12GA-IL6-A1-P3	Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
Gail Lawrence		Cell:	(903) 399-8055		specifications	9 /25/2017
1955 Lundy Avenue San Jose CA	95131	Fax:	(408) 518-8128			
gail.lawrence@leotek.com	90101		leotek.com			
Leotek Electronics USA, LL	C F	Phone:	(903) 935-2695	TSL-12G-LX-IL6-A1-P3	Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
Gail Lawrence		Cell:	(903) 399-8055		specifications	4 /2 /2015
1955 Lundy Avenue San Jose CA	95131	Fax:	(408) 518-8128			
gail.lawrence@leotek.com	00101	www.	leotek.com			
	^				Must be intertal: ETL varified to be complicating the	
otek Electronics USA, LLC il Lawrence		Phone:	()	TSL-12RA-IL6-A1-P3	Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
1955 Lundy Avenue		Cell:	(903) 399-8055		specifications	9 /25/2017
San Jose CA	95131	Fax:	(408) 518-8128			
gail.lawrence@leotek.com		www.	leotek.com			
Leotek Electronics USA, LL	C. F	Phone:	(903) 935-2695	TSL-12R-LX-IL6-A1-P3	Must be Intertek ETL verified to be compliant to the	
Gail Lawrence		Cell:	()		most current ITE VTCSH-LED or PTCSI-LED specifications	approved
1955 Lundy Avenue			(903) 399-8055 (408) 518-8128			4 /2 /2015
San Jose CA	95131	Fax:	(400) 510-0120			
gail.lawrence@leotek.com		www.	leotek.com			
Leotek Electronics USA, LL	C F	Phone:	(903) 935-2695	TSL-12YA-IL6-A1-P3	Must be Intertek ETL verified to be compliant to the	approved
Gail Lawrence		Cell:	(903) 399-8055		most current ITE VTCSH-LED or PTCSI-LED specifications	9 /25/2017
1955 Lundy Avenue		Fax:	(408) 518-8128			072072017
San Jose CA	95131		(100) 010 0120			
gail.lawrence@leotek.com		www.leotek.com				
Leotek Electronics USA, LL	C F	Phone:	(903) 935-2695	TSL-12Y-LX-IL6-A1-P3	Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
Gail Lawrence		Cell:	(903) 399-8055		specifications	4 /2 /2015
1955 Lundy Avenue		Fax:	(408) 518-8128			
	95131					
gail.lawrence@leotek.com		www.	leotek.com			
Leotek Electronics USA, LL	C F	Phone:	(408) 380-1788	TSL-PED-16-DIL 16" LED	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
Gail Lawrence		Cell:	(903) 935-8055	FH/MP Indication	specifications	4 /6 /2010
1955 Lundy Avenue	05404	Fax:	(408) 518-8128			
San Jose CA	95131					
gail.lawrence@leotek.com		www.	leotek.com			

Vendor Name / Address			Product Name	Remarks	
Leotek Electronics USA, LLC	Phone:	(408) 380-1788	TSL-PED-16-SPC-V1	Must be intertek ETL verified to be compliant to the	approve
Gail Lawrence	Cell:	(903) 935-8055		most current ITE VTCSH-LED or PTCSI-LED specifications. Replaced model TSL-PED-16-CIL-P1.	• •
1955 Lundy Avenue	Fax:	(408) 518-8128			5/50/2021
San Jose CA 95131	Tux.	(400) 010 0120			
gail.lawrence@liteon.com	https	://leotek.com/			
TraStar Incorporated	Phone:	(972) 480-0888	JXC-300HFT Series LED	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
Jennifer Murray	Cell:		Vehicular Lamps	specifications	11/6 /2012
860 North Dorothy Drive Suite 600 Richardson TX 75081	Fax:	(972) 480-8884			
jenniferm@trastarusa.com	www.	trastarusa.com			
TraStar Incorporated	Phone:	(972) 480-0888	JXJ300-07T	Must be intertek ETL verified to be compliant to the	approved
Jennifer Murray	Cell:			most current ITE VTCSH-LED or PTCSI-LED specifications	11/6 /2012
860 North Dorothy Drive Suite 600 Richardson TX 75081	Fax:	(972) 480-8884			
jenniferm@trastarusa.com	www.	trastarusa.com			
TraStar Incorporated	Phone:	(972) 480-0888	JXM 400 VIE Series	Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED	approved
Jennifer Murray	Cell:		Countdown Pedestrian Lamps	specifications	11/6 /2012
860 North Dorothy Drive Suite 600	Fax:	(972) 480-8884			
Richardson TX 75081	T GAL	(0.2)			
Richardson TX 75081 jenniferm@trastarusa.com		trastarusa.com			
	www.	trastarusa.com			
jenniferm@trastarusa.com	www.	trastarusa.com	Product Name	Remarks	
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN	www.	trastarusa.com	Product Name LT2000 SL120MOD	Remarks	approved
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address	www. NG FIXTURE	trastarusa.com		Remarks	approvec 9 /25/2017
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158	www. NG FIXTURE Phone:	trastarusa.com S (717) 235-2863		Remarks	••
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361	www. NG FIXTURE Phone: Cell: Fax:	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076		Remarks	••
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158	www. NG FIXTURE Phone: Cell: Fax:	trastarusa.com S (717) 235-2863 (717) 779-8628		Remarks	••
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F	www. IG FIXTURE Phone: Cell: Fax: www.	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com	LT2000 SL120MOD		••
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com	www. IG FIXTURE Phone: Cell: Fax: www.	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com		Remarks	••
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F	www. IG FIXTURE Phone: Cell: Fax: www.	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com	LT2000 SL120MOD		••
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend	www. NG FIXTURE Phone: Cell: Fax: www.	trastarusa.com S (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM	LT2000 SL120MOD Product Name		9 /25/2017
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863	LT2000 SL120MOD Product Name		9/25/2017 approved
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158 Shrewsbury PA 17361	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL S Phone: Cell: Fax:	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863 (717) 818-8203 (717) 235-5076	LT2000 SL120MOD Product Name		9/25/2017 approved
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL S Phone: Cell: Fax:	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863 (717) 818-8203	LT2000 SL120MOD Product Name		9/25/2017 approved
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158 Shrewsbury PA 17361 iris@lumitrak.com 623.05.26 RED LIGHT DI	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL S Phone: Cell: Fax: www.	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863 (717) 818-8203 (717) 235-5076	LT2000 SL120MOD Product Name Lumi Trak	Remarks	9/25/2017 approved
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158 Shrewsbury PA 17361 iris@lumitrak.com	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL S Phone: Cell: Fax: www.	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863 (717) 235-2863 (717) 818-8203 (717) 235-5076 lumitrak.com	LT2000 SL120MOD Product Name		9/25/2017 approved
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158 Shrewsbury PA 17361 iris@lumitrak.com 623.05.26 RED LIGHT DI Vendor Name / Address McCain Incorporated	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL S Phone: Cell: Fax: www.	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863 (717) 818-8203 (717) 235-5076	LT2000 SL120MOD Product Name Lumi Trak	Remarks	9/25/2017 approved
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158 Shrewsbury PA 17361 iris@lumitrak.com 623.05.26 RED LIGHT DI Vendor Name / Address McCain Incorporated Carol Jarvis-Murphy	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL Phone: Cell: Fax: www.	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863 (717) 235-2863 (717) 818-8203 (717) 235-5076 lumitrak.com	LT2000 SL120MOD Product Name Lumi Trak Product Name	Remarks	9 /25/2017 approved 10/11/2000
jenniferm@trastarusa.com 623.03.15 SIGN LIGHTIN Vendor Name / Address Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com 623.03.22 LUMINAIRE F Vendor Name / Address Lumi Trak Incorporated Iris Townsend PO Box 158 Shrewsbury PA 17361 iris@lumitrak.com 623.05.26 RED LIGHT DI Vendor Name / Address McCain Incorporated	www. IG FIXTURE Phone: Cell: Fax: www. RETRIEVAL S Phone: Cell: Fax: www. ETECTORS Phone:	trastarusa.com (717) 235-2863 (717) 779-8628 (717) 235-5076 lumitrak.com SYSTEM (717) 235-2863 (717) 818-8203 (717) 818-8203 (717) 235-5076 lumitrak.com [Umitrak.com] (760) 734-5027	LT2000 SL120MOD Product Name Lumi Trak Product Name	Remarks	9 /25/2017 approved 10/11/2000 approved

Vendor Name /	Addr	ess			Product Name	Remarks	
Artuk			Phone:	(847) 841-7050	FB33		
Gregg Schueler			Cell:	(847) 707-4698			approveo 2 /2 /1993
1200 Abbott Drive			Fax:	(847) 488-9154			27271993
Elgin	IL	60123	Tax.	(0-1) -00-010-			
sales@artukinc.com			https	://artukinc.com			
Artuk			Phone:	(847) 841-7050	FB34		approved
Gregg Schueler			Cell:	(847) 707-4698			12/28/2016
1200 Abbott Drive		00400	Fax:	(847) 488-9154			
Elgin	IL	60123	latter o				
sales@artukinc.com				://artukinc.com			
Artuk			Phone:	(847) 841-7050	FT - Flex Tab		approved
Gregg Schueler 1200 Abbott Drive			Cell:	(847) 707-4698			12/28/2016
Elgin	IL	60123	Fax:	(847) 488-9154			
sales@artukinc.com			https	://artukinc.com			
win Hodson Company			Phone:	(503) 419-4624	A-Shape Highway Traffic	Epoxy shall be used for fastening the reflective	approved
Gary Johnson			Cell:	(503) 709-6608	Reflector	marker to the top of the concrete barrier rail. Alt contacts: Mark McDonald (503) 419-4629	5 /7 /2015
2838 SE 9th Ave			Fax:	(503) 239-5304		markmc@ihco.com or Nick McDonald (503) 572- 0012 nickmc@ihco.com.	01112010
Portland	OR	97202		. ,			
garyj@ihco.com			www.	irwinhodson.com			
Irwin Hodson Compa	iny		Phone:	(503) 419-4624	Barrier Traffic Reflector Series	Alt contacts: Mark McDonald (503) 419-4629 markmc@ihco.com or Nick McDonald (503) 572-	approved
Gary Johnson			Cell:	(503) 709-6608	Series	0012 nickmc@ihco.com.	9 /3 /2013
2838 SE 9th Ave Portland	OR	97202	Fax:	(503) 239-5304			
garyj@ihco.com	••••	0.202	www.	ihco.com			
Pexco, LLC			Phone:	(253) 284-8000	DAPCO Straight Guardrail	Type II; standard surface and soil/ground mount	
Craig Schulz			Cell:	(253) 284-8005	Reflector Plates	options available	approvec 1 /9 /1995
3110 70th Avenue E	ast			(253) 284-8080			1/9/1990
Tacoma	WA	98424	Tux.	(200) 204-0000			
craig.schulz@pexco.	com		www.	pexco.com			
Pexco, LLC			Phone:	(253) 284-8000	PCBM 12H High Impact	Type II; standard surface and soil/ground mount options available	approved
Craig Schulz			Cell:	(253) 284-8005			11/3 /2009
3110 70th Avenue E		00404	Fax:	(253) 284-8080			
Tacoma	WA	98424		nevco com			
craig.schulz@pexco.	COLLI			pexco.com		T H L L L H L L H	
Pexco, LLC			Phone:	(253) 284-8000	PCBM T12H High Impact	Type II; standard surface and soil/ground mount options available	approved
Craig Schulz 3110 70th Avenue E	ast		Cell:	(253) 284-8005			11/3 /2009
	WA	98424	Fax:	(253) 284-8080			
Tacoma	VVA						

625.02.02 M/	ARKERS (R	EFLECTIVE (ON CONCRETE	BARRIER RAILS)		
Vendor Name / Addr	ress			Product Name	Remarks	
RetroFlex, LLC		Phone:	(916) 305-8687	RF3N1 RetroFlex Reflector	r	approved
Terry Anest		Cell:	(916) 305-8687			6 /11/2020
6185 Element Lane Roseville CA	95747	Fax:				
tanest@retroflexllc.com		www.	retroflexllc.com			
SHUR-TITE Products		Phone:	(512) 218-9500	Trafco CTB16 Concrete	Do not use Type III sheeting	approved
Gary Champ		Cell:		Barrier Wall Flex Delineator		12/10/2020
P.O. Box 965 Hutto TX	78634	Fax:	Defineator			
gary@shur-tite.com	10004	www.	shur-tite.com			
SHUR-TITE Products		Phone:	(512) 218-9500	Trafco CTB3 Concrete	Do not use Type III sheeting	approved
Gary Champ		Cell:		Barrier Wall Flex Delineator		12/10/2020
P.O. Box 965	70004	Fax:		Demicator		
Hutto TX gary@shur-tite.com	78634	14/14/14/	shur-tite.com			
Three D Traffic Works		Phone:	(877) 843-9757	TD 9300 Roadguide		approved
Frank Dvoracek 430 North Varney Street		Cell:	(323) 849-1316			12/3 /2002
Burbank CA	91502	Fax:	(818) 841-5096			
sales@trafficwks.com		www.	trafficwks.com			
Three D Traffic Works		Phone:	(877) 843-9757	TD 9400 Roadguide		approved
Frank Dvoracek		Cell:	(323) 849-1316			12/3 /2002
430 North Varney Street Burbank CA	91502	Fax:	(818) 841-5096			
sales@trafficwks.com		www.	trafficwks.com			

Vendor N	Vendor Name / Address			Product Name	Remarks		
No Vendors	s at this time		Phone:	***	MASH-16 crash testing standards are in effect for this category on 12/31/19. Awaiting submission of	approved	
***			Cell:		qualifying products from Industry to repopulate category.	12/31/2019	
***	**	***	Fax:				

625.02.04	IMPACT ATT	ENUATOR (TEMPORAR	Y)		
Vendor Name	e / Address		Product Name	Remarks	
Hill & Smith, Inc.		Phone: (614) 340-62	94 SCI100GM	MASH TL-3. Install per manufacture recommendations.	approved
Cecil Brown		Cell:		recommendations.	2 /23/2007
987 Buckeye Pa	rk Road	Fax:			_ / _ 0 / _ 0 0 /
Columbus	OH 43207	Τ άλ.			
cecil.brown@hill	andsmith.com	www.hillandsmith.c	om		

625.02.04 IMPACT ATTEI	NUATOR (TEMPORARY)			
Vendor Name / Address			Product Name	Remarks	
Lindsay Transportation Solutions, LLC	Phone:	(707) 374-6800	ABSORB-M Non-	MASH TL-3; water fiilled. Install per manufacture recommendations.	approved
_arry Savage	Cell:	(916) 474-9644	Redirective Crash Cushion	recommendations.	9 /17/2019
180 River Road Rio Vista CA 94571	Fax:	(707) 374-6801			
arry.savage@lindsay.com	www.	barriersystemsing	c.com		
Lindsay Transportation Solutions, LLC	Phone:	(707) 374-6800	Universal TAU-M	MASH TL-3. Install per manufacture recommendations.	approved
arry Savage	Cell:	(916) 474-9644			7 /22/2019
180 River Road Rio Vista CA 94571	Fax:	(707) 374-6801			
arry.savage@lindsay.com	www.	lindsay.com/trans	sportation-solutions		
TrafFix Devices, Inc.	Phone:	(949) 361-5663	Delta Crash Cushion	MASH TL-3; https://www.traffixdevices.com/products/attenuators/d	approved
Howard Tolliver	Cell:	(859) 469-0364		elta	12/20/2021
160 Avenida La Pata	Fax:				
San Clemente CA 92673					
ntolliver@traffixdevices.com	see re	emarks			
TrafFix Devices, Inc.	Phone:	(801) 979-7099	Sentry Longitudinal Energy Dissipater (SLED)	MASH TL-3; water-filled. Install per manufacture recommendations.	approved
Cary LeMonds	Cell:		Lifergy Dissipater (SEED)		4 /9 /2020
160 Avenida La Pata San Clemente CA 92673	Fax:	(949) 573-9290			
CLeMonds@TrafFixDevices.com	www.	TrafFixDevices.co	m		
Valtir, LLC	Phone:	(916) 644-9102	QuadGuard Elite M10	MASH TL-3; 24 and 69 inch widths approved; Install	approved
Paul Kruse	Cell:			per manufacturer's recommendations.	3 /11/2021
15601 Dallas Parkway, Suite 525	Fax:				3/11/2021
Addison TX 75001	T GA.				
paul.kruse@trin.net	www.	valtir.com			
√altir, LLC	Phone:	(916) 644-9102	QuadGuard M Wide	MASH TL-3; Install per manufacture recommendations.	approved
Paul Kruse	Cell:				3 /11/2021
15601 Dallas Parkway, Suite 525 Addison TX 75001	Fax:				
paul.kruse@trin.net	www.	valtir.com			
/altir, LLC	Phone:	(916) 644-9102	QuadGuard M10	MASH TL-3. Install per manufacture recommendations.	approved
Paul Kruse	Cell:				3 /27/2019
15601 Dallas Parkway, Suite 525 Addison TX 75001	Fax:				
paul.kruse@trin.net	www.	valtir.com			

Vendor Nam		ENDATOR (TRUCK	Product Name	Remarks	
Gregory Industr Rick Mauer 4100 13th Stree Canton	,	Phone: (330) Cell: Fax: (330)	477-4800 TTMA-200 Trailer Truck Mounted Attenuator 477-0626	MASH TL-3. Trailer Mounted - Min. support vehicle weight of 10,000lbs (4,535.9kg), Max. support vehicle weight: unlimited. Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.	approved 9 /17/2019
rmauer@gregor	yhighway.com	www.gregory	highway.com		

Vendor Name / Address			Product Name	Remarks	
TrafFix Devices, Inc.	Phone:	(801) 979-7099	Scorpion II TA	MASH TL-3, trailer-mounted	approved
Cary W. LeMonds	Cell:	(949) 361-5663			4 /1 /2020
2267 East Crimson Ridge Drive Saint George UT 84790	Fax:	(949) 573-9290			
CLeMonds@TrafFixDevices.com	www.	traffixdevices.con	n		
TrafFix Devices, Inc.	Phone:	(801) 979-7099	Scorpion II TMA	MASH TL-3	approved
Cary W. LeMonds	Cell:	(949) 361-5663			1 /27/2019
2267 East Crimson Ridge Drive Saint George UT 84790	Fax:	(949) 573-9290			
CLeMonds@TrafFixDevices.com	www.	traffixdevices.con	n		
Valtir, LLC	Phone:	(916) 644-9102	SMT	MASH TL-3, trailer mounted	approved
Paul Kruse	Cell:				9 /17/2020
15601 Dallas Parkway, Suite 525	Fax:				
Addison NV 75001					
paul.kruse@trin.net		valtir.com			
Valtir, LLC	Phone:	(916) 644-9102	SS180M	MASH TL-3	approved
Paul Kruse	Cell:				9 /17/2020
15601 Dallas Parkway, Suite 525 Addison NV 75001	Fax:				
paul.kruse@trin.net	\A/\A/\A/	valtir.com			
			21425 2144	MAQUITE 2 AUE: 24645920000	
Verdegro USA, LLC	Phone:	(786) 408-5709	BLADE TMA	MASH TL-3. Alt# is +31615839389.	approved
Herman Harderwijk 1700 W. Irving Park Road, Suite 302	Cell:				7 /22/2019
Chicago IL 60613	Fax:	(786) 431-3097			
sales@verdegro.com	www.	BLADE-TMA.com	and www.verdegro.		
625.02.06 ALTERNATIVE	PORTABL	E BARRIER RAI	L		
Vendor Name / Address			Product Name	Remarks	
	Phone:	(540) 439-8911	J-J Hooks Portable	Remarks MASH TL-3; Freestanding, Pinned, or Bolted.	approved
Vendor Name / Address		(540) 439-8911			
Vendor Name / Address Easi-Set Worldwide	Cell:	(540) 272-7267	J-J Hooks Portable		approved 4 /1 /2020
Vendor Name / Address Easi-Set Worldwide Chris Reese		. ,	J-J Hooks Portable		approvec 4 /1 /2020
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400	Cell: Fax:	(540) 272-7267	J-J Hooks Portable Concrete Barrier Rail		
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728	Cell: Fax:	(540) 272-7267 (540) 439-2541	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com	MASH TL-3; Freestanding, Pinned, or Bolted. MASH TL-3 compliant. Install freestanding or pinned	4 /1 /2020
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com Hill & Smith, Inc. Cecil Brown	Cell: Fax: www.	(540) 272-7267 (540) 439-2541 easiset.com and	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com	MASH TL-3; Freestanding, Pinned, or Bolted.	
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com Hill & Smith, Inc. Cecil Brown 987 Buckeye Park Road	Cell: Fax: www. Phone:	(540) 272-7267 (540) 439-2541 easiset.com and	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com	MASH TL-3; Freestanding, Pinned, or Bolted. MASH TL-3 compliant. Install freestanding or pinned	4 /1 /2020 approved
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com Hill & Smith, Inc. Cecil Brown 987 Buckeye Park Road Columbus OH 43207	Cell: Fax: www. Phone: Cell: Fax:	(540) 272-7267 (540) 439-2541 easiset.com and (614) 340-6294	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com	MASH TL-3; Freestanding, Pinned, or Bolted. MASH TL-3 compliant. Install freestanding or pinned	4 /1 /2020 approved
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com Hill & Smith, Inc. Cecil Brown 987 Buckeye Park Road Columbus OH 43207 cecil.brown@hillandsmith.com	Cell: Fax: www. Phone: Cell: Fax: www.	(540) 272-7267 (540) 439-2541 easiset.com and (614) 340-6294 hillandsmith.com	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com ZoneBloc +	MASH TL-3; Freestanding, Pinned, or Bolted. MASH TL-3 compliant. Install freestanding or pinned per manufactures requirements.	4 /1 /2020 approved
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com Hill & Smith, Inc. Cecil Brown 987 Buckeye Park Road Columbus OH 43207 cecil.brown@hillandsmith.com Hill and Smith, Inc.	Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(540) 272-7267 (540) 439-2541 easiset.com and (614) 340-6294	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com	MASH TL-3; Freestanding, Pinned, or Bolted. MASH TL-3 compliant. Install freestanding or pinned	4 /1 /2020 approved
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com Hill & Smith, Inc. Cecil Brown 987 Buckeye Park Road Columbus OH 43207 cecil.brown@hillandsmith.com Hill and Smith, Inc. Cecil Brown	Cell: Fax: www. Phone: Cell: Fax: www.	(540) 272-7267 (540) 439-2541 easiset.com and (614) 340-6294 hillandsmith.com	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com ZoneBloc +	MASH TL-3; Freestanding, Pinned, or Bolted. MASH TL-3 compliant. Install freestanding or pinned per manufactures requirements.	4 /1 /2020 approved 1 /11/2022 approved
Vendor Name / Address Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com Hill & Smith, Inc. Cecil Brown 987 Buckeye Park Road Columbus OH 43207 cecil.brown@hillandsmith.com Hill and Smith, Inc.	Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(540) 272-7267 (540) 439-2541 easiset.com and (614) 340-6294 hillandsmith.com	J-J Hooks Portable Concrete Barrier Rail www.jjhooks.com ZoneBloc +	MASH TL-3; Freestanding, Pinned, or Bolted. MASH TL-3 compliant. Install freestanding or pinned per manufactures requirements.	4 /1 /2020 approved 1 /11/2022

Vendor Name / Address			Product Name	Remarks	
Valtir, LLC	Phone:	(312) 705-8424	HighwayGuard	MASH TL-3; install per manufacturer's	approved
Jim Thonn	Cell:			recommendations.	9 /20/2021
15601 Dallas Parkway, Suite 525	Fax:				
Addison TX 75001					
jim.thonn@trin.net	www.	valtir.com			
Valtir, LLC	Phone:	(888) 323-6374	HighwayGuard MDS	MASH TL-3	approved
Joe Duque	Cell:				3 /15/2023
15601 Dallas Parkway, Suite 525 Addison TX 75001	Fax:				
joseph.duque@valtir.com		valtir.com			
Valtir, LLC	Phone:	(888) 323-6374	HighwayGuard Soil	MASH TL-3	approved
Joe Duque	Cell:				3 /15/2023
15601 Dallas Parkway, Suite 525 Addison TX 75001	Fax:				
joseph.duque@valtir.com	www.	valtir.com			
625.02.07 PORTABLE BE					
Vendor Name / Address		TI STSTEIVI	Product Name	Remarks	
				nemark5	
K&K Systems Incorporated	Phone:	(888) 414-3003	Safety Beacon Light		approved
Alice Bingham 687 Palmetto Road	Cell:	(662) 566-2025			1 /6 /1998
Tupelo MS 38801	Fax:	(662) 566-7123			
ali@k-ksystems.com	www	k-ksystems.com			
625.03.03 SIGN SUPPOR	KI SYSTEIVI				
625.03.03 SIGN SUPPOR Vendor Name / Address	KI SYSTEM		Product Name	Remarks	
	Phone:	(800) 521-6776	Product Name 50SM-NS	Remarks MASH TL-3. Roll-up signs only.	approved
Vendor Name / Address Marketing Displays International Eric Larson		(800) 521-6776			approved 9 /17/2020
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road	Phone:	(800) 521-6776 (248) 488-5700			
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331	Phone: Cell: Fax:	(248) 488-5700	50SM-NS		
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road	Phone: Cell: Fax:	. ,	50SM-NS		
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety	Phone: Cell: Fax:	(248) 488-5700	50SM-NS		9 /17/2020
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety Michael Burke	Phone: Cell: Fax: www.	(248) 488-5700 mditrafficcontrol.	50SM-NS	MASH TL-3. Roll-up signs only.	9 /17/2020 approved
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety Michael Burke 1845 Anunsen St. NE	Phone: Cell: Fax: www. Phone:	(248) 488-5700 mditrafficcontrol. (206) 818-9277	50SM-NS	MASH TL-3. Roll-up signs only.	9 /17/2020 approved
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety Michael Burke 1845 Anunsen St. NE Salem OR 97301	Phone: Cell: Fax: www. Phone: Cell: Fax:	(248) 488-5700 mditrafficcontrol. (206) 818-9277 (800) 333-5641 (800) 695-6054	50SM-NS	MASH TL-3. Roll-up signs only.	9 /17/2020 approved
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety Michael Burke 1845 Anunsen St. NE Salem OR 97301 mike@dicketool.com	Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(248) 488-5700 mditrafficcontrol. (206) 818-9277 (800) 333-5641 (800) 695-6054 dicketool.com	50SM-NS com UF2000w	MASH TL-3. Roll-up signs only. MASH TL-3. Roll-up signs only.	9 /17/2020 approved 12/10/2020
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety Michael Burke 1845 Anunsen St. NE Salem OR 97301 mike@dicketool.com Plasticade	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(248) 488-5700 mditrafficcontrol. (206) 818-9277 (800) 333-5641 (800) 695-6054 dicketool.com (800) 772-0355	50SM-NS com UF2000w	MASH TL-3. Roll-up signs only.	9 /17/2020 approved 12/10/2020 approved
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety Michael Burke 1845 Anunsen St. NE Salem OR 97301 mike@dicketool.com Plasticade Henry Ross	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell:	(248) 488-5700 mditrafficcontrol. (206) 818-9277 (800) 333-5641 (800) 695-6054 dicketool.com	50SM-NS com UF2000w Plasticade SS300 Compac	MASH TL-3. Roll-up signs only. MASH TL-3. Roll-up signs only.	9 /17/2020 approved 12/10/2020
Vendor Name / Address Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com Pacific Safety dba Dicke Safety Michael Burke 1845 Anunsen St. NE Salem OR 97301 mike@dicketool.com	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(248) 488-5700 mditrafficcontrol. (206) 818-9277 (800) 333-5641 (800) 695-6054 dicketool.com (800) 772-0355	50SM-NS com UF2000w Plasticade SS300 Compac	MASH TL-3. Roll-up signs only. MASH TL-3. Roll-up signs only.	approved 12/10/2020 approved

625.03.03 SIGN SI	UPPORT SYSTEM				
Vendor Name / Address			Product Name	Remarks	
Plasticade	Phone:	(800) 772-0355	Plasticade SS300A	MASH TL-3. Roll-up signs only.	approved
Henry Ross	Cell:	(773) 294-4942	Compact Sign Stand		9 /17/2020
100 Howard Avenue	Fax:				
Des Plaines IL 600					
hross@plasticade.com	www.	plasticade.com			
Plasticade	Phone:	(800) 772-0355	Plasticade SS310 Sign	MASH TL-3. Roll-up signs only.	approved
Henry Ross	Cell:	(773) 294-4942	Stand		9 /17/2020
100 Howard Avenue	Fax:				
Des Plaines IL 600					
hross@plasticade.com	www.	plasticade.com			
Plasticade	Phone:	(800) 772-0355	Plasticade SS340A Double	MASH TL-3. Roll-up signs only.	approved
Henry Ross	Cell:	(773) 294-4942	Spring Sign Stand		9 /17/2020
100 Howard Avenue	Fax:				
Des Plaines IL 600					
hross@plasticade.com	www.	plasticade.com			
Plasticade	Phone:	(800) 772-0355	Plasticade SS410A	MASH TL-3. Roll-up signs only.	approved
Henry Ross	Cell:	(773) 294-4942	Springless Sign Stand		9 /17/2020
100 Howard Avenue	Fax:				
Des Plaines IL 600					
hross@plasticade.com	www.	plasticade.com			
Plasticade	Phone:	(800) 772-0355	Plasticade SS420A Double	MASH TL-3	approved
Henry Ross	Cell:	(773) 294-4942	Spring Sign Stand		9 /17/2020
100 Howard Avenue	Fax:				
Des Plaines IL 600					
hross@plasticade.com	www.	plasticade.com			
Plasticade	Phone:	(800) 772-0355	Plasticade SS520 "Big Dog" Sign Stand	MASH TL-3. Roll-up signs only.	approved
Henry Ross	Cell:	(773) 294-4942	Dog Sign Stand		9 /17/2020
100 Howard Avenue	Fax:				
Des Plaines IL 600					
hross@plasticade.com	www.	plasticade.com			
TrafFix Devices, Inc.	Phone:	(801) 979-7099	Zephyr Portable Stand	MASH TL-3. Must conform to section 716. Dibond substrate is allowed only with stands specified by	approved
Cary LeMonds	Cell:			FHWA letters of acceptance.	3 /22/2000
160 Avenida La Pata San Clemente CA 926	Fax:	(949) 573-9290			
		troffind on is on som			
clemonds@traffixdevices.com	www.	traffixdevices.con	1		
625.03.04 BARRIC	CADES				
Vendor Name / Address			Product Name	Remarks	
Crashworthy Traffic Control, LLC	C Phone:	(626) 500-3800	Crashworthy MASH	MASH TL-3; Type I and Type II, with or without signs and/or light.	approved
Juan Banuelos	Cell:	(626) 662-7094	Barricade	anoror light.	6 /15/2022
2265 Highland Vista Drive	Fax:				
Arcadia CA 910	006				
juanbanuelos88@gmail.com	crash	worthy.net			

625.03.04 BARRICADES					
Vendor Name / Address			Product Name	Remarks	
Crashworthy Traffic Control, LLC	Phone:	(626) 500-3800	Crashworthy MASH	MASH TL-3; Type III with or without signs and/or light.	approved
Juan Banuelos	Cell:	(626) 662-7094	Barricade / Sign Support System		6 /15/2022
2265 Highland Vista Drive	Fax:		oyotenii (
Arcadia CA 91006					
juanbanuelos88@gmail.com	www.	crashworthy.net			
Pexco, LLC	Phone:	(253) 284-8000	Barricade	Type 3B; with or without lights	approved
Craig Schulz	Cell:	(253) 284-8005			11/5 /2009
3110 70th Avenue East Tacoma WA 98424	Fax:	(253) 284-8080			
craig.schulz@pexco.com	www.	pexco.com			
		-	Diacticado Angle Iron Turo	Tuno 3	
Plasticade Henry Ross	Phone:	(800) 772-0355	Plasticade Angle Iron Type III Barricade	a Type 3	approved
100 Howard Avenue	Cell:	(773) 294-4942			12/31/2012
Des Plaines IL 60018	Fax:	(847) 966-8074			
hross@plasticade.com	www.	plasticade.com			
Plasticade	Phone:	(800) 772-0355	Plasticade Telespar Type	Туре 3	approved
Henry Ross	Cell:	(773) 294-4942	III Barricade		12/31/2012
100 Howard Avenue	Fax:	(847) 966-8074			
Des Plaines IL 60018					
hross@plasticade.com	www.	plasticade.com			
Plasticade	Phone:	(800) 772-0355	Sentinel	Туре 3	approved
Henry Ross	Cell:	(773) 294-4942			2 /21/2007
100 Howard Avenue Des Plaines IL 60018	Fax:	(847) 966-8074			
hross@plasticade.com	www.	plasticade.com			
PSS	Phone:		Anchor Mast Barricade	Type 3; with or without lights	
Benjamin Gascoigne		(800) 662-6338	Anchor Mast Barricade	Type o, with or without lights	approved
2444 Baldwin Road	Cell:	(216) 658-7556			5 /5 /2010
Cleveland OH 44104	Fax:	(216) 231-2702			
bwg1@PSS-Innovations.com	www.	PSS-Innovations.	com		
PSS	Phone:	(800) 662-6338	LaneGard 3	MASH TL-3; Type 3	approved
Benjamin Gascoigne	Cell:	(216) 658-7556			6 /11/2020
2444 Baldwin Road	Fax:	(216) 231-2702			5,11/2020
Cleveland OH 44104					
bwg1@pss-innovations.com	pss-ir	novations.com			
627.02.01 THERMOPLAS	STIC SIGN P	ANELS			
Vendor Name / Address			Product Name	Remarks	
No Vendors at this Time	Phone:		***		approved
***	Cell:				11/4 /2008
*** ***	Fax:				
000					

Vendor Name / Address			Product Name	Remarks	
Carsonite Composites Int'l	Phone:	(800) 648-7916	Modular Guidance System)	approve
Cynthia Young	Cell:	(803) 940-1190			10/1 /2008
19845 US Highway 76	Fax:	(803) 276-8940			
Newberry SC 29108					
cindy.young@valmont.com	www.	carsonite.com			
Flexstake Incorporated	Phone:	(800) 348-9839	Glare Screen System		approved
Robert K. Hughes, Jr.	Cell:	(239) 481-3539			7 /31/1996
2150 Andrea Lane #C Ft Meyers FL 33912	Fax:	(239) 482-3539			
jim@flexstake.com	www.	flexstake.com			
Plasticade	Phone:	(800) 772-0355	Plasticade Modular Glare		approved
Henry Ross	Cell:	(773) 294-4942	Screen		6 /11/2020
100 Howard Avenue	Fax:	、 ,			• • • • • • • • • • •
Des Plaines IL 60018					
hross@plasticade.com	www.	plasticade.com			
Valtir, LLC	Phone:	(916) 644-9102	Glare Screen System		approved
Paul Kruse 15601 Dallas Parkway, Suite 525	Cell:				7 /31/1996
1500 I Dallas Farkway, Suite 525	Fax:				
Addison TX 75001					
paul.kruse@trin.net		valtir.com			
Addison TX 75001 paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address			Product Name	Remarks	
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address	OMETER	S		Remarks 10/08 LTL 2000 Geometry Retroreflectometer was	
paul.kruse@trin.net 632.03.05 RETROREFLECT	OMETER Phone:	S (800) 331-8118	Product Name LTL-2000 discontinuing		approved
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc.	OMETER Phone: Cell:	S (800) 331-8118 (336) 477-8363		10/08 LTL 2000 Geometry Retroreflectometer was	approved 6 /1 /1999
paul.kruse@trin.net 632.03.05 RETROREFLECT <i>Vendor Name / Address</i> Ennis-Flint, Inc. QPL Administrator	OMETER Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363 (336) 475-7900	LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was	
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370	OMETER Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363	LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was	
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dI-QPLAdmin@ppg.com Ennis-Flint, Inc.	OMETER Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint	LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator	OMETER Phone: Cell: Fax: https	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint	LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370	OMETER Phone: Cell: Fax: https Phone:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118	LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator	OMETER Phone: Cell: Fax: https Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved
paul.kruse@trin.net 632.03.05 RETROREFLECT <i>Vendor Name / Address</i> Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com dl-QPLAdmin@ppg.com	OMETER Phone: Cell: Fax: https Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999
paul.kruse@trin.net 632.03.05 RETROREFLECT <i>Vendor Name / Address</i> Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410	OMETER Phone: Cell: Fax: https Phone: Cell: Fax: https Phone:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999 approved
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370	OMETER Phone: Cell: Fax: https Phone: Cell: Fax: https	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410	OMETER Phone: Cell: Fax: https Phone: Cell: Fax: https Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 477-8363 (336) 475-7900	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/ LTL-X Mark II	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999 approved
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370	OMETER Phone: Cell: Fax: https Phone: Cell: Fax: https Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/ LTL-X Mark II	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999 approved
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Mirolux Products Incorporated	OMETER Phone: Cell: Fax: https Phone: Cell: Fax: https Phone: Cell: Fax:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 477-8363 (336) 477-8363 (336) 477-8363 (336) 475-7900 ://www.ennisflint	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/ LTL-X Mark II	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999 approved
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Mirolux Products Incorporated William Kaiser	OMETER Phone: Cell: Fax: https Phone: Cell: Fax: https Phone: Cell: Fax: https	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 477-8363 (336) 477-8363 (336) 477-8363 (336) 475-7900 ://www.ennisflint	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/ LTL-X Mark II	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999 approved 9 /25/2017
paul.kruse@trin.net 632.03.05 RETROREFLECT Vendor Name / Address Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Mirolux Products Incorporated	OMETER Phone: Cell: Fax: https Phone: Cell: Fax: https Phone: Cell: Fax: https Phone:	S (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 331-8118 (336) 477-8363 (336) 477-8363 (336) 477-8363 (336) 477-8363 (336) 475-7900 ://www.ennisflint	LTL-2000 discontinuing .com/ LTL-X 30 Meter Geometry .com/ LTL-X Mark II	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies	6 /1 /1999 approved 6 /1 /1999 approved 9 /25/2017 approved

Vendor Name / Address			Product Name	Remarks	
RetroTekUSA, Inc.	Phone:	(469) 619-0899	RetroTek-D	Alt phone +353 87 2555376.	
Joe Turley	Cell:	(100) 010 0000			approved
8 The Green, Suite #13817	Fax:				3 /15/2023
Dover DE 1990					
jturley@retrotekusa.com	www.	retrotekusa.com			
RoadVista	Phone:	(858) 279-6044	LaserLux CEN 30	10/08 MX 30 Retroreflectometer was discontinued	approved
Eric Nelson	Cell:	(800) 637-2758	LaserLux CEN 30 Mobile	but still qualifies; 12/16 CEN 30 both the mobile and portable units have been discontinued but still qualify.	12/5 /2016
9925 Carroll Canyon Road	Fax:	(858) 576-9286			
San Diego CA 9213					
enelson@roadvista.com	www.	roadvista.com			
RoadVista	Phone:	(858) 279-6044	LaserLux G7 Mobile		approved
Eric Nelson	Cell:	(800) 637-2758			9 /25/2017
9925 Carroll Canyon Road San Diego CA 9213	Fax:	(858) 576-9286			
enelson@roadvista.com		roadvista.com			
			Chulm a Marshan Caula a L		
RoadVista Eric Nelson	Phone:	(858) 279-6044	StripeMaster Series I		approved
9925 Carroll Canyon Road	Cell:	(800) 637-2758			5 /27/2010
San Diego CA 921	Fax:	(858) 576-9286			
enelson@roadvista.com	www.	roadvista.com			
RoadVista	Phone:	(858) 279-6044	StripeMaster Series II		
Eric Nelson	Cell:	(800) 637-2758			approved 5 /27/2010
9925 Carroll Canyon Road	Fax:	(858) 576-9286			572772010
San Diego CA 9213	31	(000) 010 0200			
enelson@roadvista.com	www.	roadvista.com			
633.02.01 PAVEMI	ENT MARKERS (I	NON-REFLECTI	VE, PERMANENT)		
Vendor Name / Address			Product Name	Remarks	
Alpine Products	Phone:	(253) 351-9828	DDOT ABS	100 mm (4") round	approved
Bart Farrar	Cell:				6 /2 /1999
550 3rd Street SW, Building C	Fax:	(253) 735-6303			
Auburn WA 9800					
bart@alpinemarkings.com	www.	alpinemarkings.c	om		
Apex Universal Incorporated	Phone:	(562) 944-8878	929 ABS	100 mm (4") round	approved
Janet Yang	Cell:	(562) 879-6888			6 /1 /1999
-	Fax:	(562) 944-2298			
11033 Forest Place	70				
11033 Forest Place Santa Fe Springs CA 9067		apexmarker.com			
11033 Forest Place Santa Fe Springs CA 906 sales@apexmarker.com	www.	apexmarker.com	979 DD	100 mm (4") round	
11033 Forest Place Santa Fe Springs CA 9067 sales@apexmarker.com Apex Universal Incorporated	www. Phone:	(562) 944-8878	929 PP	100 mm (4") round	approved
11033 Forest Place Santa Fe Springs CA 9063 sales@apexmarker.com Apex Universal Incorporated Janet Yang	www. Phone: Cell:	(562) 944-8878 (562) 879-6888	929 PP	100 mm (4") round	approved 6 /1 /1999
11033 Forest Place Santa Fe Springs CA 9067 sales@apexmarker.com Apex Universal Incorporated	www. Phone: Cell: Fax:	(562) 944-8878	929 PP	100 mm (4") round	••

Vendor Name / Address			Product Name	Remarks	
Apex Universal Incorporated	Phone:	(562) 944-8878	Ceramic	100 mm (4") round	approve
Janet Yang	Cell:	(562) 879-6888			6 /1 /1999
11033 Forest Place	Fax:	(562) 944-2298			0,1,1000
Santa Fe Springs CA 90670		(00-) 00			
sales@apexmarker.com	www.	apexmarker.com			
Ennis-Flint, Inc.	Phone:	(800) 331-8118	B10	100 mm (4") round	approve
QPL Administrator	Cell:	(336) 477-8363			12/20/201
4161 Piedmont Pkwy, Ste. 370	Fax:	(336) 475-7900			
Greensboro NC 27410		()			
dl-QPLAdmin@ppg.com	https	://www.ennisflint	.com/		
Interstate Sales	Phone:	(800) 237-7245	Diamond Back (ABS &	100 mm (4") round (ABS & Polyproplene)	approve
Mike Trentman	Cell:	(530) 823-6070	Polyproplene)		8 /5 /2002
12600 Locksley Lane, Suite 200	Fax:				
Auburn CA 95602					
mike@interstatesales.com	www.	interstatesales.co	om		
Three D Traffic Works	Phone:	(877) 843-9757	TD 10000 Series	100 mm (4") round	approve
Frank Dvoracek	Cell:	(323) 849-1316			12/4 /2002
430 North Varney Street	Fax:	(818) 841-5096			, .,
Burbank CA 91502		(
sales@trafficwks.com	www.	trafficwks.com			
sales@trafficwks.com 633.02.02 PAVEMENT MA			RMANENT)		
			RMANENT) Product Name	Remarks	
633.02.02 PAVEMENT M Vendor Name / Address		REFLECTIVE, PE		Remarks 89 mm x 100 mm (3.6"X4")	200700
633.02.02 PAVEMENT M	ARKERS (F	(800) 553-1380	Product Name		
633.02.02 PAVEMENT Mail Vendor Name / Address 3M Transportation Safety Division	ARKERS (F Phone: Cell:	(800) 553-1380 (702) 743-0012	Product Name		approve 6 /1 /1999
633.02.02 PAVEMENT Mail Vendor Name / Address 3M Transportation Safety Division Eric Dornak	ARKERS (F	(800) 553-1380	Product Name		approve 6 /1 /1999
633.02.02 PAVEMENT Mail Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive	ARKERS (F Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012	Product Name		
633.02.02 PAVEMENT Ma Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052	ARKERS (F Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012 (651) 732-8435	Product Name		6 /1 /1999
633.02.02 PAVEMENT Mail Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com	ARKERS (F Phone: Cell: Fax: www. Phone:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878	290 Durable Raised		6 /1 /1999 approve
633.02.02 PAVEMENT Mail Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV øjdornak@mmm.com Apex Universal Incorporated	ARKERS (F Phone: Cell: Fax: www. Phone: Cell:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 879-6888	290 Durable Raised		
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV øjdornak@mmm.com Apex Universal Incorporated Janet Yang	ARKERS (F Phone: Cell: Fax: www. Phone:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878	290 Durable Raised		6 /1 /1999 approve
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 879-6888	290 Durable Raised		6 /1 /1999 approve
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 879-6888 (562) 944-2298 apexmarker.com	290 Durable Raised		6 /1 /1999 approve 6 /1 /1999
633.02.02 PAVEMENT Mail Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 879-6888 (562) 944-2298 apexmarker.com (800) 331-8118	Product Name 290 Durable Raised 921 AR		6 /1 /1999 approve 6 /1 /1999 approve
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Ennis-Flint, Inc.	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 944-8878 (562) 944-2298 apexmarker.com (800) 331-8118 (336) 477-8363	Product Name 290 Durable Raised 921 AR C80-FH Raised Pavement		6 /1 /1999 approve 6 /1 /1999
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Ennis-Flint, Inc. QPL Administrator	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 879-6888 (562) 944-2298 apexmarker.com (800) 331-8118	Product Name 290 Durable Raised 921 AR C80-FH Raised Pavement		6 /1 /1999 approve 6 /1 /1999 approve
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 944-8878 (562) 944-2298 apexmarker.com (800) 331-8118 (336) 477-8363	Product Name 290 Durable Raised 921 AR C80-FH Raised Pavement Marker		6 /1 /1999 approve 6 /1 /1999 approve
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 944-8878 (562) 944-2298 apexmarker.com (800) 331-8118 (336) 477-8363 (336) 475-7900	Product Name 290 Durable Raised 921 AR C80-FH Raised Pavement Marker		6 /1 /1999 approve 6 /1 /1999 approve 2 /6 /2002
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: Www. Phone: Cell: Fax: https	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 879-6888 (562) 944-2298 apexmarker.com (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 848-7025	Product Name 290 Durable Raised 921 AR C80-FH Raised Pavement Marker	89 mm x 100 mm (3.6"X4")	6 /1 /1999 approve 6 /1 /1999 approve 2 /6 /2002 approve
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ray-O-Lite A Division of Pac-Tec Inc Mary Haddad 5825 N. Sam Houston Parkway W, Ste.	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: https Phone:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 944-8878 (562) 944-2298 apexmarker.com (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint	Product Name 290 Durable Raised 921 AR C80-FH Raised Pavement Marker	89 mm x 100 mm (3.6"X4")	6 /1 /1999 approve 6 /1 /1999 approve 2 /6 /2002
633.02.02 PAVEMENT MA Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Ray-O-Lite A Division of Pac-Tec Inc Mary Haddad	ARKERS (F Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: https Phone: Cell: Fax:	REFLECTIVE, PE (800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (562) 944-8878 (562) 944-8878 (562) 944-2298 apexmarker.com (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint (800) 848-7025 (281) 617-2240	Product Name 290 Durable Raised 921 AR C80-FH Raised Pavement Marker	89 mm x 100 mm (3.6"X4")	6 /1 /1999 approve 6 /1 /1999 approve 2 /6 /2002 approve

633.02.02 PAVEMENT M/	ARKERS (F	REFLECTIVE, PE	RMANENT)		
Vendor Name / Address			Product Name	Remarks	
Ray-O-Lite A Division of Pac-Tec Inc	Phone:	(800) 848-7025	ARC	100 mm x 100 mm (4"X4")	approved
Mary Haddad	Cell:	(281) 617-2240			6 /1 /1999
5825 N. Sam Houston Parkway W, Ste. 220	Fax:	(281) 583-1506			
Houston TX 77086					
customerservice@rayolite.com	www.	rayolite.com			
Ray-O-Lite A Division of Pac-Tec Inc	Phone:	(800) 848-7025	Round Shoulder ARC	100 mm x 100 mm (4"X4")	approved
Mary Haddad	Cell:	(281) 617-2240			6 /1 /1999
5825 N. Sam Houston Parkway W, Ste. 220	Fax:	(281) 583-1506			
Houston TX 77086					
customerservice@rayolite.com	www.	rayolite.com			
633.02.03 PAVEMENT M/	ARKERS (F	REFLECTIVE, RE	CESSED)		
Vendor Name / Address			Product Name	Remarks	
Ray-O-Lite A Division of Pac-Tec Inc	Phone:	(800) 848-7025	2002	58 mm x 19 mm (2.3"x4.6")	approved
Mary Haddad	Cell:	(281) 617-2240			6 /1 /1999
5825 N. Sam Houston Parkway W, Ste. 220	Fax:	(281) 583-1506			
Houston TX 77086					
customerservice@rayolite.com	www.	rayolite.com			
Ray-O-Lite A Division of Pac-Tec Inc	Phone:	(800) 848-7025	2004	58 mm x 19 mm (2.3"x4.6")	approved
Mary Haddad	Cell:	(281) 617-2240			6 /1 /1999
5825 N. Sam Houston Parkway W, Ste. 220	Fax:	(281) 583-1506			
Houston TX 77086					
customerservice@rayolite.com	www.	rayolite.com			
633.02.04 PAVEMENT M/	ARKERS A	DHESIVE			
Vendor Name / Address			Product Name	Remarks	
	Diseases	(000) 070 0400	24270 List Analised Flow	bla	
Crafco, Inc.	Phone:	(602) 276-0406	34270 Hot Applied Flexi	bie	approved
Angie Hoaglin	Cell:	(602) 276-0406 (602) 418-9902	34270 Hot Applied Flexi	DIE	approvec 6 /16/1998
Angie Hoaglin 6165 W. Detroit Street			34270 κατ Αρριικά Εικλ	DIE	••
Angie Hoaglin	Cell: Fax:	(602) 418-9902	34270 Hot Applied Flexi	DIE	••
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226	Cell: Fax:	(602) 418-9902 (480) 961-0513	Bundy 12 cm X 12 cm Pa		6 /16/1998
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Cell: Fax: www.	(602) 418-9902 (480) 961-0513 crafco.com (800) 331-8118			6 /16/1998 approved
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370	Cell: Fax: www. Phone:	(602) 418-9902 (480) 961-0513 crafco.com (800) 331-8118 (336) 477-8363	Bundy 12 cm X 12 cm Pa		6 /16/1998
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410	Cell: Fax: www. Phone: Cell: Fax:	(602) 418-9902 (480) 961-0513 crafco.com (800) 331-8118 (336) 477-8363 (336) 475-7900	Bundy 12 cm X 12 cm Pa (5" X 5") Pad		6 /16/1998 approved
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370	Cell: Fax: www. Phone: Cell: Fax: https	(602) 418-9902 (480) 961-0513 crafco.com (800) 331-8118 (336) 477-8363	Bundy 12 cm X 12 cm Pa (5" X 5") Pad		6 /16/1998 approved
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Martin Asphalt Company	Cell: Fax: www. Phone: Cell: Fax:	(602) 418-9902 (480) 961-0513 crafco.com (800) 331-8118 (336) 477-8363 (336) 475-7900	Bundy 12 cm X 12 cm Pa (5" X 5") Pad .com/ 172542 Evergrip		6 /16/1998 approved 5 /4 /1998
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dI-QPLAdmin@ppg.com Martin Asphalt Company Juan Hermosillo	Cell: Fax: www. Phone: Cell: Fax: https	(602) 418-9902 (480) 961-0513 crafco.com (800) 331-8118 (336) 477-8363 (336) 475-7900 ://www.ennisflint	Bundy 12 cm X 12 cm Pa (5" X 5") Pad		approvec
Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com Martin Asphalt Company	Cell: Fax: www. Phone: Cell: Fax: https Phone:	(602) 418-9902 (480) 961-0513 crafco.com (800) 331-8118 (336) 477-8363 (336) 475-7900 c//www.ennisflint (713) 943-5210	Bundy 12 cm X 12 cm Pa (5" X 5") Pad .com/ 172542 Evergrip		6 /16/1998 approved 5 /4 /1998 approved

Vendor Name / Addr	ess			Product Name	Remarks	
Martin Asphalt Company		Phone:	(713) 943-5210	Evergrip Flexible GTR BM	A	approved
Juan Hermosillo		Cell:	(713) 941-4410			6 /15/2016
300 Christy Place		Fax:	(713) 947-4908			
South Houston TX	77587					
juan.hermosillo@martinm	lp.com	www.	martinasphalt.co			
Seal Bond		Phone:	(800) 252-4144	SB 9113 Traffic Reflector Adhesive		approved
Kelly Iverson 1251 E. Mt. Garfield Road		Cell:		Autosive		9 /25/2017
Norton Shores MI	49444	Fax:	(616) 850-0530			
kiverson@seal-bond.com	10111	www.	seal-bond.com			
633.02.05 LAI			EFLECTIVE, TEN			
Vendor Name / Addr				Product Name	Remarks	
		Phone:	(562) 944-8878	Apex Chip Seal / Overlay		
Apex Universal Incorporate Janet Yang	ea			Marker		approved
11033 Forest Place		Cell:	(562) 879-6888			1 /8 /2013
Santa Fe Springs CA	90670	Fax:	(562) 944-2298			
sales@apexmarker.com		www.	apexmarker.com			
Pexco, LLC		Phone:	(253) 284-8000	Halftrack Model 25	Work zone pavement markers	approved
Craig Schulz		Cell:	(253) 284-8005			11/29/2000
3110 70th Avenue East		Fax:	(253) 284-8080			
Tacoma WA	98424		, , ,			
craig.schulz@pexco.com		www.	pexco.com			
Pexco, LLC		Phone:	(253) 284-8000	Halftrack Model 26	Work zone pavement markers	approved
Craig Schulz		Cell:	(253) 284-8005			11/29/2000
3110 70th Avenue East Tacoma WA	98424	Fax:	(253) 284-8080			
craig.schulz@pexco.com	00121	www.	pexco.com			
Pexco, LLC		Phone:	(253) 284-8000	ТОМ	Work zone pavement markers	
Craig Schulz		Cell:	. ,		· · · · · · · · · · · · · · · · · · ·	approved
3110 70th Avenue East			(253) 284-8005 (253) 284-8080			11/29/2000
Tacoma WA	98424	Fax:	(200) 204-0000			
craig.schulz@pexco.com		www.	pexco.com			
Pexco, LLC		Phone:	(253) 284-8000	TRPM (Temporary	Work zone pavement markers	approved
Craig Schulz		Cell:	(253) 284-8005	Overlay)		11/29/2000
3110 70th Avenue East	00404	Fax:	(253) 284-8080			
Tacoma WA	98424		0000000			
craig.schulz@pexco.com			pexco.com			
		TRIPING TA	APE (TEMPORA	-		
Vendor Name / Addr	ess			Product Name	Remarks	

Vendor Name / Address			Product Name	Remarks	
3M Transportation Safety Division	Phone:	(800) 553-1380	710 WRR	WRR = Wet Reflective Removable	
Eric Dornak	Cell:	(702) 743-0012		white/yellow available	approved
1605 Sabatini Drive	Fax:	(651) 732-8435			8 /16/2006
Henderson NV 89052	Tax.	(001)702-0400			
ejdornak@mmm.com	www.	3M.com/tcm			
Advance Traffic Markings	Phone:	(252) 536-2574	200 Construction R	R = Removable	approved
Raeleen Lucas	Cell:	(714) 397-4428		white/yellow available	9 /24/2003
100 Patch Rubber Road	Fax:	(252) 536-4940			
Weldon NC 27890					
lucasco@ralucasco.com	www.	trafficmarkings.co	om		
Brite Line Technologies	Phone:	(303) 375-1293	Series 100R	R = Removeable	approved
Shea Durkin	Cell:	(720) 217-1747		white/yellow available	6 /15/1999
10390 E. 48th Ave Denver CO 80238	Fax:	(303) 375-8557			
sdurkin@brite-line.com	\\/\\/\\/	brite-line.com			
			Contro 2005	R = Removeable	
Brite Line Technologies Shea Durkin	Phone:	(303) 375-1293	Series 200R		approved
10390 E. 48th Ave	Cell:	(720) 217-1747		white/yellow available	6 /15/1999
Denver CO 80238	Fax:	(303) 375-8557			
sdurkin@brite-line.com	www.	brite-line.com			
Brite Line Technologies	Phone:	(303) 375-1293	Series Deltaline TWR	TWR = Temporary Wet Removeable	
Shea Durkin	Cell:	(720) 217-1747		white/yellow available	approvec 6 /15/1999
10390 E. 48th Ave	Fax:	(303) 375-8557			0/13/1999
Denver CO 80238	1 GAU				
sdurkin@brite-line.com	www.	brite-line.com			
Swarco Industries / Traffic Mgt	Phone:	(503) 421-5227	Director 2 - (DG)	DG = Detour Grade WR = Wet Reflective	approved
Johnathan Knutson	Cell:	(503) 421-5227	Director 2 (DG-WR)	white/yellow available	4 /26/1999
270 Rutherford Lane / PO Box 89	Fax:	(503) 208-2785			
Columbia TN 38401 jonathan.knutson@swarco.com	14/14/14/	swarco.com			
-					
Tape4 LLC	Phone:	(314) 968-2569	Aztec III R	R = Removeable white/yellow	approved
Greg Gibson P.O. Box 300575	Cell:	(314) 504-0742		available alt. contact is David Littleton (e:)	6 /7 /2013
St Louis MO 63130	Fax:	(314) 968-0494		david@tape4.com	
greg@tape4.com	www.	tape-4.com			
641.02.01 IMPACT AT	TENUATORS				
Vendor Name / Address			Product Name	Remarks	
Hill & Smith, Inc.	Phone:	(614) 340-6294	SCI100GM	MASH approved, TL-3 Compliant; Approved at all	approved
Cecil Brown	Cell:	. ,		speeds.	2 /23/2007
987 Buckeye Park Road	Fax:				212012001
Columbus OH 43207	, an				
cecil.brown@hillandsmith.com	www.	hillandsmith.com			

Vendor Name / Address			Product Name	Remarks	
Lindsay Transportation Solutions, LLC	Phone:	(707) 374-6800	Universal TAU-M	MASH TL-3	approve
Larry Savage	Cell:	(916) 474-9644			7 /22/2019
180 River Road	Fax:	(707) 374-6801			1 122/2010
Rio Vista CA 94571					
larry.savage@lindsay.com	www.	lindsay.com/tran	sportation-solutions		
TrafFix Devices, Inc.	Phone:	(949) 361-5663	Delta Crash Cushion	MASH TL-3; https://www.traffixdevices.com/products/attenuators/d	approve
Howard Tolliver	Cell:	(859) 469-0364		elta	12/20/202
160 Avenida La Pata	Fax:				
San Clemente CA 92673					
htolliver@traffixdevices.com		emarks			
Valtir, LLC	Phone:	(916) 644-9102	QuadGuard Elite M10	MASH TL-3; 24 and 69 inch widths approved	approve
Paul Kruse	Cell:				3 /11/2021
15601 Dallas Parkway, Suite 525 Addison TX 75001	Fax:				
paul.kruse@trin.net	www.	valtir.com			
-			Our dour ad MANU	MACUTE 2	
Valtir, LLC Paul Kruse	Phone:	(916) 644-9102	QuadGuard M Wide	MASH TL-3	approve
15601 Dallas Parkway, Suite 525	Cell:				3 /11/2021
Addison TX 75001	Fax:				
paul.kruse@trin.net	www.	valtir.com			
Valtir, LLC	Phone:	(916) 644-9102	QuadGuard M10	MASH TL-3	approve
Paul Kruse	Cell:				3 /27/2019
15601 Dallas Parkway, Suite 525	Fax:				
Addison TX 75001					
paul.kruse@trin.net		valtir.com			
Valtir, LLC	Phone:	(916) 644-9102	REACT M	MASH TL-3	approve
Paul Kruse	Cell:				12/20/202
15601 Dallas Parkway, Suite 525 Addison TX 75001	Fax:				
paul.kruse@trin.net	\\/\\/\/\/	valtir.com			
642.02.02 CONCRETE PA	NEL WALL	SYSTEMS	Due du et Manue e	Deres and a	
Vendor Name / Address			Product Name	Remarks	
Big R Bridge: Vist-A-Wall Systems	Phone:	(817) 225-0852	Stabilized Earth Walls	NV sales contact Pete Niemann (ph) 970-584-2382 (e) pniemann@bigrbridge.com.	approve
Jeffrey Stone	Cell:	(770) 871-9782			8 /28/2013
650 Justice Lane Mansfield TX 76063	Fax:	(817) 507-0197			
jstone@bigrbridge.com	hiarh	ridge.com			
Hilfiker Retaining Wall	Phone:	(800) 762-8962	Reinforced Soil Embankment Wall		approve
Dave Woods 1902 Hilfiker Lane	Cell:	(707) 443-5093			9 /8 /1998
Eureka CA 95503	Fax:	(707) 443-2891			
dave@hilfiker.com	www	hilfiker.com			
	vv vv vv.				

Vendor Name / Address			Product Name	Remarks	
Reinforced Earth Company Jack Mackie 3033 S. Parker Rd., Suite 1100 Aurora CA 80014	Phone: Cell: Fax:	(720) 779-2925	GeoMega MSE Wall System	MANDATORY consultation with NDOT Structures and Geotechnical BEFORE submitting on a bid contact coordinator to get contact info for this well in advance. Approved with Omega connection ONLY. Height restricted to 50 ft maximum.	approve 3 /27/2019
jmackie@reinforcedearth.com	www.	reinforcedearth.c	om		
Reinforced Earth Company	Phone:	(949) 689-9023	Reinforced Earth Lrg Wall		approve
Jacques Bloomfield 25910 Acero, Suite 200 Mission Viejo CA 92691	Cell: Fax:	(949) 247-3601			2 /7 /2001
jbloomfield@reinforcedearth.com	www.	reinforcedearth.c	om		
Reinforced Earth Company Jacques Bloomfield 25910 Acero, Suite 200	Phone: Cell: Fax:	(949) 689-9023 (949) 247-3601	Retained Earth		approve 2 /7 /2001
Mission Viejo CA 92691 jbloomfield@reinforcedearth.com		reinforcedearth.c	om		
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: Cell: Fax:	(831) 430-9300 (831) 331-6199 (831) 430-9340 mseplus.com	MSE Earth	Modified panels required; W24 longitudinal wire not permitted	approve 5 /6 /2002
SSL, LLC	Phone:	(831) 430-9300	MSE Large Wall Panel	Modified panels required; W24 longitudinal wire not	
Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066	Cell: Fax:	(831) 331-6199 (831) 430-9340		permitted	approve 5 /6 /2002
andrewt@mseplus.com	www.	mseplus.com			
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066	Phone: Cell: Fax:	(831) 430-9300 (831) 331-6199 (831) 430-9340	MSE Plus	Modified panels required; W24 longitudinal wire not permitted	approve 5 /6 /2002
Scotts Valley CA 95066 andrewt@mseplus.com	www.	mseplus.com			
Tensar International Corporation Robert Johnson 2500 Northwinds Parkway, Suite 500 Alpharetta GA 30009	Phone: Cell: Fax:	(770) 344-2090 (770) 557-5015 (770) 344-2084	Ares Retaining Precast Wall		approve 6 /11/1998
rjohnson@tensarcorp.com	www.	tensarcorp.com			

042102100	EQUILITY AL D					
Vendor Name / Add	dress			Product Name	Remarks	
Jensen Precast		Phone:	(775) 352-2700	Redi-Rock	Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical	approved
Steven Jensen		Cell:	Cell: (775) 352-6307 and in accordance with	and in accordance with 642.02.03 NDOT specifications	7 /23/2009	
9895 Double R Blvd.		Fax:	(775) 359-6364		specifications	
Reno NV	/ 89521	T GAL	(110) 000 0004			
sjensen@jensenprecast	.com	www.j	jensenprecast.co	m		

642.02.03 SEGMENTAL BL	.OCK WA	LL SYSTEMS			
Vendor Name / Address			Product Name	Remarks	
Reinforced Earth Company	Phone:	(949) 689-9023	Pyramid	Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical	approved
Jacques Bloomfield	Cell:	(949) 427-3601		and in accordance with 642.02.03 NDOT specifications	9 /30/1994
25910 Acero, Suite 200	Fax:			specifications	
Mission Viejo CA 92691					
jbloomfield@reinforcedearth.com	www.	reinforcedearth.c	om		
Super Lite Block	Phone:	(866) 758-3427	KeySteel SQFT MSE Panel	Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical	approved
Estrella Cotto	Cell:	(702) 255-6364		and in accordance with 642.02.03 NDOT specifications	5 /15/2002
3565 East Bost Road Suite 108 Las Vegas NV 89021	Fax:				
estrella.cotto@oldcastleapg.com	www.	keystonewalls.co	m		
Tensar International Corporation	Phone:	(770) 344-2090	MESA	Permitted only when specified in the contract	approved
Robert Johnson	Cell:	(770) 557-5015		documents as an acceptable product.	1 /1 /2012
2500 Northwinds Parkway, Suite 500	Fax:	(770) 344-2084			
Alpharetta GA 30009					
rjohnson@tensarcorp.com	www.	tensarcorp.com			
646.02.02 CRACK SEALAN	TS				
Vendor Name / Address			Product Name	Remarks	
Adhesives Technology Corporation	Phone:	(800) 892-1880	CRACKBOND V65 HI-MOD	Type I, II, IV and V; Grade 1; Class B and C.	approve
Renee Thomas	Cell:	(954) 782-2221			12/17/2018
450 East Copans Rd.	Fax:	(954) 782-2499			
Pompano Beach FL 33064-5509					
atcinfo@atcepoxy.com	www.	atcepoxy.com			
E-Chem, LLC	Phone:	(505) 217-2121	EP100-SEAL HM	ASTM C881 Type I, II, IV, and V; Grade 1; Class B and C	approved
Renee Thomas	Cell:	(954) 789-4764			7 /22/2019
4102 EI Rey Road SE Albuauerque NM 87105	Fax:				
Albuquerque NM 87105 rthomas@atcepoxy.com	10/10/10/	e-chem.net			
			55.011/		
E-Chem, LLC	Phone:	(505) 217-2121	EP-SLV	ASTM C881 Type I, II, IV, and V; Grade 1; Class B and C	approved
Renee Thomas 4102 El Rey Road SE	Cell:	(954) 789-4764			7 /22/2019
Albuquerque NM 87105	Fax:				
rthomas@atcepoxy.com	www.	e-chem.net			
Euclid Chemical Company	Phone:	(800) 321-7628	Dural 335	ASTM C881 Type I and IV; Grade 1; Class C	
Brian Lewis		. ,		, , ,	approved
19215 Redwood Road	Cell:	(216) 692-8305			6 /22/2021
Cleveland OH 44110	Fax:	(216) 531-9399			
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Sika Corporation	Phone:	(201) 933-8800	Sikadur 55 SLV	Type I and II; Grade 1; Class C	approved
Don Edwards	Cell:	(816) 372-3599			6 /15/2016
201 Polito Avenue	Fax:				0,10/2010
Lyndhurst NY 07071					
edwards.don@us.sika.com	usa.s	ika.com			

Vendor Name / Add	ress			Product Name	Remarks	
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA dbartlett@strongtie.com	92509	Phone: Cell: Fax: strong	(480) 450-5321 (702) 524-5524 gtie.com	CI-GV	ASTM C881 Type I, II, IV and V; Grade 3; Class B and C	approve 9 /19/2022
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA dbartlett@strongtie.com	92509	Phone: Cell: Fax: strong	(480) 450-5321 (702) 524-5524 gtie.com	CI-LPL	ASTM C881 Type I and IV; Grade 1; Class C	approve 9 /19/202
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA dbartlett@strongtie.com	92509	Phone: Cell: Fax: strong	(480) 450-5321 (702) 524-5524 gtie.com	CI-LV	ASTM C881 Type I, II, IV and V; Grade 1; Class B and C	approve 9 /19/2022
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA dbartlett@strongtie.com	92509	Phone: Cell: Fax: strong	(480) 450-5321 (702) 524-5524 gtie.com	CI-LV FS	ASTM C881 Type I, II, IV and V; Grade 1; Class B and C	approve 9 /19/2022
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA dbartlett@strongtie.com	92509	Phone: Cell: Fax: strong	(480) 450-5321 (702) 524-5524 gtie.com	CI-SLV	ASTM C881 Type I and IV; Grade 1; Class C	approve 9 /19/202
646.02.04 SH	IEET MEMB	RANE				
Vendor Name / Add	ress			Product Name	Remarks	
W.R. Meadows, Inc. Christopher Mader 300 Industrial Drive Hampshire IL DOT@wrmeadows.com	60140	Phone: Cell: Fax: www.	(847) 214-2110 (224) 325-1080 wrmeadows.com	MEL-DEK		approve 10/3 /2022
646.02.05 LI		BRANE				
Vendor Name / Add	ress			Product Name	Remarks	
PPG Jonathan Haydu 686 S. Adams Street Kansas City KS	66105	Phone: Cell: Fax:	(913) 321-9000	Bridge Deck Membrane (BDM)		approve 9 /25/2017
info@bridgepreservation.			bridgepreservatio			
702.03.01c CL Vendor Name / Add		POUND (LI	QUID MEMBR	ANE FORMING FOR CUI Product Name	RING CONCRETE) Remarks	

Vendor Name / Address			Product Name	Remarks	
Atlas Tech Products	Phone:	(702) 227-6800	Atlas Res-Cure	ASTM C309 Type 1D	approved
Ryan Quinn	Cell:	(858) 277-2100			9 /2 /2008
680 West Lake Mead Parkway Henderson NV 89015	Fax:	(702) 222-0488			
ryanquinn@atlasform.com	www.	atlasform.com			
ChemMasters, Inc.	Phone:	(800) 486-7866	Safe-Cure 1000 Clear	ASTM C309 Type 1D Variant On ly	approved
John Kirk	Cell:	(440) 428-2105	w/Dye		3 /11/2021
300 Edwards St. Madison OH 44057	Fax:	(440) 428-7091			
johnkirk@chemmasters.net	www.	chemmasters.net	t		
Dayton Superior Corporation	Phone:	(937) 866-0711	Resin Cure w/Dye J11WD	ASTM C309 Type 1D. Ext. 44376.	approved
Sarah Clark	Cell:	(937) 479-5164			1 /8 /2010
1125 Byers Rd. Miamisburg OH 45342	Fax:	(937) 847-8473			.,.,
sarahclark@daytonsuperior.com	www.	daytonsuperior.co	om		
Euclid Chemical Company	Phone:	(216) 531-9222	KUREZ DR VOX	ASTM C309 Type 1D	approved
Brian Lewis	Cell:	(216) 692-8305			3 /15/2023
19215 Redwood Road Cleveland OH 44110	Fax:	(216) 531-9399			0 / 10/2020
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Euclid Chemical Company	Phone:	(216) 531-9222	Tammscure WB	ASTM C309 Type 1D	approved
Brian Lewis	Cell:	(216) 692-8305			3 /15/2023
19215 Redwood Road Cleveland OH 44110	Fax:	(216) 531-9399			
blewis@euclidchemical.com	www.	euclidchemical.co	om		
SpecChem	Phone:	(816) 968-5600	SpecRez	Type 1D	approved
Michael Lemark	Cell:	(562) 489-9607			3 /26/2018
1511 Baltimore Ave.	Fax:				
Kansas City MO 64108					
mlemark@specchemllc.com	www.	specchem.com			
US Mix Company	Phone:	(303) 778-7227	US SPEC MaxCure Resin Clear	ASTM C309 Type 1D	approved
Andrew Beaty 112 South Santa Fe Drive	Cell:	(303) 489-1083			2 /6 /2006
Denver CO 80223	Fax:	(303) 722-8426			
andrew.beaty@oldcastle.com	www.	usspec.com			
W.R. Meadows	Phone:	(847) 214-2100	1100 Clear	ASTM C309 Type 1D Variant Only	annrouor
Chris Mader	Cell:	(224) 325-1080			approved 8 /21/2019
300 Industrial Dr.	Fax:	1221/0201000			012112019
Hampshire IL 60140	rdx.				
dot@wrmeadows.com		wrmeadows.com			

		Product Name	Remarks	
Phone:	(847) 214-2100	1300 Clear	ASTM C309 Type 1D Variant Only	approve
Cell:				8 /21/2019
	() == 0.000			072172013
i divi				
www.	wrmeadows.com			
POUND (V	HITE PIGMEN	TED, WAX BASE)		
		Product Name	Remarks	
Phone:	(702) 227-6800	Atlas Pro-Cure White		approved
Cell:	(858) 277-2100			9 /2 /2008
Fax:	(702) 222-0488			
www.	atlasform.com			
Phone:	(800) 486-7866	Safe-Cure 800		approved
Cell:	(440) 428-2105			3 /11/2021
Fax:	(440) 428-7091			
www.	chemmasters.net			
Phone:	(602) 276-0406	White Water Wax 309		approved
Cell:				3 /14/2022
Fax:				
https	://crafco.com			
Phone:	(937) 866-0711	White Wax Cure J9A	Ext. 44376.	approved
Cell:	(937) 479-5164			8 /29/2008
Fax:	(937) 847-8473			
\\/\\/\/\/	davtonsuperior co	1m		
Phone:	(816) 968-5600	Atlas Pro-Cure White		approved
Cell:	(562) 489-9607			1 /22/2014
Fax:				
www.	specchemllc.com			
Phone:	(816) 968-5600	PaveCure WW		
				approved
	(502) 409-9007			2 /18/2008
Fax:				
www.	specchemllc.com			
Phone:	(303) 778-7227	US SPEC MaxCure Wax		approved
Cell:		White		7 /2 /2008
Fax:	(303) 722-8426			1 12 12000
1 0 1	10001122-0420			
	Cell: Fax: www. POUND (M Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www.	Cell: (224) 325-1080 Fax: www.wrmeadows.com POUND (WHITE PIGMEN Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com Phone: (800) 486-7866 Cell: (440) 428-2105 Fax: (440) 428-7091 www.chemmasters.net Phone: (602) 276-0406 Cell: Fax: https://crafco.com Phone: (937) 866-0711 Cell: (937) 866-0711 Cell: (937) 866-0711 Cell: (937) 847-8473 www.daytonsuperior.com Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemIlc.com Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemIlc.com Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemIlc.com	Phone: (847) 214-2100 1300 Clear Cell: (224) 325-1080 Fax: www.wrmeadows.com Product Name POUND (WHITE PIGMENTED, WAX BASE) Product Name Phone: (702) 227-6800 Atlas Pro-Cure White Cell: (858) 277-2100 Fax: Fax: (702) 222-0488 www.atlasform.com Phone: (800) 486-7866 Safe-Cure 800 Cell: (440) 428-7091 www.chemmasters.net Phone: (602) 276-0406 White Water Wax 309 Cell: Fax: (440) 428-7091 www.chemmasters.net www.atlasform.com Phone: (602) 276-0406 White Water Wax 309 Cell: Fax: (440) 428-7091 www.chemmasters.net White Yax 200 Phone: (602) 276-0406 White Wax Cure J9A Cell: (937) 847-8473 www.spechemlic.com Phone: (916) 968-5600 Atlas Pro-Cure White Cell: (562) 489-9607 Fax: www.specchemlic.com PaveCure WW	Phone: (847) 214-2100 1300 Clear ASTM C309 Type 10 Variant Only Cell: (224) 325-1080 Fax: www.wrmeadows.com POUND (WHITE PIGMENTED, WAX BASE) Product Name Remarks Phone: (702) 227-6800 Atlas Pro-Cure White Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com Phone: (800) 486-7866 Safe-Cure 800 Cell: (40) 428-2105 Fax: (440) 428-7091 www.chemmasters.net Phone: (602) 276-0406 White Water Wax 309 Cell: Fax: rbs://crafco.com Phone: (937) 866-0711 White Wax Cure J9A Ext. 44376. Cell: (937) 479-5164 Fax: (937) 479-5164 Fax: (937) 479-5164 Fax: (937) 686-0711 White Wax Cure J9A Ext. 44376. Cell: (562) 489-9607 Fax: (937) 686-0711 White Wax Cure J9A Ext. 44376. Cell: (562) 489-9607 Fax: www.specchemlic.com Phone: (816) 968-5600 PaveCure WW Cell: (562) 489-9607

Vendor Name / Address			Product Name	Remarks	
				nemurks	
W.R. Meadows	Phone:	(847) 214-2100	1600 White		approve
Chris Mader 300 Industrial Dr.	Cell:	(224) 325-1080			5 /2 /2019
lampshire IL 60140	Fax:				
dot@wrmeadows.com	www.	wrmeadows.com			
702.03.04 CURING COM	IPOUND (B	RIDGE DECK)			
Vendor Name / Address			Product Name	Remarks	
Atlas Tech Products	Phone:	(702) 227-6800	Atlas Pro-Cure AMS	Bridge Decks ASTM C309, Type 2, Class B	approved
Ryan Quinn	Cell:	(858) 277-2100			9 /2 /2008
680 West Lake Mead Parkway	Fax:	(702) 222-0488			57272000
Henderson NV 89015	Tux.	(102) 222 0400			
yanquinn@atlasform.com	www.	atlasform.com			
ChemMasters, Inc.	Phone:	(800) 486-7866	Certi-Vex Envio Cure		approved
John Kirk	Cell:	(440) 428-2105	White 1315		12/31/2019
300 Edwards St.	Fax:	(440) 428-7091			
Madison OH 44057		X Y			
ohnkirk@chemmasters.net	www.	chemmasters.net	t		
SpecChem	Phone:	(816) 968-5600	Atlas Pro-Cure AMS		approved
Michael Lemark	Cell:	(562) 489-9607			1 /22/2014
1511 Baltimore Ave., Suite 600	Fax:				
Kansas City MO 64108					
nlemark@specchemllc.com	www.	specchemllc.com			
SpecChem	Phone:	(816) 968-5600	Pave Cure AMS		approved
Michael Lemark	Cell:	(562) 489-9607			5 /7 /2013
1511 Baltimore Ave., Suite 600	Fax:				
Kansas City MO 64108					
nlemark@specchemllc.com	www.	specchemllc.com			
US Mix Company	Phone:	(303) 778-7227	US SPEC AMS 3754 White	Bridge Decks ASTM C309, Type 2, Class B	approved
Andrew Beaty	Cell:	(303) 489-1083			6 /17/2008
112 South Santa Fe Drive	Fax:	(303) 722-8426			
Denver CO 80223 andrew.beaty@oldcastle.com	www	usspec.com			
	Phone:	(847) 214-2100	2250 WHITE		
W.R. Meadows, Inc. Chris Mader			2230-WHILE		approved
300 Industrial Drive	Cell:	(224) 325-1080			9 /19/2022
Hampshire IL 60140	Fax:				
DOT@wrmeadows.com	www.	wrmeadows.com			
702.03.05 POZZOLANS					
FULLULANS					

702.03.05 POZZOLANS					
Vendor Name / Address			Product Name	Remarks	
3M	Phone:	(951) 520-4639	NP200C	Class N	approved
Gokul Venkitachalam	Cell:	(405) 245-3643			9 /17/2020
18750 Minnesota Road Corona CA 92881-4313	Fax:				
gvenkitachalam@mmm.com					
-	Dhanai	(500) 004 0040	Mieuri Feut	Class F	
Charah Solutions Timothy Cole	Phone:	(502) 631-0043	Wilami Fort	Class I	approved
12601 Plantside Drive	Cell:				6 /22/2021
Louisville KY 40299	Fax:				
tcole@charah.com	www.	charah.com			
EM Resources, LLC	Phone:	(239) 565-2338	Carbon II Class F Fly Ash	Class F	approved
Craig Wallace	Cell:				12/31/2019
1217 Cape Coral Pkwy E PMB 190	Fax:	(866) 449-8108			12/01/2010
Cape Coral FL 33904		· · ·			
cwallace@ecomaterial.com	www.	flyash.com			
EM Resources, LLC	Phone:	(239) 565-2338	Class F Fly Ash	Class F Fly Ash Sources:	approved
Craig Wallace	Cell:			Plant: Delta Plant, UT	2 /17/2010
1217 Cape Coral Pkwy E PMB 190 Cape Coral FL 33904	Fax:	(866) 449-8108			
cwallace@ecomaterial.com	www.	flyash.com			
EM Resources, LLC	Phone:	(239) 565-2338	Coal Creek Class F Fly Ash	Class F	approved
Craig Wallace	Cell:				4 /1 /2020
1217 Cape Coral Pkwy E PMB 190	Fax:	(866) 449-8108			
Cape Coral FL 33904 cwallace@ecomaterial.com		flyash.com			
EM Resources, LLC	Phone:	(239) 565-2338	Craig Class F Fly Ash	Class F	approved
Craig Wallace	Cell:				4 /1 /2020
1217 Cape Coral Pkwy E PMB-190 Cape Coral FL 33904	Fax:	(866) 449-8108			
cwallace@ecomaterial.com	www.	flyash.com			
EM Resources, LLC	Phone:	(239) 565-2338	Kirkland Natural Pozzolan	Class N	approved
Craig Wallace	Cell:	· / ······			9 /20/2021
1217 Cape Coral Pkwy E PMB 190	Fax:	(866) 449-8108			572072021
Cape Coral FL 33904	. civit	(000) 110 0100			
cwallace@ecomaterial.com	https	://flyash.com			
EM Resources, LLC	Phone:	(239) 565-2338	Prairie State	Class F	approved
Craig Wallace	Cell:				6 /22/2021
1217 Cape Coral Pkwy E PMB 190 Cape Coral FL 33904	Fax:	(866) 449-8108			
cwallace@ecomaterial.com	https	://flyash.com			

Vendor Name / Address			Product Name	Remarks	
Geofortis Utah, LLC	Phone:	(325) 207-1512	Geofortis Utah Natural Pozzolan	Class N	approve
Dana Francis 30 S Tooele Blvd	Cell:	(925) 878-1459			9 /17/2020
Tooele UT 84074	Fax:				
dfrancis@geofortis.com	www.	Geofortis.com			
Golden State Pozzolan	Phone:	(916) 381-4100	GSP Class N	Class N	approved
Ben Inkster	Cell:	(209) 552-5550			3 /14/2022
5980 Outfall Circle	Fax:				
Sacramento CA 95828					
ben@goldenstatecrushing.com	www.	goldenstatecrush	_		
Nevada Cement Company, LLC	Phone:	(775) 575-2281	Pozzolan Class "N"	Class N	approved
Scott Murphy	Cell:	(775) 232-4508			4 /8 /2011
1290 West Main Street Fernley NV 89408	Fax:	(775) 575-4387			
smurphy@nevadacement.com	www.	nevadacement.co	om		
Salt River Materials Group - Phoenix Cement Co	Phone:	(480) 850-5757	Apache Class F Fly Ash		approved
Jeff Hearne	Cell:	(602) 321-6040			4 /16/2020
8800 East Chaparral Road, Suite 155	Fax:	(480) 850-5758			4/10/2020
Scottsdale AZ 85250-2606	Tux.	(+00) 000-07 00			
jhearne@srmaterials.com	WWW.	srmaterials.com			
Salt River Materials Group - Phoenix Cement Co	Phone:	(480) 850-5757	Bonanza Class F Fly Ash		approved
Jeff Hearne	Cell:	(602) 321-6040			9 /25/2017
8800 East Chaparral Road, Suite 155	Fax:	(480) 850-5758			
Scottsdale AZ 85250-2606 jhearne@srmaterials.com	14/14/14/	srmaterials.com			
Salt River Materials Group - Phoenix Cement Co	Phone:	(480) 850-5757	Huntington Class F Fly Ash	Class F	approved
Jeff Hearne	Cell:	(602) 321-6040			3 /14/2022
8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250-2606	Fax:	(480) 850-5758			
jhearne@srmaterials.com	www.	srmaterials.com			
Salt River Materials Group - Phoenix Cement Co	Phone:	(480) 850-5757	Pozzolan Class F	Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM	approved
Jeff Hearne	Cell:	(602) 321-6040		Plant. Galiup Plant, Galiup, Nivi	2 /4 /2011
8800 East Chaparral Road, Suite 155	Fax:	(480) 850-5758			2/4/2011
Scottsdale AZ 85250-2606	Tux.	(100) 000 0100			
jhearne@srmaterials.com	www.	srmaterials.com			
Salt River Materials Group - Phoenix Cement Co.	Phone:	(480) 850-5757	Bridger Class F Fly Ash	Class F	approved
Jeff Hearne	Cell:	(602) 321-6040			2 /9 /2023
8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250	Fax:	(480) 850-5758			
jhearne@srmaterials.com	www.	srmaterials.com			

Listing on the QPL does not guarantee that the product meets "Buy America" standards

702.03.05 POZZOLANS					
Vendor Name / Address			Product Name	Remarks	
Whitemud Resources Incorporated	Phone:	(403) 281-2215	Metakaolin	Class N. Mobile# (403) 801-4125.	approve
Thomas O'Neill	Cell:	(403) 801-4125			2 /4 /2011
6713 Fairmount Drive SE Calgary, Alberta, T2H 0X6	Fax:				
Calgary, Alberta, T2H 0X6 Canada					
info@whitemudresources.com	WWW.	whitemudresourc	ces.com		
707.03.04 JOINT SEALER	(FOR WE	AKENED PLANE	JOINTS IN PCCP)		
Vendor Name / Address			Product Name	Remarks	
Crafco, Inc.	Phone:	(602) 276-0406	Roadsaver Silcone SL		approve
Angie Hoaglin	Cell:	(602) 418-9902			6 /20/2006
6165 W. Detroit Street	Fax:	(480) 961-0513			
Chandler AZ 85226	140404	.crafco.com			
angie.hoaglin@crafco.com					
DS Brown Company	Phone:	(419) 257-3561	DSB 900 SL Silicone	SL = Self Leveling	approve
Ryan Sypherd 300 East Cherry Street	Cell:	(651) 262-6308			4 /5 /2005
North Baltimore OH 45872	Fax:	(419) 257-2200			
rsypherd@dsbrown.com	www.	.dsbrown.com			
Pecora Corporation	Phone:	(214) 723-6051	Pecora 300SL		approve
Glen Murphy	Cell:	(818) 519-7658			9 /15/2001
165 Wambold Road	Fax:	(215) 721-0286			5710/2001
Harleysville PA 19438		(= • •) • = • • = • •			
murphyg@pecora.com	www.	pecora.com			
Sika Corporation	Phone:	(201) 933-8800	Sikasil 728 SL		approved
Don Edwards	Cell:	(816) 372-3599			8 /5 /2005
201 Polito Avenue Lyndhurst NJ 07071	Fax:				
edwards.don@us.sika.com	usa.s	ika.com			
The Dow Chemical Company	Phone:	(989) 496-3833	DOWSIL 890-SL Silicone		2007000
Jason Sika	Cell:	(303) 880-9614	Sealant		approved 3 /20/1997
12081 West Alameda Parkway #421 Lakewood CO 80228	Fax:	(000) 000 001 1			5720/1337
jason.sika@dow.com	www.	.dow.com			
Tremco CPG, Inc.	Phone:	(866) 209-2404	Spectrem 900 SL Formula	SL = Self Leveling	approve
Technical Services	Cell:	(216) 292-5000	974831 w/ 333 Cartridges	5	5 /31/2002
3735 Green Road	Fax:	(216) 766-5535			010112002
Beachwood OH 44122 techresources@tremcoinc.com		tremcosealants.c	om		
714.03.01b COATING SYS	TEMS FOR	BRIDGES	Droduct Name	Romarka	
Vendor Name / Address			Product Name	Remarks	

714.03.01b COATING SY	STEINS FOR	BRIDGES			
Vendor Name / Address			Product Name	Remarks	
Carboline Company Agatha McFarland 2150 Schuetz Road	Phone: Cell:	(314) 644-1000 (770) 846-1318	Use the System in Remarks	Shop Coat: Carbozinc 11, Part A: Base Part B: Zinc Filler.1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy-Part A: Resin Part B: Catalyst. Top Coat: Carbothane 134 HS Aliphatic Acrylic	approved 12/30/1998
Maryland Heights MO 63146 amcfarland@carboline.com	Fax: www.	(314) 587-2693 carboline.com		Polyurethane-Part A: Resin Part B: Urethane Converter 811	
PPG Protective & Marine Coatings	Phone:	(714) 337-1953	Use the System in	Shop Coat: Dimetcote 9 Inorganic Zinc, Part A: Base	2007000
Tod Savage	Cell:	(619) 633-8406	Remarks	Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi-Purpose	approved 5 /21/2008
6359 Rancho Mission Rd #2 San Diego CA 92108	Fax:	()		Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure	072172000
nyemiller@msn.com	www.	ppgpmc.com			
Sherwin Williams Company	Phone:	(216) 566-1733	Use the System in	Shop Coat: Zinc Clad II, Part E: B69V3 Part F: B69D11	approved
Paul Trautman	Cell:	(714) 699-6358	Remarks	1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5	12/30/1998
101 Prospect Avenue NW Cleveland OH 44115	Fax:	(216) 830-7721		Top Coat: Sherthane® 2K Urethane - Part A: B65- 150 Series Part B: B65V150	
paul.trautmann@sherwin.com	www.	sherwin-williams.	com		
716.03.01a REFLECTIVE	SHEETING (1	TYPE IV)			
Vendor Name / Address			Product Name	Remarks	
3M Transportation Safety Division	Phone:	(800) 553-1380	3910 FL DG	Туре IV	approved
Eric Dornak	Cell:	(702) 743-0012		for work zone drums and delineators	8 /16/2000
1605 Sabatini Drive Henderson NV 89052	Fax:	(651) 732-8435			
ejdornak@mmm.com	www.	3M.com/tcm			
3M Transportation Safety Division	Phone:	(800) 553-1380	3911 FL Y DG	Туре IV	approved
Eric Dornak	Cell:	(702) 743-0012		for work zone drums and delineators	8 /16/2000
1605 Sabatini Drive Henderson NV 89052	Fax:	(651) 732-8435			
ejdornak@mmm.com	www.	3M.com/tcm			
3M Transportation Safety Division	Phone:	(800) 553-1380	3914 FL DG	Туре IV	approved
Eric Dornak	Cell:	(702) 743-0012		for work zone drums and delineators	8 /16/2000
1605 Sabatini Drive	Fax:	(651) 732-8435			
Henderson NV 89052 ejdornak@mmm.com	www.	3M.com/tcm			
3M Transportation Safety Division	Phone:	(800) 553-1380	3924S	Type IV	approved
Eric Dornak	Cell:	(702) 743-0012		for Barricades ONLY and Permanent Traffic	12/1 /2004
1605 Sabatini Drive Henderson NV 89052	Fax:	(651) 732-8435			, , , , 2004
ejdornak@mmm.com	www.	3M.com/tcm			
3M Transportation Safety Division	Phone:	(800) 553-1380	3930	Type IV	approved
Eric Dornak	Cell:	(702) 743-0012		for Barricades ONLY and Permanent Traffic	12/1 /2004
1605 Sabatini Drive Henderson NV 89052	Fax:	(651) 732-8435			
ejdornak@mmm.com	www.	3M.com/tcm			

716.03.01a REFLECTIVE SH	HEETING (1	TYPE IV)			
Vendor Name / Address			Product Name	Remarks	
Avery Dennison Corporation	Phone:	(847) 627-3111	T6500 P HI	Туре IV	approved
Nipa Joshi	Cell:	(773) 255-3739		for temporary traffic control devices, delineators and permanent signs ONLY	7 /10/2001
7542 North Natchez Avenue	Fax:	(847) 588-7925			
Niles IL 60714		roflactives averus	loppicon com		
nipa.joshi@averydennison.com		reflectives.averyc			
Avery Dennison Corporation	Phone:	(847) 627-3111	W6000 P	Туре IV	approved
Nipa Joshi 7542 North Natchez Avenue	Cell:	(773) 255-3739		for temporary traffic control devices, delineators, and work zone barricade ONLY	7 /10/2001
Niles IL 60714	Fax:	(847) 588-7925			
nipa.joshi@averydennison.com	www.	reflectives.averyc	lennison.com		
Avery Dennison Corporation	Phone:	(847) 627-3111	W7514 F	Type IV	approved
Nipa Joshi	Cell:	(773) 255-3739		for temporary traffic control devices, delineators, and	7 /10/2001
7542 North Natchez Avenue	Fax:	(847) 588-7925		work zone signs ONLY	. , ,
Niles IL 60714		、 ,			
nipa.joshi@averydennison.com	www.	reflectives.averyc	lennison.com		
Avery Dennison Corporation	Phone:	(847) 627-3111	WR-7100 White R	Type IV	approved
Nipa Joshi	Cell:	(773) 255-3739		F= Fluorescent; R= Reboundable	3 /31/2011
7542 North Natchez Avenue Niles IL 60714	Fax:	(847) 588-7925			
nipa.joshi@averydennison.com	www.	reflectives.averyc	lennison.com		
Avery Dennison Corporation	Phone:	(847) 627-3111	WR-7114 Orange FR	Type IV	approved
Nipa Joshi	Cell:	(773) 255-3739		F= Fluorescent; R= Reboundable	3 /31/2011
7542 North Natchez Avenue	Fax:	(847) 588-7925			
Niles IL 60714		reflectives.averyc	loppicon com		
nipa.joshi@averydennison.com					
Avery Dennison Reflective Solutions	Phone:	(847) 627-3111	Avery Dennison WC-4100 Cone Collar Sheeting		approved
Nipa Joshi 7542 North Natchez Ave.	Cell:	(773) 255-3739			6 /11/2020
Niles IL 60174	Fax:	(847) 588-7925			
nipa.joshi@averydennison.com	www.	reflectives.averyc	lennison.com		
Nippon Carbide Industries (USA), Inc.	Phone:	(800) 821-4264	Nikkalite CRG 94000		approved
Andy Kato	Cell:	(562) 777-1810			6 /11/2020
13856 Bettencourt St.	Fax:	(562) 777-1811			
Cerritos CA 90703					
akato@nikkalite.com		nikkalite.com			
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE 5900 High Intensity Prismatic All	Туре IV	approved
Chris Gaudette	Cell:		Colors		2 /5 /2013
120 Darling Drive Avon CT 06001	Fax:	(860) 676-7199			
chris.gaudette@orafol.com	14/14/14/	orafol.com			
onnoi Baadotto Goraron com	vv vv VV.				

	IVE SHEETING (1	ITPE IV)			
Vendor Name / Address			Product Name	Remarks	
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE 5900 White and	Type IV	approve
Chris Gaudette	Cell:		Yellow Intensity Prismatic		2 /5 /2013
120 Darling Drive Avon CT 0600	Fax:	(860) 676-7199			
Avon CT 0600 chris.gaudette@orafol.com		orafol.com			
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE 5934 Super		approve
Chris Gaudette	Cell:	()	Bright Reboundable		9 /17/2020
120 Darling Drive	Fax:	(860) 676-7199	Sheeting		071172020
Avon CT 0600)1				
chris.gaudette@orafol.com	www.	orafol.com			
716.03.01b REFLECT	IVE SHEETING (1	TYPE V)			
Vendor Name / Address			Product Name	Remarks	
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE AP 1000	Туре V	approved
Chris Gaudette	Cell:			For use in work zones on barrier and guardrail	4 /8 /1999
120 Darling Drive	Fax:	(860) 676-7199		delineation and roadside delineation posts.	
Avon CT 0600					
chris.gaudette@orafol.com	www.	orafol.com			
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE AR 1000	Type V	approve
Chris Gaudette	Cell:			For use in work zones on barrier and guardrail delineation and roadside delineation posts.	4 /8 /1999
120 Darling Drive Avon CT 0600	Fax:	(860) 676-7199			
chris.gaudette@orafol.com		orafol.com			
716.03.01c REFLECT	IVE SHEETING (1				
Vendor Name / Address	IVE SHEETING (Product Name	Remarks	
3M Transportation Safety Division	n Phone:	(800) 553-1380	3340 Cone	Type VI	approved
Eric Dornak 1605 Sabatini Drive	Cell:	(702) 743-0012		for traffic PVC cones ONLY	8 /16/2000
Henderson NV 8905	52 Fax:	(651) 732-8435			
ejdornak@mmm.com	www.	3M.com/tcm			
3M Transportation Safety Division	n Phone:	(800) 553-1380	RS-24* Roll-Up	Туре VI	approvo
	Cell:	(702) 743-0012		for Barricades ONLY and Permanent Traffic; *Roll-up	approve 8 /16/2000
Eric Dornak		(651) 732-8435		Signs	0/10/2000
	Fax:				
1605 Sabatini Drive	52 Fax:				
1605 Sabatini Drive Henderson NV 8905	52	3M.com/tcm			
1605 Sabatini Drive Henderson NV 8905 ejdornak@mmm.com	52 www.		Avery Dennison		approve
1605 Sabatini Drive Henderson NV 8905 ejdornak@mmm.com Avery Dennison Reflective Solutio Nipa Joshi	52 www.	3M.com/tcm	OmniBrite WU-7000 Roll-		••
Eric Dornak 1605 Sabatini Drive Henderson NV 8905 ejdornak@mmm.com Avery Dennison Reflective Solution Nipa Joshi 7542 North Natchez Ave. Niles IL 6071	52 www. ons Phone: Cell: Fax:	3M.com/tcm (847) 627-3111			approved 6 /11/2020

Vendor Name / Address			Product Name F	Remarks	
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE 5934 Super		approve
Chris Gaudette	Cell:		Bright Reboundable Sheeting		9 /17/2020
120 Darling Drive Avon CT 06001	Fax:	(860) 676-7199	Sheeting		
chris.gaudette@orafol.com	www.	orafol.com			
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE Marathon Roll-	Туре VI	approved
Chris Gaudette	Cell:		Up	for use in emergency traffic control construction work zones and utility work areas	4 /8 /1999
120 Darling Drive	Fax:	(860) 676-7199			
Avon CT 06001 chris.gaudette@orafol.com		orafol.com			
_	Phone:		ORALITE Super Bright Roll-	Type VI	
ORAFOL Americas, Inc. Chris Gaudette		(860) 676-7181	Up	for use in emergency traffic control construction work	approved
120 Darling Drive	Cell:			zones and utility work areas	4 /8 /1999
Avon CT 06001	Fax:	(860) 676-7199			
chris.gaudette@orafol.com	www.	orafol.com			
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	Reflective Flag*	Туре VI	approved
Chris Gaudette	Cell:			*for flagger poles ONLY	4 /6 /2011
120 Darling Drive	Fax:	(860) 676-7199			
Avon CT 06001		C 1			
Avon C1 06001 chris.gaudette@orafol.com	www.	orafol.com			
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S					
chris.gaudette@orafol.com			Product Name F	Remarks	
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division			Product Name F 3990 VIP DG	Туре IX	approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S <i>Vendor Name / Address</i> 3M Transportation Safety Division Eric Dornak	HEETING (1	TYPE IX)			approved 9 /10/2010
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S <i>Vendor Name / Address</i> 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive	Phone:	(800) 553-1380		Туре IX	
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S <i>Vendor Name / Address</i> 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052	Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012		Туре IX	
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S <i>Vendor Name / Address</i> 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com	Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm		Туре IX	9 /10/2010
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052	Phone: Cell: Fax: www. Phone:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111	3990 VIP DG	Type IX DG=Diamond Grade	9 /10/2010 approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S <i>Vendor Name / Address</i> 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation	Phone: Cell: Fax: www. Phone: Cell:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739	3990 VIP DG	Type IX DG=Diamond Grade Type IX	9 /10/2010
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S <i>Vendor Name / Address</i> 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi	Phone: Cell: Fax: www. Phone:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111	3990 VIP DG	Type IX DG=Diamond Grade Type IX	9 /10/2010 approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S <i>Vendor Name / Address</i> 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue	Phone: Cell: Fax: www. Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739	3990 VIP DG OV T9500	Type IX DG=Diamond Grade Type IX	9 /10/2010 approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714	Phone: Cell: Fax: www. Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925	3990 VIP DG OV T9500 ennison.com	Type IX DG=Diamond Grade Type IX	9 /10/2010 approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi	Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925 reflectives.averyd	3990 VIP DG OV T9500 ennison.com	Type IX DG=Diamond Grade Type IX OV=OmniView	9 /10/2010 approvec 7 /10/2001
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925 reflectives.averyd (847) 627-3111	3990 VIP DG OV T9500 ennison.com	Type IX DG=Diamond Grade Type IX OV=OmniView Type IX	9 /10/2010 approved 7 /10/2001 approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi 7542 North Natchez Avenue Nipa Joshi 7542 North Natchez Avenue Niles IL 60714	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925 reflectives.averyd (847) 627-3111 (773) 255-3739 (847) 525-3739 (847) 588-7925	3990 VIP DG OV T9500 ennison.com OV T9511	Type IX DG=Diamond Grade Type IX OV=OmniView Type IX	9 /10/2010 approved 7 /10/2001 approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www.	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925 reflectives.averyd (847) 627-3111 (773) 255-3739 (847) 588-7925 reflectives.averyd	3990 VIP DG OV T9500 ennison.com OV T9511 ennison.com	Type IX DG=Diamond Grade Type IX OV=OmniView Type IX OV=OmniView, Fluorescent Yellow	9 /10/2010 approvec 7 /10/2001 approvec 7 /10/2001
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation	HEETING (T Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: Www.	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925 reflectives.averyd (847) 627-3111 (773) 255-3739 (847) 588-7925 reflectives.averyd (847) 627-3111	3990 VIP DG OV T9500 ennison.com OV T9511	Type IX DG=Diamond Grade Type IX OV=OmniView Type IX OV=OmniView, Fluorescent Yellow	9 /10/2010 approved 7 /10/2001 approved 7 /10/2001 approved
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mmm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi Avery Dennison Corporation Nipa Joshi	Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax:	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925 reflectives.averyd (847) 627-3111 (773) 255-3739 (847) 588-7925 reflectives.averyd (847) 627-3111 (773) 255-3739	3990 VIP DG OV T9500 ennison.com OV T9511 ennison.com	Type IX DG=Diamond Grade Type IX OV=OmniView Type IX OV=OmniView, Fluorescent Yellow	9 /10/2010 approvec 7 /10/2001 approvec 7 /10/2001
chris.gaudette@orafol.com 716.03.01d REFLECTIVE S Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive Henderson NV 89052 ejdornak@mm.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com Avery Dennison Corporation	HEETING (T Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: www. Phone: Cell: Fax: Www.	(800) 553-1380 (702) 743-0012 (651) 732-8435 3M.com/tcm (847) 627-3111 (773) 255-3739 (847) 288-7925 reflectives.averyd (847) 627-3111 (773) 255-3739 (847) 588-7925 reflectives.averyd (847) 627-3111	3990 VIP DG OV T9500 ennison.com OV T9511 ennison.com	Type IX DG=Diamond Grade Type IX OV=OmniView Type IX OV=OmniView, Fluorescent Yellow	9 /10/2010 approved 7 /10/2001 approved 7 /10/2001 approved

Vendor Name / Address			Product Name	Remarks	
Avery Dennison Corporation	Phone:	(847) 627-3111	OV T9514	Туре IX	approve
Nipa Joshi	Cell:	(773) 255-3739		OV=OmniView, Fluorescent Orange	7 /10/2001
7542 North Natchez Avenue Niles IL 60714	Fax:	(847) 588-7925			
nipa.joshi@averydennison.com	www.	reflectives.averyd	lennison.com		
ORAFOL Americas, Inc.	Phone:	(860) 676-7181	ORALITE 5930 Fluorescent	t Туре IX	approve
Chris Gaudette	Cell:		Orange Work Zone Rigid		2 /5 /2013
120 Darling Drive	Fax:	(860) 676-7199			
Avon CT 06001 chris.gaudette@orafol.com	www.	orafol.com			
716.03.01e REFLECTIVE S	HEETING (1	TYPE XI)			
Vendor Name / Address			Product Name	Remarks	
3M Transportation Safety Division	Phone:	(800) 553-1380	4000 DG3	Туре ХІ	approved
Eric Dornak	Cell:	(702) 743-0012		B=Barricade; WZ=Work Zones	8 /16/2000
1605 Sabatini Drive	Fax:	(651) 732-8435			0110/2000
Henderson NV 89052					
ejdornak@mmm.com	www.	3M.com/tcm			
3M Transportation Safety Division	Phone:	(800) 553-1380	4080 DG3 WZ	Туре ХІ	approve
Eric Dornak	Cell:	(702) 743-0012		B=Barricade; WZ=Work Zones	8 /16/2000
1605 Sabatini Drive Henderson NV 89052	Fax:	(651) 732-8435			
ejdornak@mmm.com	www.	3M.com/tcm			
3M Transportation Safety Division	Phone:	(800) 553-1380	444 DG3 B	Туре ХІ	approved
Eric Dornak	Cell:	(702) 743-0012		B=Barricade; WZ=Work Zones	8 /16/2000
1605 Sabatini Drive	Fax:	(651) 732-8435			
Henderson NV 89052					
ejdornak@mmm.com	www.	3M.com/tcm			
Avery Dennison Corporation	Phone:	(847) 627-3111	OC T11500	Туре ХІ	approved
Nipa Joshi 7542 North Natchez Avenue	Cell:	(773) 255-3739		OC=OmniCube	7 /29/2010
Niles IL 60714	Fax:	(847) 588-7925			
nipa.joshi@averydennison.com	www.	reflectives.averyd	lennison.com		
Avery Dennison Corporation	Phone:	(847) 627-3111	OC T11511	Туре ХІ	approved
Nipa Joshi	Cell:	(773) 255-3739		OC=OmniCube, Fluorescent Yellow	7 /29/2010
7542 North Natchez Avenue	Fax:	(847) 588-7925			
Niles IL 60714		(I) ·			
nipa.joshi@averydennison.com		reflectives.averyd			
Avery Dennison Corporation	Phone:	(847) 627-3111	OC T11513	Type XI	approved
Nipa Joshi 7542 North Natchez Avenue	Cell:	(773) 255-3739		OC=OmniCube, Fluorescent Yellow Green	7 /29/2010
Niles IL 60714	Fax:	(847) 588-7925			
nipa.joshi@averydennison.com			lennison.com		

Vendor Name / Address			Product Name	Remarks	
Avery Dennison Corporation	Phone:	(847) 627-3111	OC T11514	Туре ХІ	approved
Nipa Joshi	Cell:	(773) 255-3739		OC=OmniCube, Fluorescent Orange	7 /29/2010
7542 North Natchez Avenue	Fax:	(847) 588-7925			1 12312010
Niles IL 60714	Tux.	(011) 000 1020			
nipa.joshi@averydennison.com	www.	reflectives.averyd	lennison.com		
728.03.02 EPOXY RESIN A	DHESIVE	FOR BONDING	6		
Vendor Name / Address			Product Name	Remarks	
Adhesives Technology Corporation	Phone:	(800) 892-1880	CRACKBOND 2100 MV	Type II; Grade 2; Class B and C	approved
Renee Thomas	Cell:	(954) 782-2221			6 /11/2020
450 East Copans Road	Fax:	(954) 782-2499			
Pompano Beach FL 33064-5509					
rthomas@atcepoxy.com	www.	atcepoxy.com			
Adhesives Technology Corporation	Phone:	(800) 892-1880	CRACKBOND LR-321LPL	Type I, II, IV and V; Grade I; Class C	approved
Renee Thomas	Cell:	(954) 782-2221			6 /11/2020
450 East Copans Road	Fax:	(954) 782-2499			
Pompano Beach FL 33064-5509					
rthomas@atcepoxy.com		atcepoxy.com			
Adhesives Technology Corporation	Phone:	(754) 399-1684	ULTRABOND 1	Type I, II, IV and V; Grade 3; Class A, B and C	approved
Renee Thomas	Cell:	(954) 782-2221			11/21/2005
450 East Copans Road Pompano Beach FL 33064-5509	Fax:	(800) 362-3320			
rthomas@atcepoxy.com	www.	atcepoxy.com			
Adhesives Technology Corporation	Phone:	(800) 892-1880	ULTRABOND 1300	Type I, II, IV and V; Grade 3; Class B and C	
Renee Thomas	Cell:	(954) 782-2221			approved
450 East Copans Road		. ,			11/21/2005
Pompano Beach FL 33064-5509	Fax:	(954) 782-2499			
rthomas@atcepoxy.com	www.	atcepoxy.com			
Adhesives Technology Corporation	Phone:	(800) 892-1880	ULTRABOND HS-1CC	Type II, IV and V; Grade 3; Class A, B and C	approved
Renee Thomas	Cell:	(954) 782-2221			3 /26/2018
450 East Copans Road	Fax:	(954) 782-2499			0 120120 10
Pompano Beach FL 33064-5509					
rthomas@atcepoxy.com	www.	atcepoxy.com			
Adhesives Technology Corporation	Phone:	(800) 892-1880	ULTRABOND HS-200	Type I, II, IV and V; Grade 3; Class A, B and C	approved
Renee Thomas	Cell:	(954) 782-2221			11/21/2005
450 East Copans Road	Fax:	(954) 782-2499			
Pompano Beach FL 33064-5509					
rthomas@atcepoxy.com		atcepoxy.com			
ChemCo Systems	Phone:	(562) 378-7407	ProGuard Bonder Paste LP	Type I, II, IV and V; Grade 3; Class C	approved
Sara Geary	Cell:	(650) 261-3790			3 /15/2023
2800 Bay Rd Redwood City CA 94063	Fax:				

Vendor Name / Address			Product Name	Remarks	
Dayton Superior Corporation	Phone:	(937) 866-0711	ProAnchor Elite	Type I, II, IV and V; Grade 3: Class A and B. Ext.	approved
Sarah Clark	Cell:	(937) 479-5164		44376.	3 /11/2021
1125 Byers Road	Fax:	(937) 847-8473			
Miamisburg OH 45342					
sarahclark@daytonsuperior.com	WWW.	.daytonsuperior.co	om		
Dayton Superior Corporation	Phone:	(937) 866-0711	Sure Anchor I J-51	Type I, II, IV and V; Grade 3; Class B and C. Ext. 44376.	approved
Sarah Clark	Cell:	(937) 479-5164			1 /14/2003
1125 Byers Rd. Miamisburg OH 45342	Fax:	(937) 847-8473			
sarahclark@daytonsuperior.com	www.	.daytonsuperior.co	om		
	Phone:		Sure Bond J58	Type II; Grade 2; Class B and C. Ext. 44376.	
Dayton Superior Corporation Sarah Clark		· · ·	Sule Bolid 158		approved
1125 Byers Road	Cell:	(937) 479-5164			6 /22/2021
Miamisburg OH 45342	Fax:	(937) 847-8473			
sarahclark@daytonsuperior.com	www.	.daytonsuperior.co	om		
DEWALT	Phone:	(800) 524-3244	DEWALT PE1000+	Type I, II, IV and V; Grade 3; Class B and C	approved
Robert Antoinette	Cell:				12/1 /2016
2 Powers Lane Brewster NY 10509	Fax:	(914) 576-6483			12, 1, 2010
robert.antoinette@sbdinc.com	anch	ors.dewalt.com			
DEWALT	Phone:	(800) 524-3244	DEWALT Pure 110+	Type I, II, IV and V; Grade 3; Class B and C	approved
Robert Antoinette	Cell:				12/1 /2016
2 Powers Lane	Fax:	(914) 576-6483			
Brewster NY 10509					
robert.antoinette@sbdinc.com	anch	ors.dewalt.com			
DEWALT	Phone:	(800) 524-3244	DEWALT Pure50+	Type I, II, IV and V; Grade 3; Class B and C	approved
Robert Antoinette	Cell:				12/1 /2016
2 Powers Lane Brewster NY 10509	Fax:	(914) 576-6483			
robert.antoinette@sbdinc.com	anch	ors.dewalt.com			
E-Chem, LLC	Phone:	(505) 217-2121	EP-GEL FAST	Type I, II, IV and V; Grade 3; Class B and C	
Renee Thomas	Cell:	. ,		, , , , , , ,	approved
4102 El Rey Road SE	Fax:	(954) 789-4764 (505) 217-3721			8 /30/2017
Albuquerque NM 87105	Tax.	(505) 217-5721			
rthomas@atcepoxy.com	www.	.e-chem.net			
E-Chem, LLC	Phone:	(505) 217-2121	EP-MV	ASTM C881 Type I and II; Grade 2; Class B and C	approved
Renee Thomas	Cell:	(954) 789-4764			7 /22/2019
4102 EI Rey Road SE	Fax:				
Albuquerque NM 87105					
rthomas@atcepoxy.com	WWW.	.e-chem.net			

Vendor Name / Address			Product Name	Remarks	
Euclid Chemical Company	Phone:	(800) 321-7628	Dural 452 Gel	Type I, II, IV and V; Grade 3; Class C.	approved
Brian Lewis	Cell:	(216) 692-8305			9 /20/2021
19215 Redwood Road	Fax:	(216) 531-9399			572072021
Cleveland OH 44110		(=:0) 00: 0000			
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Euclid Chemical Company	Phone:	(800) 321-7628	Dural 452 LV	Type I and IV; Grade 1; Class C.	approved
Brian Lewis	Cell:	(216) 692-8305			9 /20/2021
19215 Redwood Road	Fax:	(216) 531-9399			
Cleveland OH 44110					
olewis@euclidchemical.com	www.	euclidchemical.co			
Euclid Chemical Company	Phone:	(800) 321-7628	Dural 452 MV	Type I, II, IV and V; Grade 2; Class C	approved
Brian Lewis	Cell:	(216) 692-8305			11/29/2012
19215 Redwood Road Cleveland OH 44110	Fax:	(216) 531-9399			
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Euclid Chemical Company	Phone:	(800) 321-7628	Dural Fast Set Gel	Type I and IV; Grade 3; Class C.	
Brian Lewis	Cell:	(216) 692-8305			approved 9 /20/2021
19215 Redwood Road	Fax:	(216) 531-9399			9/20/2021
Cleveland OH 44110	Tax.	(210) 331-3333			
blewis@euclidchemical.com	www.	euclidchemical.co	om		
Hilti, Inc.	Phone:	(877) 749-6337	HIT-RE 10	Type I, II, IV and V; Grade 3; Class A, B and C	approved
Lisa Barkand	Cell:				9 /24/2018
7250 Dallas Parkway, Suite 1000	Fax:				
Plano TX 75024		1-1141			
isa.barkand@hilti.com	www.	hilti.com			
Hilti, Inc.	Phone:	(972) 403-5948	HIT-RE 100	Type I, II, IV and V; Grade 3; Class A, B and C	approved
Peter Anderson	Cell:				12/17/2018
7250 Dallas Parkway, Suite 1000 Plano TX 75024	Fax:	(800) 879-7000			
us-sales@hilti.com	www.	us.hilti.com			
Hilti, Inc.	Phone:	(972) 403-5948	HIT-RF 500v3	Type I, II, IV, and V; Grade 3; Class A, B, and C	
Peter Anderson	Cell:	(072) 400 0040			approved
7250 Dallas Parkway, Suite 1000					9 /25/2017
Plano TX 75024	Fax:				
peter.anderson@hilti.com	www.	us.hilti.com			
ITW Commercial Construction North America	Phone:	(224) 307-9287	Red Head C6+	Type I, II, IV and V; Grade 3; Class B and C. Alt. company email is Adhesive-Anchors@itwccna.com	approved
Christopher Nelli	Cell:				9 /24/2018
155 Harlem Ave.	Fax:				
Glenview IL 60025					
Adhesive-Anchors@itwccna.com	www.	itwredhead.com			

Vendor Name / Address			Product Name	Remarks	
MAPEI Corporation	Phone:	(954) 246-8520	Planibond AE	Type I, II, IV and V; Grade 3; Class B and C	approved
Bruce Haller	Cell:	(954) 637-5121			8 /3 /2011
1144 East Newport Center Drive Deerfield Beach FL 33442	Fax:	(954) 246-8825			07072011
bhaller@mapei.com	www.	.mapei.com			
MasterSpec Materials, LLC	Phone:	(702) 997-8838	RiteBond	Type I, II, IV and V; Grade 2; Class B and C	approved
Luisa Flores	Cell:	(505) 974-0421			9 /24/2018
806 Buchanan Blvd, Ste 115-294Boulder CityNV89005	Fax:				
info@masterspecmaterials.com	www.	masterspecmate	rials.com		
MiTek USA, Inc.	Phone:	(952) 898-8630	CIA-GEL 6000-GP	Type I, II, IV and V; Grade 3; Class A, B and C	approved
Tom Curry	Cell:				3 /25/2016
14305 Southcross Drive, Suite 200BurnsvilleMN55306	Fax:	(952) 898-8605			
tcurry@mii.com	mitek	k-us.com			
MiTek USA, Inc.	Phone:	(952) 898-8630	CIA-GEL 7000 Adhesive	Type I and IV; Grade 3; Class B, C and D	approved
Tom Curry	Cell:				8 /9 /2000
14305 Southcross Drive Suite 200BurnsvilleMN55306	Fax:	(952) 898-8605			
tcurry@mii.com	mitek	(-us.com			
MKT Fastening, LLC	Phone:	(501) 676-2222	Liquid Roc 500+	Type IV; Grade 3; Class B and C	approved
Louis Peyron	Cell:				9 /25/2017
1 Gunnebo Drive Lonoke AR 72086	Fax:	(501) 676-7266			
louis@mktfastening.com	www.	.mktfastening.con	n		
Pecora Corporation	Phone:	(214) 723-6051	Dynapoxy Low Mod Epoxy	Type III; Grade 2; Class B and C	approved
Glen Murphy	Cell:	(818) 519-7658			6 /7 /2010
165 Wambold RoadHarleysvillePA19438	Fax:	(215) 721-0286			
murphyg@pecora.com	www.	pecora.com			
Sika Corporation	Phone:	(201) 933-8800	Sika AnchorFix 3001	ASTM C881 Type IV; Grade 3; Class C. Automatic proportioning, mixing, and dispensing equipment	approved
Don Edwards	Cell:	(816) 372-3599		must be used.	7 /22/2019
201 Polito AvenueLyndhurstNJ07071	Fax:				
edwards.don@us.sika.com	usa.s	ika.com			
Sika Corporation	Phone:	(201) 933-8800	Sikadur 35 Hi Mod	Type I, II and IV; Grade 1; Class C	approved
Don Edwards	Cell:	(816) 372-3599			4 /10/2006
201 Polito Avenue Lyndhurst NJ 07071	Fax:				
edwards.don@us.sika.com	usa.s	ika.com			

Vendor Name / A	ddr	ess			Product Name	Remarks	
Simpson Strong Tie			Phone:	(800) 999-5099	ET-HP Epoxy Adhesive	Type I, II, IV and V; Grade 3; Class B and C	approved
Wendy Allen			Cell:	(415) 559-9038			1 /15/2009
5151 South Airport Wa	ay		Fax:	(209) 234-3868			1710/2003
Stockton	CA	95206		()			
wallen@strongtie.com	٦		www.	stongtie.com/pro	ducts/anchorsyste		
Simpson Strong-Tie			Phone:	(480) 450-5321	ET-HP	ASTM C881 Type I, II, IV and V; Grade 3; Class B and C	approved
Daniel Bartlett			Cell:	(702) 524-5524			9 /19/2022
12246 Holly St. N	~^	00500	Fax:				
Riverside dbartlett@strongtie.co	CA	92509	ctrop	gtie.com			
	UIII						
Simpson Strong-Tie			Phone:	(480) 450-5321	RPS-752	ASTM C881 Type II; Grade 2; Class B	approved
Daniel Bartlett 12246 Holly St. N			Cell:	(702) 524-5524			9 /19/2022
	CA	92509	Fax:				
dbartlett@strongtie.co	om		stron	gtie.com			
Simpson Strong-Tie			Phone:	(480) 450-5321	SET-3G	ASTM C881 Type I, II, IV and V; Grade 3; Class B	
Daniel Bartlett			Cell:	(702) 524-5524		and C	approveo 9 /19/2022
12246 Holly St. N			Fax:	(102) 024 0024			9/19/2022
Riverside	CA	92509	T GAR				
dbartlett@strongtie.co	om		stron	gtie.com			
Simpson Strong-Tie			Phone:	(480) 450-5321	SET-XP	ASTM C881 Type I, II, IV and V; Grade 3; Class C	approved
Daniel Bartlett			Cell:	(702) 524-5524			9 /19/2022
12246 Holly St. N Riverside	CA	92509	Fax:				
dbartlett@strongtie.co		92309	stron	gtie.com			
	om				0 0 0000	Turne L. W. Marsed V. Oracle & Olara D. and O.	
SpecChem Michael LeMark			Phone:	(816) 968-5600	SpecPoxy 3000	Type I, II, IV and V; Grade 3; Class B and C	approved
1511 Baltimore Ave.			Cell:	(562) 489-9607			3 /27/2019
	МО	64108	Fax:				
mlemark@specchem	llc.co	m	www.	specchemllc.com			
Unitex Chemicals / Da	ayton	Superior	Phone:	(937) 866-0711	Pro-Poxy 200	Type II; Grade 2; Class B and C. Ext. 44376.	approved
Sarah Clark	-		Cell:	(937) 479-5164			6 /22/2021
1125 Byers Road			Fax:	(937) 847-8473			0 /22/2021
Miamisburg	OH	45342					
sarahclark@daytonsu	perio	pr.com	www.	daytonsuperior.co	om		
Unitex Chemicals / Da	ayton	Superior	Phone:	(937) 866-0711	Pro-Poxy 300	Type I, II, IV and V; Grade 3; Class B and C. Ext. 44376.	approved
Sarah Clark			Cell:	(937) 479-5164			1 /14/2003
1125 Byers Rd.		45240	Fax:	(937) 847-8473			
Miamisburg	OH	45342					

728.03.02 EPOXY RESIN	ADHESIVE	FOR BONDING			
Vendor Name / Address			Product Name	Remarks	
Unitex Chemicals / Dayton Superior	Phone:	(937) 866-0711	Pro-Poxy 300 FAST	Type I, II, IV and V; Grade 3; Class B and C. Ext. 44376.	approved
Sarah Clark	Cell:	(937) 479-5164		400.	1 /14/2003
1125 Byers Rd.	Fax:	(937) 847-8473			
Miamisburg OH 45342					
sarahclark@daytonsuperior.com	www.	daytonsuperior.co	om		
729.03.03 PAINT MARKI	NG MATER	RIAL - EPOXY			
Vendor Name / Address			Product Name	Remarks	
Colorado Paint Company/Swarco	Phone:	(303) 388-9265	1180	White: 1180 Part A Yellow: 1186 Part A	approved
Marilou Bruce	Cell:	(303) 332-9216		Hardener: 1185 Part B	3 /23/2000
2851 N. Walden Street	Fax:	(303) 388-0881		"Lead Free Yellow" contains organic yellow pigment.	
Aurora CO 80011					
marilou.bruce@swarco.com	www.	swarco.com/cpc			
Ennis-Flint, Inc.	Phone:	(800) 331-8118	HPS-3	White: HPS-3 Part A Yellow: HPS-3 Part A	approved
QPL Administrator	Cell:	(336) 477-8363		Black: HPS-3 Part A Hardener: HPS-3 Part B	7 /25/2002
4161 Piedmont Pkwy, Ste. 370	Fax:	(336) 475-7900			
Greensboro NC 27410				"Lead Free Yellow" contains organic yellow pigment.	
dl-QPLAdmin@ppg.com	https:	//www.ennisflint	.com		
Epoplex	Phone:	(800) 822-6920	Epoplex LS50	White: LS50 Part A Yellow: LS50 Part A	approved
Chris Beadle	Cell:	(302) 893-0009		Hardener: LS50 Part B	2 /6 /2003
1000 East Park Avenue	Fax:	(856) 779-2963		"Lead Free Yellow" contains organic yellow pigment.	
Maple Shade NJ 08052					
cbeadle@epoplex.com	www.	epoplex.com			
Epoplex	Phone:	(800) 822-6920	Epoplex LS60	White: LS60 Part A Yellow: LS60 Part A	approved
Chris Beadle	Cell:	(302) 893-0009		Hardener: LS60 Part B	2 /6 /2003
1000 East Park Avenue	Fax:	(856) 779-2963		"Lead Free Yellow" contains organic yellow pigment.	
Maple Shade NJ 08052					
cbeadle@epoplex.com	www.	epoplex.com			
Olin Poly-Carb	Phone:	(330) 748-6407	Mark 55.2	White: Mark 55.2 Part A Yellow: Mark 55.2 Part A	approved
Solmaz Pirouz	Cell:	(979) 480-4607		Hardener: Mark 55.2 Part B	5 /11/2004
4005 Technology Drive, Suite 1500	Fax:			"Lead Free Yellow" contains organic yellow pigment.	
Angleton TX 77515 spirouz@olin.com	https://	//olinpolycarb.co	m/		
				White: Mark 55.3 Part A	
Olin Poly-Carb Solmaz Pirouz	Phone:	(330) 748-6407	Mark 55.3	Yellow: Mark 55.3 Part A	approved
4005 Technology Drive, Suite 1500	Cell:	(979) 480-4607		Hardener: Mark 55.3 Part B	5 /11/2004
Angleton TX 77515	Fax:			"Lead Free Yellow" contains organic yellow pigment.	
spirouz@olin.com	https:	//olinpolycarb.co	m/		
Olin Poly-Carb	Phone:	(330) 748-6407		White: Mark 55.4 Part A	
Solmaz Pirouz	_	· · ·		Yellow: Mark 55.4 Part A Hardener: Mark 55.4 Part B	approved
4005 Technology Drive, Suite 1500	Cell:	(979) 480-4607			10/24/1997
	Fax:			"Lead Free Yellow" contains organic yellow pigment.	
Angleton TX 77515					

729.03.03 PAINT M	ARKING MATE	RIAL - EPOXY			
Vendor Name / Address			Product Name	Remarks	
Swarco/Colorado Paint Company	Phone:	(303) 388-9265	MFUA-10	modified polyacrylate two- component	approved
Ling Tan	Cell:	(919) 208-3360		3180 White, 3186 Yellow, 3187 Black, 3185 catalyst	9 /17/2020
2851 N. Walden Street Aurora CO 8001	Fax:	(303) 388-0881		outuyot	
ling.tan@swarco.com		swarco.com/cpc			
729.03.04a PAINT M	ARKING MATE	RIAL - RAPID D	RY WATERBORNE (A	CRYLIC EMULSION)	
Vendor Name / Address			Product Name	Remarks	
Arkema Incorporated	Phone:		ENCOR DT 250	Туре І	approved
	Cell:				7 /19/2002
no contact information provided OR requi	Fax:				
Arkema Incorporated	Phone:		ENCOR DT 400	Туре II	approved
	Cell:				7 /19/2002
no contact information provided OR requi	Fax:				
Dow Chemical/Rohm & Haas LLC	Phone:		Fastrack 3427	Type I; prev Rhoplex Fastrack 3427; Bulk #10081323; Substance #101051012	approved
	Cell:			#10001323, Substance #101031012	5 /20/1999
no contact information available OR requi	Fax:				
Dow Chemical/Rohm & Haas LLC	Phone:		Fastrack HD-21A	Type II; prev Rhoplex Fastrack HD21A; Bulk #10076070; Substance #101084604	approved
	Cell:			"	5 /20/1999
no contact information available OR requi	Fax:				

729.03.04b PAINT MARK	NG MATERIAL - RAPI		IT (TYPE I, TEMPORARY STRIP	ING FORMULATION
Vendor Name / Address		Product Name	Remarks	
Colorado Paint Company/Swarco	Phone: (303) 388-92			approved
Marilou Bruce	Cell: (303) 332-92	Y: 1166-NV Waterborne	W = White; Y = Yellow	12/16/2011
2851 N Walden Street Aurora CO 80011	Fax: (303) 388-08	381		
marilou.bruce@swarco.com	www.swarco.com/	срс		
Ennis-Flint, Inc.	Phone: (800) 331-8		Fastrack 3427	approved
QPL Administrator	Cell: (336) 477-83	Y: Pervo Plastics 6003	W = White; Y = Yellow	7 /30/2002
4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410	Fax: (336) 475-79	000		
dl-QPLAdmin@ppg.com	https://www.ennis	flint.com/		

Vendor Name / Ad	dre	255			Product Name	Remarks	
International Coatings C Lin Lin	Com	pany, Inc.	Phone: Cell:	(562) 926-1010	W: Line-Pro 5630 Y: Line-Pro 5640	Fastrack HD-21A W = White; Y = Yellow	approved 7 /24/2013
13929 East 166th Stree Cerritos C/		90703	Fax:	(562) 926-9486			112412013
llin@iccink.com			www.	iccink.com			
Ozark Materials, LLC			Phone:	(334) 213-2995	Waterborne Standard	Fastrack 3427	approved
Derron Henderson			Cell:		Paint (white and yellow)		3 /27/2019
591 Glendale Ave. Greenville Al	L	36037	Fax:	(334) 371-2302			
derron@ozarkmaterials	s.net	t	www.	ozarkmaterials.ne	et		
Svevia USA, Inc.			Phone:	(909) 559-4134	Roadmax Fastdry NDOT	Fastrack 3427	approved
Jason Martyn			Cell:	(909) 957-4204	Series	White = RMP-1000NV-1; Yellow = RMP-1000NV-2	6 /22/2021
14567 Rancho Vista Dr. Fontana C/	-	92335	Fax:				
jason@roadmaxproduc	ts.co	om	https:	//www.roadmaxp	products.com/		
Vista Paint Corporation			Phone:	(702) 539-8973	On-Line Fast Dry 6900	Fastrack 3427	approved
Steve Tetreault			Cell:	(714) 680-3800	Series: white/yellow/black	k	7 /22/2019
2020 East Orangethorp Fullerton C،		/e. 92831	Fax:	(702) 359-6320			
stetreault@vistapaint.c	om		www.	vistapaint.com			

729.03.04c PAINT MARKING MATERIAL - RAPID DRY WATERBORNE (TYPE II, PERMANENT STRIPING FORMULATION)

Vendor Name / Address			Product Name	Remarks	
Colorado Paint Company/Swarco	Phone:	(303) 388-9265	W: 1110-NV Ultra High	Fastrack HD-21A	approved
Marilou Bruce	Cell:	(303) 332-9216	Y: 1116-NV Ultra High	W = White; Y = Yellow	12/16/2011
2851 N. Walden StreetAuroraCO80011	Fax:	(303) 388-0881			
marilou.bruce@swarco.com	www.	swarco.com/cpc			
Ennis-Flint, Inc.	Phone:	(800) 331-8118	W: 982831 NVW-HD-M-1	Fastrack HD-21A	approved
QPL Administrator	Cell:	(336) 477-8363	Y: 982832 NVY-HD-M-1	W = White; Y = Yellow	12/11/2002
4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410	Fax:	(336) 475-7900			
dl-QPLAdmin@ppg.com	https	://www.ennisflint	.com/		
Ennis-Flint, Inc.	Phone:	(800) 331-8118	W: 982851	Fastrack HD-21A	approved
QPL Administrator	Cell:	(336) 477-8363	Y: 982852	W = White; Y = Yellow	7 /30/2002
4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410	Fax:	(336) 475-7900		Product previously known as W: Pervo Plastics 6050 & Y: Pervo Plastics 6053	
dl-QPLAdmin@ppg.com	https	://www.ennisflint	.com/		
International Coatings Company, Inc.	Phone:	(562) 926-1010	Line-Pro 5610 White	Fastrack HD-21A	approved
Lin Lin	Cell:		Line-Pro 5620 Yellow	Company contact: (562) 926-1010 ext 371	11/19/2013
13929 East 166th Street Cerritos CA 90703	Fax:	(562) 926-9486			
llin@iccink.com	www.	iccink.com			

Vendor Name / Address			Product Name	Remarks	
Ozark Materials, LLC	Phone:	(334) 213-2995	Waterborne Durable	Fastrack HD-21A	approved
Derron Henderson	Cell:		Paint (white and yellow)		12/17/2018
591 Glendale Ave.	Fax:	(334) 371-2302			
Greenville AL 36037					
derron@ozarkmaterials.net	www.	ozarkmaterials.ne	et		
Sherwin Williams Company	Phone:	(216) 566-1733	W: TM2398	Fastrack HD-21A	approved
Paul Trautman	Cell:	(714) 699-6358	Y: TM2399	W = White; Y = Yellow	7 /9 /2003
101 Prospect Avenue NW	Fax:	(216) 830-7721			
Cleveland OH 44115					
paul.trautmann@sherwin.com	WWW.	sherwin-williams.	com		
Svevia USA, Inc.	Phone:	(909) 559-4134	Roadmax HI-BUILD	Fastrack HD- 21A	approved
Jason Martyn	Cell:	(909) 957-4204	Fastdry NDOT Series	White = RMP-1100NV-1; Yellow = RMP-1100NV-2	9 /17/2020
14567 Rancho Vista Dr. Fontana CA 92335	Fax:				
jason@roadmaxproducts.com	httpp	//www.roadmax	vraduata com (
Jasonerodumaxproducts.com	nttp3.	// ****.100011107			
729.03.05 PAINT MARK	ING MATER	RIAL - POLYUR	EA		
Vendor Name / Address			Product Name	Remarks	
3M Transportation Safety Division	Phone:	(651) 733-1110	3M All Weather Liquid	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark	approved
Thanh-Huong Do	Cell:	(702) 743-0012	Pavement Marking Series 5000	County w/elevation ≤ 4,000 feet. Double Drop applied	3 /25/2016
3M Center, 235-3W-052	Fax:		5000	w/Glass Sphere statewide.	
St Paul MN 55144		_			
ttdo@mmm.com	www.	3m.com			
Epoplex	Phone:	(800) 822-6920	Epoplex LS90	White: Part A Yellow: Part A	approved
	Cell:	(302) 893-0009		Cross Linker: Part B Reflective media applied by Double Drop	
Chris Beadle	Cen.	(302) 093-0009			2 /6 /2003
1000 East Park Avenue	Fax:	(856) 779-2963		Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co	2 /6 /2003
1000 East Park Avenue Maple Shade NJ 08052	Fax:	(856) 779-2963		Reflective media applied by Double Drop	2 /6 /2003
1000 East Park Avenue	Fax:	· · ·		Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by	2 /6 /2003
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company	Fax:	(856) 779-2963	MFUA 12	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by	2 /6 /2003 approved
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan	Fax: www.	(856) 779-2963 epoplex.com	MFUA 12	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A	
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street	Fax: www. Phone:	(856) 779-2963 epoplex.com (303) 388-9265	MFUA 12	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop	approved
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011	Fax: www. Phone: Cell: Fax:	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360 (303) 388-0881	MFUA 12	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied	approved
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street	Fax: www. Phone: Cell: Fax:	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360	MFUA 12	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark	approved
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011	Fax: www. Phone: Cell: Fax: www.	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360 (303) 388-0881 swarco.com/cpc	MFUA 12	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied	approved
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011 ling.tan@swarco.com	Fax: www. Phone: Cell: Fax: www.	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360 (303) 388-0881 swarco.com/cpc		Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied	approved
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011 ling.tan@swarco.com 732.03.01 PAVEMENT N	Fax: www. Phone: Cell: Fax: www.	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360 (303) 388-0881 swarco.com/cpc		Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/levation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied w/Glass Sphere statewide	approvec 6 /7 /2013
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011 ling.tan@swarco.com 732.03.01 PAVEMENT N Vendor Name / Address	Fax: www. Phone: Cell: Fax: www.	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360 (303) 388-0881 swarco.com/cpc APE (TYPE I)	Product Name	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/levation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Plack: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied w/Glass Sphere statewide	approved 6 /7 /2013 approved
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011 ling.tan@swarco.com 732.03.01 PAVEMENT N Vendor Name / Address 3M Transportation Safety Division Eric Dornak 1605 Sabatini Drive	Fax: www. Phone: Cell: Fax: www. MARKING T. Phone:	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360 (303) 388-0881 swarco.com/cpc APE (TYPE I) (800) 553-1380 (702) 743-0012	Product Name	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation < 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation < 4,000 feet. Double Drop applied w/Glass Sphere statewide Remarks	approvec 6 /7 /2013
1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011 ling.tan@swarco.com 732.03.01 PAVEMENT N Vendor Name / Address 3M Transportation Safety Division Eric Dornak	Fax: www. Phone: Cell: Fax: www. MARKING T. Phone: Cell:	(856) 779-2963 epoplex.com (303) 388-9265 (919) 208-3360 (303) 388-0881 swarco.com/cpc APE (TYPE I) (800) 553-1380	Product Name	Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation < 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide. 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation < 4,000 feet. Double Drop applied w/Glass Sphere statewide Remarks	approved 6 /7 /2013 approved

Vendor Name / Addr	ess			Product Name	Remarks	
Advance Traffic Markings		Phone:	(252) 536-2574	Series 300	Туре І	approve
Raeleen Lucas		Cell:	(714) 397-4428		white/yellow available	4 /29/2008
100 Patch Rubber Road Weldon NC	27890	Fax:	(252) 536-4940			
lucasco@ralucasco.com		www.	trafficmarkings.co	om		
Advance Traffic Markings		Phone:	(252) 536-2574	Series 400	Туре I	approve
Raeleen Lucas		Cell:	(714) 397-4428		white/yellow available	4 /29/2008
100 Patch Rubber Road Weldon NC	27890	Fax:	(252) 536-4940			
lucasco@ralucasco.com		www.	trafficmarkings.co	om		
Brite Line Technologies		Phone:	(303) 375-1293	Series 100	Туре І	approve
Shea Durkin		Cell:	(720) 217-1747		white/yellow available	10/10/200
10390 E. 48th Ave. Denver CO	80238	Fax:	(303) 375-8557			
sdurkin@brite-line.com	00230	www.	brite-line.com			
Brite Line Technologies		Phone:	(303) 375-1293	Series 200	Туре І	approve
Shea Durkin		Cell:	(720) 217-1747		white/yellow available	10/10/200
10390 E. 48th Ave.		Fax:	(303) 375-8557			
Denver CO	80238					
sdurkin@brite-line.com			brite-line.com			
Brite Line Technologies		Phone:	(303) 375-1293	Series Deltaline TWR	Туре І	approve
Shea Durkin 10390 E. 48th Ave.		Cell:	(720) 217-1747		white/yellow available	10/10/2007
Denver CO	80238	Fax:	(303) 375-8557			
sdurkin@brite-line.com		www.	brite-line.com			
Swarco Industries, LLC		Phone:	(503) 421-5227	Series Director 60	Туре I	approve
Jonathan Knutson		Cell:	(503) 421-5227		white/yellow available	2 /17/2004
270 Rutherford Lane / PO		Fax:	(503) 208-2785			
Columbia TN	38401					
jonathan.knutson@swarcc	.com	www.	swarco.com			
		ARKING T	APE (TYPE II)			
Vendor Name / Addr	ess			Product Name	Remarks	
Advance Traffic Markings		Phone:	(252) 536-2574	Series 300	Туре II	approve
Raeleen Lucas 100 Patch Rubber Road		Cell:	(714) 397-4428		white/yellow available	5 /2 /2008
Weldon NC	27890	Fax:	(252) 536-4940			
lucasco@ralucasco.com		www.	trafficmarkings.co	om		
Advance Traffic Markings		Phone:	(252) 536-2574	Series 400	Туре II	approve
Raeleen Lucas		Cell:	(714) 397-4428		white/yellow available	4 /29/2008
100 Patch Rubber Road Weldon NC	27890	Fax:	(252) 536-4940			472372000

Vendor Name / Addr			APE (TYPE II)	Product Name	Remarks	
		Phono:	(202) 275 1002		Туре II	
Brite Line Technologies Shea Durkin		Phone:	(303) 375-1293	Series 900		approved
10390 E. 48th Ave.		Cell:	(720) 217-1747		white/yellow available	2 /2 /2010
Denver CO	80238	Fax:	(303) 375-8557			
sdurkin@brite-line.com		www.	brite-line.com			
Brite Line Technologies		Phone:	(303) 375-1293	Series Deltaline XRP	Туре II	approved
Shea Durkin		Cell:	(720) 217-1747		white/yellow available	2 /2 /2010
10390 E. 48th Ave.		Fax:	(303) 375-8557			
Denver CO	80238					
sdurkin@brite-line.com		www.	brite-line.com			
732.03.03 PA		IARKING T	APE (TYPE IV)			
Vendor Name / Addre	ess			Product Name	Remarks	
3M Transportation Safety E	Division	Phone:	(800) 553-1380	Series 270	Type IV	approved
Eric Dornak		Cell:	(702) 743-0012		IES is a standard high performance optic	5 /6 /2011
1605 Sabatini Drive		Fax:	(651) 732-8435		WR ES is a standard high performance, wet reflective optics	
Henderson NV	89052					
ejdornak@mmm.com		www.	3M.com/tcm			
3M Transportation Safety E	Division	Phone:	(800) 553-1380	Series 380AW and Series	Type IV	approved
Eric Dornak		Cell:	(702) 743-0012	380IES	IES is a standard high performance optic WR ES is a standard high performance, wet reflective	5 /6 /2011
1605 Sabatini Drive	00050	Fax:	(651) 732-8435		optics	
Henderson NV	89052					
ejdornak@mmm.com		www.	3M.com/tcm			
Advance Traffic Markings		Phone:	(252) 536-2574	Series 300	Type IV white/yellow available	approved
Raeleen Lucas		Cell:	(714) 397-4428			10/19/2012
100 Patch Rubber Road Weldon NC	27890	Fax:	(252) 536-4940			
lucasco@ralucasco.com	21090	\w/\w/\w/	trafficmarkings.co	m		
Advance Traffic Markings		Phone:	(252) 536-2574	Series 400	Type IV	approved
Raeleen Lucas 100 Patch Rubber Road		Cell:	(714) 397-4428			4 /29/2008
Weldon NC	27890	Fax:	(252) 536-4940			
lucasco@ralucasco.com	21000	www.	trafficmarkings.co	om		
			_		Type IV	
Brite Line Technologies Shea Durkin		Phone:	()	Series Deltaline XRP	Турети	approved
10390 E. 48th Ave.		Cell:	(720) 217-1747			2 /2 /2010
Denver CO	80238	Fax:	(303) 375-8557			
sdurkin@brite-line.com		www.	brite-line.com			
732.03.04a PA		IARKINGS	HOT APPLIED	THERMOPLASTIC)		
Vendor Name / Addre				Product Name	Remarks	

Vendor Name / AddressProduct NameRemarksCrown USA, Inc.Phone:(706) 553-9500Ecotherm Yellow AlkydYellow Lead freeJean ElliottCell:(800) 457-6267Sindustrial Park DriveFax:(866) 553-9501Yellow Lead freeWoodburyGA 30293galaxywww.crownusa.comWhiteYellow Lead freeCrown USA, Inc.Phone:(800) 457-6267TuffLine AlkydWhiteJean ElliottCell:(706) 553-9500WoodburyGA 30293Jelliott@crownusa.comWww.crownusa.comFax:(706) 553-9501WoodburyWoodburyGA 30293Fax:(706) 553-9501Lead freeWoodburyGA 30293Fax:(706) 553-9501WeiteLead freeUp L AdministratorCell:(336) 477-8363Ye 885555 AlkydLead freeQPL AdministratorCell:(336) 475-7900Ye 84685 AlkydWeithite; Y = Yellowdif1 Piedmont Pkwy, Ste. 370Fax:(334) 213-2995ThermoplasticYe llow. Product pre Accel Thermoplastic.Ozark Materials, LLCPhone:(334) 213-295ThermoplasticWhite and yellow. Product pre Accel Thermoplastic.591 Glendale Ave. GreenvilleAL36037Gell:S34) 213-2995ThermoplasticOzark Materials, LLCPhone:(334) 213-2995ThermoplasticWhite and yellow.Derron HendersonCell:S34) 213-2995ThermoplasticSite and yellow.S91 Glendale Ave. S91 Glendale Ave.Cell:S34) 213-2995 <t< th=""><th>approved 10/23/2013 approved 10/14/2004 approved 9 /30/2009</th></t<>	approved 10/23/2013 approved 10/14/2004 approved 9 /30/2009					
Jean Elliott Col, Inc. Cell: (800) 457-6267 35 Industrial Park Drive Fax: (866) 553-9501 Woodbury GA 30293 jelliott@crownusa.com Www.crownusa.com Crown USA, Inc. Phone: (800) 457-6267 TuffLine Alkyd White Jean Elliott Cell: (706) 553-9500 35 Industrial Park Drive Fax: (706) 553-9500 Woodbury GA 30293 jelliott@crownusa.com Www.crownusa.com Ennis-Flint, Inc. Phone: (800) 331-8118 QPL Administrator Cell: (336) 477-8363 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dI-QPLAdmin@ppg.com https://www.ennisflint.com/ Cozark Materials, LLC Phone: (334) 213-2995 S1 Glendale Ave. Greenville AL 36037 derron@ozarkmaterials.net www.ozarkmaterials.net Ozark Materials, LLC Phone: (334) 213-2995 Greenville AL 36037 derron@ozarkmaterials.net www.ozarkmaterials.net Ozark Materials, LLC Phone: (334) 213-2995 Cell: S34) 213-2995 Thermoplastic Thermoplastic Phone: (334) 213-2995 Greenville AL 36037 derron@ozarkmaterials.net Www.ozarkmaterials.net Ozark Materials, LLC Phone: (334) 213-2995 Cell: S34) 213-2995 Thermoplastic Phermoplastic Phermo	approved 10/23/2013 10/14/2004 approved					
35 Industrial Park Drive Fax: (866) 553-9501 Woodbury GA 30293 jelliott@crownusa.com www.crownusa.com Crown USA, Inc. Phone: (800) 457-6267 TuffLine Alkyd White Jean Elliott Cell: (706) 553-9500 Woodbury GA 30293 jelliott@crownusa.com Fax: (706) 553-9501 Woodbury GA 30293 jelliott@crownusa.com www.crownusa.com Fax: (706) 553-9501 Weite Lead free Up L Administrator Cell: (336) 477-8363 Thermoplastic W = White; Y = Yellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 Thermoplastic W = White; Y = Yellow Greensboro NC 27410 https://www.ennisflint.com/ White and yellow. Product pre Accel Thermoplastic Cell: (334) 213-2995 Thermoplastic Write and yellow. 91 Glendale Ave. Fax: (334) 371-2302 Www.ozarkmaterials.net White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic Write and yellow. 91 Glendale Ave. Fax: <td>approved 10/14/2004 approved</td>	approved 10/14/2004 approved					
Woodbury GA 30293 Jealliott Ga 30293 yelliott@crownusa.com www.crownusa.com Crown USA, Inc. Phone: (800) 457-6267 TuffLine Alkyd White Jean Elliott Cell: (706) 553-9500 White Void S53-9501 Woidbury GA 30293 jelliott@crownusa.com Fax: (706) 553-9501 Weile Lead free Woodbury GA 30293 www.crownusa.com Lead free Ennis-Flint, Inc. Phone: (800) 331-8118 W: 885555 Alkyd Lead free QPL Administrator Cell: (336) 477-8363 Thermoplastic W = White; Y = Yellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 Thermoplastic W = White; Y = Yellow Greensboro NC 27410 https://www.ennisflint.com/ White and yellow. Product pre Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. S91 Glendale Ave. Fax: (334) 213-2995 Thermoplastic White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermo	10/14/2004 approved					
Crown USA, Inc.Phone:(800) 457-6267TuffLine AlkydWhiteJean ElliottCell:(706) 553-9500S53-9500S53-9501WoideFax:(706) 553-950135 Industrial Park DriveFax:(706) 553-9501Fax:(706) 553-9501Lead freeWoodburyGA30293www.crownusa.comLead freeEnnis-Flint, Inc.Phone:(800) 331-8118W: 885555 AlkydLead freeQPL AdministratorCell:(336) 477-8363ThermoplasticW = White; Y = Yellow4161 Piedmont Pkwy, Ste. 370Fax:(336) 475-7900W = White; Y = YellowW = White; Y = Yellowdi-QPLAdmin@ppg.comhttps://www.ennisflint.com/VWeite and yellow. Product pre Accel ThermoplasticQzark Materials, LLCPhone:(334) 213-2995ThermoAccel ThermoplasticWhite and yellow. Product pre Accel Thermoplastic.591 Glendale Ave.Fax:(334) 213-2995ThermoplasticWhite and yellow.Ozark Materials, LLCPhone:(334) 213-2995ThermoplasticWhite and yellow.Ozark Materials, LLCPhone:(334) 213-2995ThermoplasticSocial ThermoplasticOzark Materials, LLCPhone:(334) 213-2995ThermoplasticWhite and yellow.Derron HendersonCell:Social 213-2995ThermoplasticSocial 213-2995S91 Clendale Ave.Cell:Social 213-2995ThermoplasticWhite and yellow.	10/14/2004 approved					
Jean Elliott Cell: (706) 553-9500 35 Industrial Park Drive Fax: (706) 553-9501 Woodbury GA 30293 jelliott@crownusa.com www.crownusa.com Ennis-Flint, Inc. Phone: (800) 331-8118 W: 885555 Alkyd Thermoplastic QPL Administrator Cell: (336) 477-8363 Thermoplastic Y: 884685 Alkyd W = White; Y = Yellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 W = White; Y = Yellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 W = White; Y = Yellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 W = White; Y = Yellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 Cell: 591 Glendale Ave. Fax: (334) 371-2302 White and yellow. Product pre Accel Thermoplastic 591 Glendale Ave. Fax: (334) 213-2995 Thermoplastic Cell: S34) 213-2995 Thermoplastic White and yellow. Product pre Accel Thermoplastic. W = White and yellow. Product pre Accel Thermoplastic W = White and yellow. Product pre Accel Thermoplastic W = White and yellow. Product pre Accel Thermoplastic W = White and yellow. Product pre Accel Thermoplastic. White and yellow. Product pre Accel Thermoplastic W = White and yellow. Product pre Accel Thermoplastic W = Wellow. Product pre Accel Thermoplastic W = Wellow. Product pre Accel Thermoplastic W = White and yellow. Product pre Accel Thermoplastic W = Wellow. Product pre Berlin Henderson Cell: SW = Wellow. Product pre SW Clendele Ave. Cell: SW = Wellow. Product pre SW Clendele Ave. Cell: SW = Wellow. Product pre Berlin Henderson Cell: SW = Wellow. Product pre SW Clendele Ave. Cell: SW = Wellow. Product pre SW Clendele Ave. Cell: SW = Wellow. Product pre Berlin Henderson Cell: SW = Wellow. Product p	10/14/2004 approved					
35 Industrial Park Drive Fax: (706) 553-9501 Woodbury GA 30293 jelliott@crownusa.com www.crownusa.com Ennis-Flint, Inc. Phone: (800) 331-8118 W: 885555 Alkyd QPL Administrator Cell: (336) 477-8363 Thermoplastic 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 W = White; Y = Yellow Greensboro NC 27410 Fax: (336) 475-7900 W = White; Y = Yellow dI-QPLAdmin@ppg.com https://www.ennisflint.com/ White and yellow. Product pre Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Product pre 591 Glendale Ave. Fax: (334) 371-2302 Www.ozarkmaterials.net White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic Motie and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Derron Henderson Cell: Si (Gendale Ave White and yellow. 02ark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Derron Henderson Cel	10/14/2004 approved					
WoodburyGA 30293Fax: (70b) 553-9501WoodburyGA 30293www.crownusa.comEnnis-Flint, Inc.Phone: (800) 331-8118W: 885555 AlkydQPL AdministratorCell: (336) 477-8363Thermoplastic Y: 884685 AlkydW = White; Y = Yellow4161 Piedmont Pkwy, Ste. 370Fax: (336) 475-7900Fax: (336) 475-7900W = White; Y = YellowGreensboroNC 27410NC 27410Fax: (336) 475-7900Weite and yellow. Product preOzark Materials, LLCPhone: (334) 213-2995Thermoplastic ThermoplasticWhite and yellow. Product pre Accel Thermoplastic.591 Glendale Ave.Fax: (334) 371-2302Fax: (334) 213-2995ThermoplasticOzark Materials, LLCPhone: (334) 213-2995ThermoplasticDerron HendersonCell:Sil Glendale Ave591 Glendale AveCell:						
Ennis-Flint, Inc.Phone:(800) 331-8118W: 885555 AlkydLead freeQPL AdministratorCell:(336) 477-8363Thermoplastic Y: 884685 AlkydW = White; Y = Yellow4161 Piedmont Pkwy, Ste. 370 GreensboroNC 27410Fax:(336) 475-7900W = White; Y = YellowdI-QPLAdmin@ppg.comhttps://www.ennisflint.com/Voltage: Cell:W = White; Y = YellowOzark Materials, LLCPhone:(334) 213-2995ThermopLastic ThermopLasticWhite and yellow. Product pre Accel ThermopLastic.591 Glendale Ave.Fax:(334) 371-2302White and yellow.Phone:Ozark Materials, LLCPhone:(334) 213-2995ThermopLasticWhite and yellow.Ozark Materials.netwww.ozarkmaterials.netWww.ozarkmaterials.netWhite and yellow.Ozark Materials, LLCPhone:(334) 213-2995ThermopLasticWhite and yellow.Ozark Materials, LLCPhone:(334) 213-2995ThermopLasticWhite and yellow.Derron HendersonCell:Sign Glendale Ave.Sign Glendale Ave.Sign Glendale Ave.Derron HendersonCell:Sign Glendale Ave.Sign Glendale Ave.Sign Glendale Ave.Derron HendersonCell:Sign Glendale Ave.Sign Glendale Ave.Sign Glendale Ave.Derron HendersonCell:Sign Glendale Ave.Sign Glendale Ave.Sign Glendale Ave.Sign Glendale Ave.Cell:Sign Glendale Ave.Sign Glendale Ave.Sign Glendale Ave.Derron HendersonCell:Sign Glendale Ave.						
QPL Administrator Cell: (336) 477-8363 Thermoplastic W = White; Y = Yellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 Fax: (336) 475-7900 W = White; Y = Yellow Greensboro NC 27410 https://www.ennisflint.com/ W = White; Y = Yellow Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Product pre Derron Henderson Cell: Saladian Greenville AL 36037 Www.ozarkmaterials.net White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Product pre Accel Thermoplastic Fax: (334) 371-2302 Www.ozarkmaterials.net White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Derron Henderson Cell: S91 Glendale Ave Cell: S91 Glendale Ave S91 Glendale Ave						
All E Administration Cell: (336) 4/7-8363 Y: 884685 Alkyd W = White, F = Tellow 4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900 Fax: (336) 475-7900 W = White, F = Tellow Greensboro NC 27410 Fax: (336) 475-7900 W = White, F = Tellow dI-QPLAdmin@ppg.com https://www.ennisflint.com/ White and yellow. Product pre Ozark Materials, LLC Phone: (334) 213-2995 ThermoAccel Thermoplastic White and yellow. Product pre Accel Thermoplastic. 591 Glendale Ave. Fax: (334) 371-2302 Www.ozarkmaterials.net Wite and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Derron Henderson Cell: Second Cell: Second Cell: Second Cell: 591 Glendale Ave Cell: Second Cell: Second Cell: Second Cell: Second Cell:						
4161 Piedmont Pkwy, Ste. 3/0 Fax: (336) 475-7900 Greensboro NC 27410 dl-QPLAdmin@ppg.com https://www.ennisflint.com/ Ozark Materials, LLC Phone: (334) 213-2995 ThermoAccel Thermoplastic Derron Henderson Cell: 591 Glendale Ave. Fax: (334) 371-2302 Greenville AL 36037 derron@ozarkmaterials.net www.ozarkmaterials.net Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Product pre Accel Thermoplastic Accel Thermoplastic. Spin Glendale Ave. Fax: (334) 371-2302 Greenville AL 36037 Ozark Materials, LLC Phone: (334) 213-2995 Derron Henderson Cell: 591 Glendale Ave. Cell: 591 Glendale Ave. Cell:						
Ozark Materials, LLC Phone: (334) 213-2995 ThermoAccel Thermoplastic White and yellow. Product pre Accel Thermoplastic. 591 Glendale Ave. Fax: (334) 371-2302 Katerials.net Greenville AL 36037 Www.ozarkmaterials.net Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic Derron Henderson Cell: Second Cell: Second Cell: 591 Glendale Ave Cell: Second Cell: Second Cell:						
Derron Henderson Cell: Thermoplastic 591 Glendale Ave. Fax: (334) 371-2302 Greenville AL 36037 derron@ozarkmaterials.net www.ozarkmaterials.net Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic Derron Henderson Cell: 591 Glendale Ave. Cell:						
Derron Henderson Cell: 591 Glendale Ave. Fax: (334) 371-2302 Greenville AL 36037 derron@ozarkmaterials.net www.ozarkmaterials.net Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic Derron Henderson Cell: 591 Glendale Ave. Cell:	eviously known as approved					
Fax: (334) 3/1-2302 Greenville AL Greenville AL Greenville AL Greenville AL Greenville AL Greenville Www.ozarkmaterials.net Ozark Materials, LLC Phone: Derron Henderson Cell: 591 Glendale Ave Cell:	3 /27/2019					
Ozark Materials, LLC Phone: (334) 213-2995 Thermoplastic White and yellow. Derron Henderson Cell: 591 Glendale Ave						
Derron Henderson Cell:	www.ozarkmaterials.net					
591 Glandale Ave	approved					
591 Glendale Ave.	3 /27/2019					
Fax: (334) 371-2302 Greenville AL 36037						
derron@ozarkmaterials.net www.ozarkmaterials.net						
732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)						
Vendor Name / Address Product Name Remarks						
Crown USA, Inc. Phone: (800) 457-6267 Tuff-Mark select 0.125" / 125 mil thick pro	oduct approved					
Jean Elliott Cell: (706) 553-9500	7 /22/2019					
600 Poplar Drive Fax: (706) 553-9501 Thomaston GA 30286	1 12/2010					
jelliott@crownusa.com www.crownusa.com						
Ennis-Flint, Inc. Phone: (800) 331-8118 HotTape select 0.125" / 125 mil thick pro	oduct approved					
QPL Administrator Cell: (336) 477-8363	5 /3 /2001					
4161 Piedmont Pkwy, Ste. 370 Fax: (336) 475-7900	07072001					
Greensboro NC 27410 dl-QPLAdmin@ppg.com https://www.ennisflint.com/						
	aduct					
Ennis-Flint, Inc. Phone: (800) 331-8118 PreMark select 0.125" / 125 mil thick pro QPL Administrator Cell: (336) 477-8363	approved					
4161 Diadmont Diany, Sto. 370						
Greensboro NC 27410	5 /3 /2001					
dl-QPLAdmin@ppg.com https://www.ennisflint.com/	5 /3 /2001					

732.03.04b PA		MARKINGS	(PREFORMED	THERMOPLASTIC)		
Vendor Name / Addr	ress			Product Name	Remarks	
Ennis-Flint, Inc.		Phone:	(336) 477-8363	PreMarkXF	select 0.125" / 125 mil thick product	approved
QPL Administrator		Cell:	(800) 311-8118			9 /17/2019
4161 Piedmont Pkwy, Ste. Greensboro NC	. 370 27410	Fax:	(336) 475-7900			
dl-QPLAdmin@ppg.com		http:/	/www.ennisflint.c	com		
Geveko Markings, Inc.		Phone:	(770) 847-9410	OPTAMARK	select 0.125" / 125 mil thick product	approved
Laura Clark		Cell:				12/20/2017
1883 New Harvest RoadGainesvilleGA	30507	Fax:	(770) 757-9949			
Iclark@gevekomarkings.c	om	www.	geveko-markings	us		
Ozark Materials, LLC		Phone:	(334) 213-2995	Preformed Thermoplastic	select 0.125" / 125 mil thick product	approved
Derron Henderson		Cell:				12/17/2018
591 Glendale Ave. Greenville AL	36037	Fax:	(334) 371-2302			
derron@ozarkmaterials.ne	et	www.	ozarkmaterials.ne	et		
Preform, LLC		Phone:	(888) 826-5161	PREFORM	select 0.125" / 125 mil thick product. Alternate contact is Roxanne Brown (rox@preform.us), direct#	approved
Alex Cady		Cell:			512-736-5282.	6 /22/2021
3845 Deerpark Blvd. Elkton FL	32033	Fax:				
acady@preform.us		www.	preform.us			
Swarco Industries, LLC		Phone:	(503) 421-5227	Preformed Thermoplastic	select 0.125" / 125 mil thick product	approved
Jonathan Knutson		Cell:	(503) 421-5227			7 /2 /2018
270 Rutherford Ln / PO Bo Columbia TN	ox 89 38401	Fax:	(503) 208-2785			
jonathan.knutson@swarce	o.com	www.	swarco.com/ame	ricas		

QPL NOTES

March 15, 2023

If specified in a contract's Special Provisions under the "Notice to Contractors", contractors are required to use that Qualified Products List (QPL). This dated QPL is distributed to the contractors along with contract documentation.

The QPL is maintained by the NDOT Research Section. Products will remain on the QPL as long as their performance is satisfactory and the product vendor/manufacturer complies with NDOT requirements. Poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The NDOT Product Evaluation Coordinator must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future.

If you have any questions regarding QPL and/or product evaluation process, contact Sabra Gilbert -Young, Product Evaluation Coordinator, via e-mail at <u>sgilbert-young@dot.nv.gov</u> or by telephone at (775) 888-7894.

Past Editions of the NDOT QPL

NDOT typically publishes a QPL four times a year but may do so at any time to capture significant changes. If the QPL you are trying to find is no longer available on the NDOT website, please contact the <u>Product Evaluation Coordinator</u> to request the specific QPL you are looking for.

2023:	
2022:	December 14, September 19, June 15, March 14
2021:	December 20, September 21, June 22, April 15, March 11
2020:	December 10, September 17, June 11, April 1
2019:	December 31, September 17, July 22, May 2, March 29
2018:	December 31, December 17, September 26, July 2, June 30, April 18, March 28, February 9
2017:	December 27, October 2, June 27, April 25
2016:	December 6, September 30, June 22, May 2, April 13, March 17
2015:	May 14
2014:	December 24, September 9, June 9, February 7, January 3
2013:	September 10, June 25, February 8
2012:	December 7, September 18, May 17, April 5, March 2, February 8, January 4
2011:	December 5, November 29, October 14, September 23, August 8, August 3, July 22, June 9, June 2, May 27,
	April 14, April 6, April 5, March 31, March 29, March 21, January 25, January 6
2010:	December 10, October 28, August 23, July 20, July 7, June 7, May 7, April 15, March 2, February 22
2009:	December 3, October 8, June 22, May 1, April 14, March 24, March 17
2008:	November 12, November 4, September 3, July 16, June 2, April 4, March 31, March 6, January 22
2007:	November 27, November 20, September 14, August 10, July 6, May 21, March 30, February 21
2006:	November 14, October 23, August 1, June 22, May 22, May 8, March 28, March 23, February 21, January 19
2005:	November 10, August 29, February 9
2004:	None known
2003:	May 22, March 23
2002:	May 30
2001:	November 30

QPLs displayed in red were not previously displayed on the Product Evaluation webpage. While the Product Evaluation program welcomes inquires it can only provide a specific QPL that a product appeared on. It cannot answer questions regarding which products were used on a specific project or why one product was selected instead of another. Inquiries of that nature are best directed to the contractor who was awarded that work.

Transportation Management Plan

US 395, Washoe County Milepost 27.064 to 31.107

Construct Aux Lane Northbound and Southbound, Construct Travel Lane Southbound, Construct New Braided Ramp at Panther Valley Interchange, and Rehab Existing Pavement



January 2023



Nevada Department of Transportation 1263 S. Stewart Street Carson City, Nevada 89712

Prepared By: Jessica Downing

Executive Summary

US 395 is the primary connector between Reno/Sparks and the Golden Valley, Lemmon Valley, Stead, and Cold Springs areas. This route also serves as the main connector to northeastern California. This project consists of adding auxiliary lanes, an additional travel lane, a new braided ramp, and roadway rehabilitation on US 395 in Washoe County. These improvements will be constructed between mileposts WA 27.064 to 31.107. The roadway is classified as a freeway. US 395 within the project limits has a posted speed limit of 65 mph. Traffic control will consist of lane, shoulder, and ramp closures, lane, shifts, and flagging operations.

This Transportation Management Plan (TMP) will describe the transportation management strategies developed throughout the course of this project. The strategies developed include the Maintenance of Traffic Plan and the Transportation Operations Plan.

TMP Roles and Responsibilities

TMP Coordinator

The Nevada Department of Transportation's (NDOT) Project Coordinator for this project is Victor Peters. Jessica Downing will serve as the Transportation Management Plan (TMP) Project Manager and is responsible for the overall development of the TMP.

Victor Peters Office: (775) 888-7680 vpeters@dot.nv.gov Jessica Downing Office: (775) 888-7705 jdowning@dot.nv.gov

TMP Team

The TMP Team is comprised of the individuals who have been involved in the development and review of the TMP. The TMP team consisted of Pedro Rodriguez, Robert Vrooman (NDOT Project Management), Ruedy Edgington (HDR/Consultant Project Manager), Victor Peters, Katie Durham (NDOT Roadway Design), Mike West, Shawn Hilbert (NDOT Constructability), Bhu Sandhu, Andrew Lawrence, Joel Read (NDOT District 2 Construction), Austin Hoekstra, Jeff Bickett, Eric Harmer, Jessica Downing (Traffic Operations).

TMP Implementation Task Leaders

The following are some of the implementation responsibilities of Task Leaders as defined in this TMP:

NDOT Resident Engineer

- 1. Approve staging areas.
- 2. Coordinate with other construction activity in the general area of this project.
- 3. Enforce the contract limitations of operations.
- 4. Review the safety of in-place traffic control and contractor operations.
- 5. Provide construction information to District II so that they can place it on the 511 website.
- 6. Identify additional emergency contacts.

Contractor

- 1. Choose staging areas.
- 2. Coordinate with other construction activity in the general area of this project.
- 3. Design and submit traffic control plans.
- 4. Provide traffic control supervision and inspection.

Emergency Contacts

Bhupinder Sandhu, Asst. District II Engineer:	(775) 834-8300 Office; (775) 434-3458 Cell
Andrew Lawrence, Resident Engineer:	(775) 888-3040 Office; (775) 443-5169 Cell
Joel Read, Asst. Resident Engineer:	(775) 888-3040 Office; (775) 400-6740 Cell
Garrett Rodgers, PE Crew 905	(775) 888-3040 Office; (775) 350-0755 Cell


Additional emergency contacts will be identified at the Pre-Construction Meeting.

Project Description

The project extends from North McCarran interchange to the Golden Valley interchange on US 395. The work consists of constructing a new travel lane in the southbound direction, new auxiliary lanes in the northbound and southbound directions, and a new braided ramp at the Panther Valley interchange. Other items will include drainage improvements, new lighting, signs, striping, concrete barrier rail, sound walls, retaining walls, and rehabilitation of existing pavement.

Project Type

This capacity project is federally funded.



General Schedule and Timeline

This project is anticipated to begin construction in the spring of 2023 with four-hundred fifty (450) working days.

Need for Detours

This project utilizes lump sum traffic control, traffic control plans will be developed and supplied by the contractor and will be approved by the Resident Engineer. Any detours shall be provided in the traffic control plans. Pedestrian traffic control and detours shall be submitted together with the work zone traffic control plans. Plans for any closures and detours shall be submitted 14 days prior for approval.

Existing and Future Conditions

US 395 in the project area is a freeway with three 12-feet through lanes northbound from Clear Acre to Golden Valley and reduces to two lanes from Golden Valley to Lemmon Valley with an auxiliary lane between Panther Valley on-ramp and Golden Valley off-ramp. There are two lanes southbound for the entire corridor from Lemmon Valley to Clear Acre with an auxiliary lane between Golden Valley on-ramp and Panther Valley off-ramp. The posted speed limit is 65 mph. The directional traffic in the project corridor is separated by a median with a concrete barrier rail. Each directional travel way has both an inner and an outer shoulder of varying width, 8-12 feet. There are four freeway interchanges along the section. The heavy truck percentage is 6%.

Typical morning peak hour traffic volumes on US 395 are 3,347 vehicles per hour (vph) southbound and 2,179 vph northbound. The morning peak traffic periods are 5:00 AM to 12:00 PM in the southbound direction and 6:00 AM to 12:00 PM in the northbound direction. The afternoon peak hour volumes are 3,081 vph southbound and 4,611 vph northbound. The afternoon peak traffic periods are 12:00 PM to 7:00 PM in both directions.

US 395: between the McCarran Blvd I/C Exit 70 and Parr Blvd I/C Exit 71 (2019)	,500 AADT
US 395: 0.1 mile North of the Golden Valley Interchange Exit 73 (2017)	,500 AADT
US 395: 200 feet South of the Stead Interchange Exit 76 sign (2021)	,500 AADT
US 395: 0.4 miles North of the N/B on-ramp of the Parr Blvd I/C Exit 71 (2021)	,000 AADT




Figure 1: Typical Weekday Traffic Characteristics on US 395 (Between McCarran and Parr)

Traffic Operations Division recommends the following:

Southbound direction:

2 lanes recommended from 5:00 AM to 7:00 PM,

Northbound direction:

2 lanes recommended from 7:00 AM to 8:00 AM and 11:00 AM to 4:00 PM,

3 lanes recommended from 3:00 PM to 6:00 PM, where available.

North of Golden Valley Interchange




Figure 2: Typical Weekday Traffic Characteristics on US 395 (Between Golden Valley and Lemmon Valley) One lane per direction should always be opened to traffic. Additionally,

Southbound direction:

2 lanes recommended from 6:00 AM to 7:00 PM.

Northbound direction:

2 lanes recommended from 7:00 AM to 8:00 AM and 10:00 AM to 8:00 PM.

Weekend Traffic Information (2017)




Figure 3: Typical Weekend Traffic Characteristics on US 395 (Between McCarran and Parr)

Southbound direction:

2 lanes recommended from 7:00 AM to 6:00 PM

Northbound direction:

2 lanes recommended from 10:00 AM to 6:00 PM

Stakeholder Concerns/Issues

Project stakeholders and organizations potentially affected by the project include:

- Nevada Department of Transportation
- Federal Highway Administration (FHWA)
- Union Pacific Railroad (UPRR)
- Nevada State Police: Division of Highway Patrol
- Washoe County
- Washoe County School District
- City of Reno
- Regional Transportation Commission Washoe (RTC Washoe)
- Desert Research Institute
- Truckee Meadows Community College (TMCC)
- Truckee Meadows Fire Protection District
- SPCA of Northern Nevada Shelter
- Local utility companies
- Emergency medical services
- Local law enforcement agencies
- Adjacent local and commercial businesses
- Adjacent residents

Stakeholder traffic concerns and issues, including those by the community and business representatives, known are:

- Delays to traffic
- Roadway and ramp closures and detours
- Construction noise impacts on residents adjacent to the roadway
- Inconvenience to access local businesses and residences

Work Zone Impacts Assessment Report

Qualitative Summary of Anticipated Work Zone Impacts

This work will have impacts on mobility. The construction is expected to use lane closures, shoulder closures, ramp closures, and flagging operations. There will be prolonged lane closures during roadway widening, bridge work, and retaining wall work. Directional mainline closures will only be performed during nighttime and off-peak traffic hours.

It is anticipated that the traveling public will experience longer commute times during construction even with the public outreach efforts implemented. Significant congestion may occur in locations adjacent to the project work area, especially during any daytime operations. Backups should be planned for by utilizing advanced signing, warnings on changeable message signs, and public notifications advising motorists to utilize alternate routes whenever possible.

Although the traffic volumes are expected to cause congestion and delays through the work zone, the work zone will operate safely and efficiently with implementation of advanced warning signs, DMS controlled by Reno Road Operations Center (ROC), CMS and notices to residents and businesses.

Project areas with a posted speed limit of 65 mph may reduce to 55 mph during construction, as directed. Speed reductions to include advanced warning signs and additional mitigation strategies to assist with compliance and promote safety and awareness.

A work zone impact assessment will be developed throughout construction. This ongoing assessment will include daily field surveys that monitor traffic mobility, evaluation of work safety records, and daily evaluation of stakeholder and public complaints. Upon review of the assessments, NDOT and the contractor may choose to modify the traffic control to improve deficiencies as appropriate.

Construction Approach/Phasing/Staging Strategies

This project will be completed using lump sum traffic control, submitted by the contractor and approved by the Resident Engineer.

A minimum of eighteen (18) changeable message signs shall be deployed to assist the traveling public during construction. Changeable message signs may be used for smart travel time system as directed.

Structures G-1748 N & S and G-1092 N & S are over railroad tracks. Coordination with UPRR is required as specified in section 107.08 of the special provisions.

A new traffic signal project at the Parr Blvd / Dandini Blvd interchange will be complete prior to construction of this project. Contact District II permit office at 775-834-8330 for any questions.

The use of traffic drums on US 395 are mandatory for tapers or shifts.

Flaggers are required for all truck ingress and egress locations, for cross street intersections, and when deemed necessary and directed for safety.

To enhance safety and conspicuity a minimum of six (6) trailer-mounted speed feedback signs and yellow flashing beacons placed on the W3-5A signs shall be used during approved speed reductions.

The temporary regulatory speed limit should not be left in effect beyond the daily hours of operations unless the conditions for which the speed reduction was implemented continues to exist, or channeling devices are required to route traffic through the work zone area.

The original regulatory speed limit shall be resumed by posting new signs at the end of the work zone for each direction of traffic.

Traffic control operations that take place at night, the use of portable overhead trailer mounted balloon lighting is mandatory as determined and specified in 625 of the Special Provisions.

Work Zone Impacts Management Strategies

A variety of management strategies may be deployed to minimize disruption to traffic and maintain a safe working environment. Suggested strategies to minimize impacts are documented in Table 1 (temporary traffic control), Table 2 (traffic operations control), and Table 3 (public information) as shown below:

Table 1- Temporary Traffic Control (TTC) Strategies						
A. Control Strategies	B. Traffic Control De	vices	C. Project Coordination, Contracting, and Innovative Construction Strategies			
Construction phasing/staging	Temporary signs		Project Coordination			
Lane shifts or closures:	Warning		Coordination with other projects			
 Lane closures to provide work safety Shoulder closures to provide v safety Lane shift to shoulder/median maintain number of lanes Ramp closures/relocation Night work Weekend work Work hour restrictions for peak travel Off-site detours/alternate routes 	vorker Changeable message Arrow panels	je signs s	 Utilities coordination Right-of-Way coordination Coordination with other transportation infrastructure 			
	Table 2 Transports	tion Operations (TO				
	•	· · ·	,			
A. Demand Management B. Cc Strategies Strate	rridor/Network Management egies	C. Work Zone Safet Management Strate				

	Emergency turnouts	Construction safety supervisors/inspectors	Incident/emergency management coordinator	
		TMP monitor/inspection team Team meetings Speed limit reduction Warning lights	Incident/emergency response plan Dedicated (paid) police presence Increased penalties for work zone violations	
	Information (PI)			
Press releases/media alerts (per appropriate Coordination with media, schools services as appropriate		Changeable Message Signs (CMS) Highway information network (web-based) 511 traveler information systems (wireless, handhelds) Social Media (Facebook, Twitter) Dynamic Speed Message Signs		

Selected Alternative

The selected alternative for work will be completed using lump sum traffic control submitted by the contractor and approved by the Resident Engineer. Traffic control plans submitted by the contractor will be subject to the construction restrictions and limitations as written in the Special Provisions.

TMP Monitoring

Monitoring Requirements

The Resident Engineer will monitor the effectiveness of the TMP through general inspection and traffic control supervision. The NDOT Resident Engineer will document unforeseen events relevant to the TMP as well as lessons learned. If any relevant information is documented, it should be distributed to the TMP Project Manager.

Public Information and Outreach Plan

As appropriate, portable CMSs will be used to inform road users of traffic information, such as to alert drivers of possible delays, dates construction will occur, incidents, or alternate routes. The current plan is to deploy eighteen (18) CMS ten (10) days prior to construction activities.

NDOT also maintains work zone information for motorists on the 511 Traveler Information Line as well as on their website (http://www.nvroads.com). This project will be posted on the Traveler Information System.

Incident Management Plan

Incident management is the standardized procedure in place for the safe, efficient, and quick management of an incident zone from the time of incident to roadway clearance. Incident management will be handled by the 1st responder community. At each incident a 1st responder, known as the Incident Commander, will take authority over the management of incident zone. It is the responsibility of NDOT, the contractor, all subcontractors, and any consultants to defer to the Incident Commander until the incident area is clear. Guidelines for incident management are developed and adopted by local agencies as part of the local Traffic Incident Management (TIM) Coalition. For questions during an incident see the Incident Commander, for all other times contact TIM representatives Captain John Dondero at 775-687-9628 or at Jdondero@dps.state.nv.us. For NDOT maintenance participation contact Assistant District Engineer John Angel at 775-834-8300 or at jangel@dot.nv.gov.